SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : OIL, SWEET GRAPE*

CAS-No. : N/A
Product code : 91-1034-61

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

YouWish Venserweg 21M, 1112AR Diemen Netherlands contact@youwish.nl +31 6 83295085

1.4. Emergency telephone number

Emergency number

Domestic: 1-800-633-8253

International: 1-801-629-0667

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4

Serious eye damage/eye irritation Category 2A

Skin sensitization, Category 1

Combustible liquid

Causes serious eye irritation
May cause an allergic skin reaction

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Combustible liquid

May cause an allergic skin reaction Causes serious eye irritation

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

11/10/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
METHYL ANTHRANILATE	(CAS-No.) 134-20-3	25 – 50	Eye Irrit. 2A, H319
BENZYL BENZOATE	(CAS-No.) 120-51-4	25 – 50	Acute Tox. 4 (Oral), H302
ORANGE OIL	(CAS-No.) 8028-48-6	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Ethyl methylphenylglycidate	(CAS-No.) 77-83-8	1 – 5	Skin Sens. 1B, H317
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
MALTOL	(CAS-No.) 118-71-8	1 – 5	Acute Tox. 4 (Oral), H302
VANILLIN	(CAS-No.) 121-33-5	1 – 5	Eye Irrit. 2A, H319
DELTA DAMASCONE	(CAS-No.) 57378-68-4	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

11/10/2020 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment

 $: \ \ \ \text{Do not attempt to take action without suitable protective equipment. For further information}$

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OIL, SWEET GRAPE* (N/A)

No additional information available

MALTOL (118-71-8)

No additional information available

Ethyl methylphenylglycidate (77-83-8)

No additional information available

VANILLIN (121-33-5)

No additional information available

BENZYL BENZOATE (120-51-4)

No additional information available

DELTA DAMASCONE (57378-68-4)

No additional information available

ORANGE OIL (8028-48-6)

No additional information available

LINALOOL (78-70-6)

No additional information available

METHYL ANTHRANILATE (134-20-3)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

11/10/2020 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: YELLOW

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 65 °C

Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : 1.075 (1.065 – 1.085)

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.533 (1.523 – 1.543)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

11/10/2020 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	Acute toxicity	: Not classified	
ATE US (oral) 1440 mg/kg body weight	MALTOL (118-71-8)		
VANILLIN (121-33-5)	LD50 oral rat		
US0 oral rat S300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) > 2000 mg/kg body weight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 3300 mg/kg body weight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 3300 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) US0 dermal rabbit > 2000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) US0 dermal rabbit > 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) ATE US (oral) 1500 mg/kg body weight US0 dermal rabbit 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) ATE US (oral) 1400 mg/kg body weight US0 dermal rabbit 1400 mg/kg body weight US0 dermal rabbit 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) US0 dermal rabbit > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) US0 dermal rabbit > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 402) US0 dermal rabbit > 5000 mg/kg (Rat) US0 dermal rabbit > 5000 mg/kg (Rabbit) US0 dermal rabbit > 5000 mg/kg (Rabbit) US0 dermal rabbit S000 mg/kg (Rabbit) S000 m	ATE US (oral)	1440 mg/kg body weight	
US0 oral rat US0 oral rat US0 oral rat US0 oral rat US0 of weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Dra. 14 day(s)) S000 mg/kg body weight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) S000 mg/kg body weight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) S000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 1500 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 1500 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, DECD 401: Experimental value, DECD 401: Experimental value, DECD 402: DECD 401: Experimental value, DECD 402: DECD	VANII I IN (121-33-5)		
LD50 dermal rat 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 3000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 deral rat 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rabbit 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) ATE US (oral) 1500 mg/kg body weight ATE US (oral) 1400 mg/kg body weight DAMASCONE DELTA (57378-68-4) ATE US (oral) 1400 mg/kg body weight ORANGE SWEET OIL (8028-48-6) LD50 dermal rabbit 2 5000 mg/kg body weight (Rat: Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit 2 5000 mg/kg body weight (Rat) LD50 dermal rabbit 2 5000 mg/kg (Rat) LD50 dermal rabbit 2 5000 mg/kg (Rat) LD50 dermal rabbit 2 5000 mg/kg (Rabbit) ATE US (oral) 2790 mg/kg (Rabbit) ATE US (oral) 2790 mg/kg (Babbit) ATE US (oral) 2790 mg/kg body weight METHYL ANTHRANILATE (134-20-3)			
BENZYL BENZOATE (120-51-4) LD50 oral rat \$ 20000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) \$ 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) ATE US (oral) \$ 1500 mg/kg body, weight ATE US (dermal) \$ 4000 mg/kg body weight \$ 4000 mg/kg body weight \$ 4000 mg/kg body weight \$ 5000 mg/kg body weight \$ 5000 mg/kg body weight \$ 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) \$ 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) \$ 1000 oral rat \$ 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) \$ 1000 oral rat \$ 1000 oral rat	LD50 dermal rat		
LD50 oral rat 2 0000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) 2 ml/kg (Modfication of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) ATE US (oral) 1500 mg/kg body weight ATE US (oral) 4000 mg/kg body weight ATE US (oral) 14000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 oral rat 25000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit 25000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LD50 oral rat 2790 mg/kg (Rat) LD50 oral rat 2790 mg/kg (Rat) LD50 dermal rabbit 35610 mg/kg body weight ATE US (oral) 2790 mg/kg body weight ATE US (oral) 2790 mg/kg body weight METHYL ANTHRANILATE (134-20-3) ATE US (oral) 2780 mg/kg body weight SKin corrosion/irritation 3 Not classified Serious eve damage/irritation 4 May cause an allergic skin reaction. Germ cell mutagenicity 3 Not classified Reproductive toxicity 5 Not classified STOT-repeated exposure 5 Not classified STOT-repeated exposure 7 Not classified STOT-repeated exposure 8 Not classified Symptoms/effects after skin contact 5 May cause an allergic skin reaction.	ATE US (oral)	3300 mg/kg body weight	
value, Oral, 14 day(s)) ATE US (oral) ATE US (oral) ATE US (dermal) ATE US (dermal) DAMASCONE DELTA (57378-68-4) ATE US (oral) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 oral rat > 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LINALOOL 90 (78-70-6) LD50 oral rat 2790 mg/kg (Rat) LD50 dermal rabbit > 5000 mg/kg Rabbit > 5000 mg/kg Rabbit ATE US (oral) ATE US (oral) ATE US (dermal) 2790 mg/kg body weight ATE US (oral) ATE US (oral) 2790 mg/kg body weight ATE US (oral) ATE US (oral) 2780 mg/kg body weight ATE US (oral) 2780 mg/kg body weight Skin corrosion/irritation Respiratory or skin sensitization Germ cell mutagenicity Not classified Reproductive toxicity STOT-repeated exposure ASPIRATION ASPIRATI	BENZYL BENZOATE (120-51-4)		
ATE US (oral) 4000 mg/kg body weight DAMASCONE DELTA (57378-68-4) ATE US (oral) 1400 mg/kg body weight ORANGE SWEET OIL (8028-48-6) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 oral rat > 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LD50 oral rat 2790 mg/kg (Rat) LD50 oral rat 2790 mg/kg (Rat) LD50 oral rat 5610 mg/kg (Rat) LD50 dermal rabbit > 5000 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402) LD50 dermal rat 2790 mg/kg (Rat) LD50 dermal rabbit > 5000 mg/kg (Rabbit) ATE US (oral) 2790 mg/kg body weight ATE US (oral) 2790 mg/kg body weight ATE US (oral) 2790 mg/kg body weight METHYL ANTHRANILATE (134-20-3) ATE US (oral) 2780 mg/kg body weight Skin corrosion/irritation Not classified Serious eye damage/irritation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Carcinogenicity Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified Symptoms/effects after skin contact May cause an allergic skin reaction.			
ATE US (dermal) AMASCONE DELTA (57378-68-4) ATE US (oral) DAMASCONE SWEET OIL (8028-48-6) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit > 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LINALOOL 90 (78-70-6) LD50 dermal rat \$ 5610 mg/kg (Rat) LD50 dermal rabbit \$ 5000 mg/kg (Rat) LD50 dermal rabbit \$ 5000 mg/kg (Rab) LD50 dermal rabbit \$ 5000 mg/kg (Rabbit) ATE US (oral) ATE US (oral) \$ 5610 mg/kg body weight METHYL ANTHRANILATE (134-20-3) ATE US (oral) \$ 2780 mg/kg body weight METHYL ANTHRANILATE (134-20-3) ATE US (oral) \$ 2780 mg/kg body weight Serious eye damage/irritation Serious eye irritation. Respiratory or skin sensitization Serious eye irritation. Sespiration yor skin sensitization Serious eye irritation. Serious eye irrita	LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)	
DAMASCONE DELTA (57378-68-4) ATE US (oral) 1400 mg/kg body weight ORANGE SWEET OIL (8028-48-6) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit > 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LINALOOL 90 (78-70-6) LD50 oral rat 2790 mg/kg (Rat) LD50 dermal rabbit > 5610 mg/kg (Rat) LD50 dermal rabbit > 5000 mg/kg (Rat) LD50 dermal rabbit > 5000 mg/kg (Rabbit) ATE US (oral) 2790 mg/kg body weight ATE US (dermal) 5610 mg/kg body weight METHYL ANTHRANILATE (134-20-3) ATE US (oral) 2780 mg/kg body weight Skin corrosion/irritation Not classified Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitization Germ cell mutagenicity Not classified Reproductive toxicity Not classified Reproductive toxicity Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified Symptoms/effects after skin contact May cause an allergic skin reaction.	ATE US (oral)	1500 mg/kg body weight	
ATE US (oral) DRANGE SWEET OIL (8028-48-6) LD50 oral rat	ATE US (dermal)	4000 mg/kg body weight	
DRANGE SWEET OIL (8028-48-6) LD50 oral rat	DAMASCONE DELTA (57378-68-4)		
LD50 oral rat	ATE US (oral)	1400 mg/kg body weight	
LD50 oral rat	ORANGE SWEET OIL (8028-48-6)		
LD50 dermal rabbit > 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LINALOOL 90 (78-70-6) LD50 oral rat 2790 mg/kg (Rat) LD50 dermal rat 5610 mg/kg (Rat) LD50 dermal rabbit > 5000 mg/kg (Rabbit) ATE US (oral) 2790 mg/kg body weight ATE US (dermal) 5610 mg/kg body weight METHYL ANTHRANILATE (134-20-3) ATE US (oral) 2780 mg/kg body weight Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	•	> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)	
LD50 oral rat LD50 dermal rat LD50 dermal rat LD50 dermal ratbbit Source	LD50 dermal rabbit		
LD50 dermal rat LD50 dermal rabbit > 5000 mg/kg (Rabbit) ATE US (oral) ATE US (dermal) ATE US (dermal) S610 mg/kg body weight S610 mg/kg body weight	LINALOOL 90 (78-70-6)		
LD50 dermal rat LD50 dermal rabbit > 5000 mg/kg (Rabbit) ATE US (oral) ATE US (dermal) METHYL ANTHRANILATE (134-20-3) ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-repeated exposure Aspiration hazard Symptoms/effects after skin contact 5610 mg/kg (Rabbit) > 2790 mg/kg (Rabbit) > 2790 mg/kg body weight Stollomg/kg body weight	LD50 oral rat	2790 mg/kg (Rat)	
ATE US (dermal) 2790 mg/kg body weight 5610 mg/kg body weight METHYL ANTHRANILATE (134-20-3) ATE US (oral) 2780 mg/kg body weight 2780 mg/kg body weight Skin corrosion/irritation Skin corrosion/irritation Causes serious eye irritation. Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Not classified Reproductive toxicity STOT-single exposure Not classified STOT-repeated exposure Not classified Symptoms/effects after skin contact May cause an allergic skin reaction. Not classified Not classified Symptoms/effects after skin contact May cause an allergic skin reaction.	LD50 dermal rat		
ATE US (dermal) Sef10 mg/kg body weight	LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
METHYL ANTHRANILATE (134-20-3) ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure Aspiration hazard Symptoms/effects after skin contact 2780 mg/kg body weight 268 wishing 2780 mg/kg body weight 268 wishing 2780 mg/kg body weight 2780 mg/kg body weight 268 wishing 2780 mg/kg body weight 2780 mg/kg body weight 268 wishing 2780 mg/kg body weight 269 wishing 2780 mg/kg body weight 269 wishing 2780 mg/kg body weight 260 wishing 2780 mg/kg body weight 2780 mg/kg body weight 260 wishing 2780 mg/kg body weight 2780 mg/kg body weight 260 wishing 2780 mg/kg body weight 2780 mg/kg body weight 2780 mg/kg body weight 2780 mg/kg body weight	ATE US (oral)	2790 mg/kg body weight	
ATE US (oral) 2780 mg/kg body weight Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure Aspiration hazard Symptoms/effects after skin contact Not classified 2780 mg/kg body weight Not classified Causes serious eye irritation. May cause an allergic skin reaction. May cause an allergic skin reaction. Substitution Not classified Not classified Not classified Not classified Symptoms/effects after skin contact May cause an allergic skin reaction.	ATE US (dermal)	5610 mg/kg body weight	
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	METHYL ANTHRANILATE (134-20-3)		
Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.		2780 mg/kg body weight	
Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	Skin corrosion/irritation	: Not classified	
Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	Serious eye damage/irritation	: Causes serious eye irritation.	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.			
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	' '	,	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	• •	: Not classified	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	•		
STOT-repeated exposure : Not classified Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.		: Not classified	
Aspiration hazard : Not classified Symptoms/effects after skin contact : May cause an allergic skin reaction.	STOT-single exposure	: Not classified	
Symptoms/effects after skin contact : May cause an allergic skin reaction.	STOT-repeated exposure	: Not classified	
	Aspiration hazard	: Not classified	
	Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
	Symptoms/effects after eye contact	: Eye irritation.	

11/10/2020 EN (English US) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
MALTOL (118-71-8)	
LC50 fish 1	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Experimental value)
EC50 Daphnia 1	27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
VANILLIN (121-33-5)	
LC50 fish 1	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ORANGE SWEET OIL (8028-48-6)	
LC50 fish 1	702 μg/l (LC50; Equivalent or similar to OECD 203; 96 h; Pimephales promelas; Flow-through system; Fresh water; Read-across)
EC50 Daphnia 1	0.67 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LINALOOL 90 (78-70-6)	
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
EC50 other aquatic organisms 1	≥ 100 mg/l (3 h; Activated sludge)
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)
12.2. Persistence and degradability	
MALTOL (118-71-8)	To
Persistence and degradability	Readily biodegradable in water.
ThOD	1.52 g O₂/g substance
VANILLIN (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
LINALOOL 90 (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.531 g O₂/g substance
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance
MALTOL (118-71-8)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (Experimental value, Equivalent or similar to OECD 117, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
·	
VANILLIN (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
11/10/2020	EN (English US) 6/9
17 10/2020	Lit (Linguoti CC)

11/10/2020 EN (English US) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
BENZYL BENZOATE (120-51-4)		
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
ORANGE SWEET OIL (8028-48-6)		
BCF other aquatic organisms 1	32 – 395 (BCF; BCFWIN)	
Partition coefficient n-octanol/water (Log Pow)	2.78 – 4.88 (QSAR; KOWWIN)	
LINALOOL 90 (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.145	
Bioaccumulative potential	Bioaccumable.	

12.4. Mobility in soil

MALTOL (118-71-8)		
Partition coefficient n-octanol/water (Log Koc)	0.668 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
VANILLIN (121-33-5)		
Partition coefficient n-octanol/water (Log Koc)	3.438 (log Koc, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
BENZYL BENZOATE (120-51-4)		
Surface tension	0.027 N/m (210 °C)	
Partition coefficient n-octanol/water (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

MALTOL (118-71-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ALDEHYDE C-16 (77-83-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

11/10/2020 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZYL BENZOATE (120-51-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

DAMASCONE DELTA (57378-68-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ORANGE SWEET OIL (8028-48-6)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

LINALOOL 90 (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

METHYL ANTHRANILATE (134-20-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

MALTOL (118-71-8)

Listed on the Canadian DSL (Domestic Substances List)

ALDEHYDE C-16 (77-83-8)

Listed on the Canadian DSL (Domestic Substances List)

VANILLIN (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL BENZOATE (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

DAMASCONE DELTA (57378-68-4)

Listed on the Canadian DSL (Domestic Substances List)

ORANGE SWEET OIL (8028-48-6)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL 90 (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

METHYL ANTHRANILATE (134-20-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations



This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date : 11/10/2020

11/10/2020 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

text of n-privases.	
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

SDS US (GHS HazCom 2012) - Bulk Apothecary

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/10/2020 EN (English US) 9/9