Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF	SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1 PRODUCT IDENTIFICATION					
Product Name	GRAPEFRUIT (PINK), ESSENTIAL OIL				
BIOLOGICAL DEFINITION	CITRUS GRANDIS PEEL OIL IS THE VOLATILE OIL OBTAINED FROM THE PEEL OF THE GRAPEFRUIT, CITRUS GRANDIS, RUTACEAE.				
INCI NAME	CITRUS GRANDIS PEEL OIL				
Synonyms & Trade Names	PINK GRAPEFRUIT OIL				
INTERNAL PRODUCT CODE	K0740	К0740			
CAS-No	90045-43-5 EC No. 289-904-6 EINECS No. 289-904-6				
1.2 Details of the supplier of the safety data sheet					
COMPANY ADDRESS	YouWish Venserweg 21M, 1112 AR Diemen, The Netherlands.				
EMAIL	contact@youwish.nl				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	+31 6 83295085				

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
CLASSIFICATION OF THE SUBSTANCE OR MILTURE CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
CLASSIFICATION (EU1272/2008)	Physical hazards: Flam. Liq. 3 - H226 Health hazards: Asp. Tox. 1- H304, Skin Irrit. 2- H315, Skin Sens. 1- H317 Environmental hazards: Aquatic Acute 1- H400, Aquatic Chronic 1- H410
2.2 ABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.
GHS LABEL	GHS02 GHS08 GHS07 GHS09 GHS09
Signal Word	DANGER.
Contains	d-Limonene, Myrcene
HAZARDS STATEMENT	H226, Flammable liquid and vapour. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H410, Very toxic to aquatic life with long lasting effects.
P RECAUTIONARY STATEMENTS	 P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P233: Keep container tightly closed. P261: Avoid breathing vapours/spray. P264: Wash with soap and water thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P331: Do NOT induce vomiting. P362: Take off contaminated clothing and wash before reuse. P391: Collect spillage. P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303 + P361 + P353: IF ON SKIN: Wash with plenty of soap and water. P332 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse ski with water/shower. P332 + P313: If skin irritation occurs: Get medical advice/attention. P378 + P378: In case of fire: Use Carbon Dioxide, Dry Chemical, Foam Universal for extinction. P403 + P235: Store in a closed container. P403 + P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents / container to a collection of special or hazardous waste.
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	None
	Section 16 (Other Information): Risk & Safety phrases in full.
2.3 DTHER HAZARDS	
Adverse physio-chemical properties	NO ADDITONAL DATA AVAILABLE.
Adverse effects on human health	NO ADDITONAL DATA AVAILABLE.
PBT OR VPVB ACCORDING TO ANNEX XIII	NO ADDITONAL DATA AVAILABLE.

SECTION 3: COMPOSITION OF INGREDIENTS

	≤ 95.0% d-Limonene CAS-No: 5989-27-5; EC No.: 227-813-5
3.2 SUBSTANCES	Classification (EC 1272/2008) Flam. Lig. 3 - H226, Asp. Tox. 1- H304, Skin Irrit. 2 - H315,
	Skin Sens. 1 - H317, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410
	≤ 2.0% Myrcene CAS No: 123-35-3 ; EC No: 204-622-5
	Classification (EC 1272/2008) Flam. Liq. 3 - H226, Asp. Tox. 1 - H304, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410
	≤ 0.15% Citral CAS No: 5392-40-5 ; EC No: 226-394-6
	Classification (EC 1272/2008) Skin Irrit. 2 - H315, Skin Sens. 1 - H317
	≤ 0.1% Linalool CAS No: 78-70-6; EC No: 201-134-4
	Classification (EC 1272/2008) Skin Irrit. 2 - H315, Skin Sens. 1B - H317, Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES			
4.1 Description of First Aid Measures			
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED	CLOTHING IMMEDIATELY.	
INHALATION	Evacuate person to uncontaminated area. Breathe fresh air. If breathing difficulties persist, consult a doctor. If unconscious, place the person in recovery position and call a doctor.		
INGESTION	RINSE MOUTH THOROUGHLY WITH WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING. CONSULT A DOCTOR. IF VOMITING OCCURS, KEEP HEAD DOWN TO PREVENT THE PASSAGE OF VOMIT INTO THE LUNGS. IN CASE OF PERSISTENT OR WORSENING SYMPTOMS CONSULT A DOCTOR. IF UNCONSCIOUS, PLACE THE PERSON IN RECOVERY POSITION (SLP) AND CALL A DOCTOR.		
Skin Contact		VITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH THOROUGHLY CONTAMINATED CLOTHING WEAR GLOVES.	
Eye Contact	RINSE IMMEDIATELY WITH CLEAN WATER OR ANY SOLUTION PROVIDED FOR THIS PURPOSE FOR 15 MINUTES HOLDING THE EYE OPEN. CHECK IF THE VICTIM IS WEARING CONTACT LENSES AND REMOVE IF POSSIBLE. CONSULT OPHTHALMOLOGIST IMMEDIATELY.		
4.2 Most important symptoms & effects (Acute & Delayed)	Potential acute health In case of eye contact: No significant effects or critical hazards. In case of contact with skin: May cause skin irritation. In case of contact with skin: May cause an allergic skin reaction. If swallowed: May be fatal if swallowed and enters airways. If inhaled: No significant effects or critical hazards. Signs / symptoms of overexposure In case of eye contact: In case of contact with skin: Signs / symptoms may include Irritation, redness. If swallowed: No specific data. In case of contact with skin: Signs / symptoms may include Irritation, redness. If swallowed: No specific data. If swallowed: No specific data. If inhaled: No specific data. If inhaled: No specific data.		
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	None expected, see Section 4.1	FOR FURTHER INFORMATION.	

SECTION 5: FIRE FIGHTING MEASURES	
5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	THE PRESSURE IN CLOSED CONTAINERS MAY INCREASE AT HIGH TEMPERATURE. COOL IF POSSIBLE CONTAINERS WITH WATER SPRAY. POTENTIAL HAZARD IS EVOLUTION OF FUMES / FOG. DECOMPOSITION PRODUCTS CAN EVENTUALLY LEAVE THE FOLLOWING SUBSTANCES: CARBON DIOXIDE, CARBON MONOXIDE.
5.3 Advice for fire-fighters	SPECIAL PRECAUTION FOR FIREFIGHTERS IN THE PRESENCE OF FIRE, QUICKLY IDENTIFY THE SITE BY REMOVING ALL PERSONS LOCATED NEAR THE SCENE OF THE ACCIDENT. NO ACTION SHALL BE TAKEN INVOLVING ANY PERSONAL RISK OR THE ABSENCE OF PROPER TRAINING.
	SPECIAL PROTECTIVE EQUIPMENT WEAR BREATHING APPARATUS AND PROTECTIVE SUIT: AGAINST CHEMICAL AGENTS. PROTECTIVE MEASURES
	IN CASE OF FIRE KEEP CONTAINERS COOL BY SPRAYING WITH WATER. Other information Collect contaminated extinguishing water separately. Do not allow to enter drains and sewers. Dispose of
	FIRE DEBRIS AND CONTAMINATED WATER IN ACCORDANCE WITH LOCAL REGULATIONS

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTIONS 1, 8 & 13.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.1 Personal precautions	FOR NON EMERGENCY PERSONNEL NO ACTION SHALL BE TAKEN IN THE ABSENCE OF PROPER TRAINING OR IF IT INVOLVES PERSONAL RISK. PREVENT ACCESS TO PERSONS NOT REQUIRED AND NOT WEARING PROTECTIVE CLOTHING. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. AVOID BREATHING VAPOUR OR MIST. ENSURE ADEQUATE VENTILATION. IF THE VENTILATION IS INADEQUATE, WEAR APPROPRIATE RESPIRATORY PROTECTION. WEAR PROTECTIVE EQUIPMENT. FOR EMERGENCY RESPONDER IF SPECIALIZED CLOTHING IS NEEDED TO ADDRESS THE SPILL, SEE SECTION 8 FOR APPROPRIATE AND INAPPROPRIATE MATERIALS. SEE ALSO THE INFORMATION IN "FOR NON-EMERGENCY PERSONNEL".
	CONSULT THE SAFETY MEASURES LISTED UNDER HEADINGS 7 AND 8.

SECTION 7: HANDLING & STORAGE

7.1 Precautions for safe-handling	PROTECTIVE MEASURES WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT (SEE SECTION 8). PEOPLE WITH A HISTORY OF SKIN SENSITIZATION SHOULD NOT INTERVENE IN THE PROCESSES USING THIS PRODUCT. DO NOT ALLOW CONTACT WITH EYES, SKIN OR CLOTHING. DO NOT INGEST. AVOID BREATHING VAPOUR OR MIST. AVOID RELEASE TO THE ENVIRONMENT. KEEP IN ORIGINAL CONTAINER OR IN A CONTAINER APPROVED ALTERNATIVE MADE FROM A COMPATIBLE MATERIAL, KEPT TIGHTLY CLOSED WHEN NOT IN USE. EMPTY CONTAINERS RETAINING PRODUCT RESIDUE CAN BE DANGEROUS. DO NOT REUSE THIS CONTAINER. GENERAL ADVICE ON OCCUPATIONAL HEALTH DO NOT EAT, DRINK OR SMOKE IN AREAS WHERE THIS MATERIAL IS HANDLED, STORED OR USED. IT IS RECOMMENDED THAT STAFF WASH THEIR HANDS AND FACE BEFORE EATING, DRINKING OR SMOKING. REMOVE CONTAMINATED CLOTHING AND PROTECTIVE EQUIPMENT BEFORE ENTERING A FOOD COURT. SEE ALSO SECTION 8 FOR MORE INFORMATION ON HYGIENE MEASURES.
7.2 Conditions for safe storage, including any incompatibilities	STORE IN ACCORDANCE WITH LOCAL REGULATIONS. STORE IN ORIGINAL CONTAINER PROTECTED FROM DIRECT SUNLIGHT IN A DRY, COOL AND WELL VENTILATED PLACE AWAY FROM INCOMPATIBLE MATERIALS (SEE SECTION 10). KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. CONTAINERS THAT HAVE BEEN OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. DO NOT STORE IN UNLABELLED CONTAINERS. USE APPROPRIATE CONTAINER TO AVOID ENVIRONMENTAL CONTAMINATION.
7.3 Specific end use(s)	No Data.
SECTION 8: EXPOSURE CONTROLS &	

PERSONAL PROTECTION

8.1 Control Parameters	RECOMMENDED MONITORING PROCEDURES FOR OCCUPATIONAL EXPOSURE LIMIT VALUES IF THE PRODUCT CONTAINS INGREDIENTS WITH OCCUPATIONAL EXPOSURE LIMITS, IT MAY BE NECESSARY TO TRACK PEOPLE, THE ATMOSPHERE IN THE WORKPLACE TO DETERMINE THE EFFECTIVENESS OF THE VENTILATION OR OTHER MEASURES CONTROL OR THE NECESSITY TO USE PROTECTIVE EQUIPMENT IN THE AIRWAYS. IT IS IMPORTANT TO REFER TO EUROPEAN STANDARD EN 689 FOR METHODS FOR ASSESSING EXPOSURE BY INHALATION TO CHEMICAL AGENTS AND NATIONAL LEGISLATIVE DOCUMENTS RELATING TO METHODS FOR DETERMINING HAZARDOUS SUBSTANCES.
8.2 EXPOSURE CONTROLS	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE
	VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR
	PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING
RESPIRATORY EQUIPMENT	CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST
	VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE
	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO
	REFER TO SECTIONS 2 AND 7.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
	No special ventilation requirements. Good general ventilation should be sufficient to control exposure to
ENGINEERING MEASURES	AIRBORNE CONTAMINANTS IN THE AIR. IF THIS PRODUCT CONTAINS INGREDIENTS WHICH CONSTRAIN EXPOSURE LIMITS, USE
	PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION OR OTHER CONTROLS TO KEEP WORKER EXPOSURE BELOW THE LIMITS OF
	STAKEHOLDERS RECOMMENDED OR LEGAL.
Skin Protection	The personal protective equipment for the body should be selected according to the task performed and the
	RISKS INVOLVED. IT IS RECOMMENDED TO VALIDATE THE EQUIPMENT BY A SPECIALIST BEFORE HANDLING THIS PRODUCT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIROMENTAL EXPOSURE CONTROLS	It is important to test emissions from ventilation systems or manufacturing equipment to ensure they comply
ENVIROMENTAL EXPOSURE CONTROLS	WITH LEGISLATIVE REQUIREMENTS ON ENVIRONMENTAL PROTECTION.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 Physical & Chemical Properties		
Appearance	LIQUID, RED – ORANGE.	
Odour	CHARACTERISTIC.	
RELATIVE DENSITY	0.855 @ 20ºC	
FLASH POINT (°C)	>44°C.	
REFRACTIVE INDEX @ 20 °C	Approx. 1.477 @ 20°C	
Solubility in water @ 20 °C	INSOLUBLE IN WATER	
9.2 Other Information	BOILING POINT (°C): >35.0	
SECTION 10: STABILITY & REACTIVITY		
10.1 Reactivity		NO CORROSIVE EFFECT ON METALS EXPECTED. WITH WATER, NO FORMATION OF FLAMMABLE GASES.

10.2 Chemical stability	Stable under suggested storage conditions (<15°C).
10.3 Possibility of hazardous reactions	NOT UNDER NORMAL CONDITIONS OF USE.
10.4 Conditions to avoid	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C. AVOID ANY SOURCE OF IGNITION, HEAT, SPARKS OR FLAMES.
10.5 INCOMPATIBLE MATERIALS	NO ADDITIONAL DATA AVAILABLE.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	UNDER NORMAL CONDITIONS OF STORAGE AND USE, HAZARDOUS DECOMPOSITION PRODUCTS SHOULD NOT BE FORMED.

11.1 TOXICOLOGICAL EFFECTS	
Αсυτε Τοχιςιτ	Y NOT CLASSIFIED. (BY CALCULATION.)
SKIN IRRITATIO	Causes Skin Iritation
Eye damage or irritatio	NOT APPLICABLE.
R ESPIRATORY OR SKIN SENSITIVIT	MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICIT	Y NOT APPLICABLE.
Carcinogenicit	NOT APPLICABLE.
Reproductive toxicit	Y NOT APPLICABLE.
STOT – SINGLE EXPOSUR	F NOT APPLICABLE.
STOT – REPEATED EXPOSUR	E NOT APPLICABLE.
ASPIRATION HAZAR	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
Aspiration hazar Other information	MAT BETATAL IF SWALLOWED AND ENTERS ARWATS.
	MAT BETATAL II SWALLOWED AND ENTERS AIRWATS.
Other information	MAT BETATAL II SWALLOWED AND ENTERS AIRWATS.
Other INFORMATION SECTION 12: ECOLOGICAL INFORMATION 12.1	MAT BETATAL II SWALLOWED AND ENTERS AIRWATS.
Other INFORMATION SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity	NOT APPLICABLE.
Other INFORMATION SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity 12.2	AQUATIC LIFE: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Other INFORMATION SECTION 12: ECOLOGICAL INFORMATION 12.1	AQUATIC LIFE: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. THE PRODUCT MUST NOT BE ALLOWED TO RUN INTO DRAINS OR WATERWAYS.
Other information SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity 12.2 Persistence & degradability 12.3	MAY BE FARLE IF SWALLOWED AND ENTERS AIKWARD. NOT APPLICABLE. AQUATIC LIFE: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. THE PRODUCT MUST NOT BE ALLOWED TO RUN INTO DRAINS OR WATERWAYS. NO ADDITIONAL DATA AVAILABLE.
Other information SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity 12.2 Persistence & degradability 12.3 Bio- accumulative potential 12.4	MAY BE FARLE IF SWALLOWED AND ENTERS ARWARD. NOT APPLICABLE. AQUATIC LIFE: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. THE PRODUCT MUST NOT BE ALLOWED TO RUN INTO DRAINS OR WATERWAYS. NO ADDITIONAL DATA AVAILABLE. NO ADDITIONAL DATA AVAILABLE.

	Product
	METHODS OF WASTE DISPOSAL
13.1	IT IS RECOMMENDED TO AVOID OR MINIMIZE WASTE GENERATION. DO NOT DISPOSE OF SIGNIFICANT
WASTE TREATMENT METHODS	QUANTITIES OF WASTE PRODUCED VIA THE SEWERS. TREAT THEM IN A WASTEWATER PROCESSING PLANT
	PROPERLY. REMOVE ALL NON-RECYCLABLE PRODUCTS VIA A LICENSED WASTE COLLECTION. DISPOSING
	OF THIS PRODUCT, SOLUTIONS AND SUB-PRODUCTS SHOULD, AT ALL TIMES, COMPLY WITH THE LEGAL

REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND DISPOSAL OF WASTES AND THE REQUIREMENTS OF ALL LOCAL AUTHORITIES. HAZARDOUS WASTE IT MAY BE THAT THE CLASSIFICATION OF THE PRODUCT MEETS THE CRITERIA OF HAZARDOUS WASTE
PACKAGING METHODS OF WASTE DISPOSAL IT IS RECOMMENDED TO AVOID OR MINIMIZE WASTE GENERATION. RECYCLE PACKAGING WASTE. CONSIDER INCINERATION OR LANDFILLING ONLY IF RECYCLING IS IMPOSSIBLE. SPECIAL PRECAUTIONS DISPOSE OF THIS MATERIAL AND ITS CONTAINER IN A SAFE WAY. HANDLE UN-CLEANED EMPTY OR RINSED CONTAINERS WITH CARE. EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUES. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF. AVOID CONTACT WITH SOIL, WATERWAYS, SEWERS AND DRAINAGE PIPES.

SECTION 14: TRANSPORT INFORMATION	
14.1 Transport Information	
UN NUMBER	ROAD: 1169 SEA: 1169
	AIR: 1169
14.2 UN Shipping Name	Extracts, Aromatic, Liquid.
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID. TRANSPORT LABELS
14.4	ADR/RID/ADN PACKING GROUP
PACKING GROUP	IMDG PACKING GROUP III
14.5 Enviromental Hazards	ICAO PACKING GROUP III ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.
14.6	SEE SECTIONS 6-8.
SPECIAL PRECAUTIONS FOR USER	Tunnel restriction code D/E
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	

EU Directives	Regulation (EC) No 1907/2006 of the European Parliament and of the council of $18^{ ext{th}}$
	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF
	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE
	1999/45/EC and repealing council regulation (EEC) No793/93 & commission
	REGULATION (EC) NO1488/94 as well as council directive $76/769/EEC \&$ commission
	DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009
	No 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA
	SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2	Assessment has not been carried out as this is a non-hazardous material according to
CHEMICAL SAFETY ASSESSMENT	ARTICLE 31 OF REACH 1907/2006.

SECTION 16: OTHER INFORMATION	
Hazard and/ or Precautionary Statements in full	H226: Flammable Liquid and Vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	Accord European sur le transport des merchandises Dangereuses par Route (European Agreement concerning the international Carriage of Dangerous goods by Road).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 [™] April 2018	Data Launch
NOVEMBER 2020	Review
2021	Review