Safety Data Sheet Tropical Punch Fragrance Oil

February 08, 2017

Section 1: Chemical Product and Company Identification

Product name: Contact Info:	Tropical Punch Fragrance Oil YouWish Venserweg 21M, 1112AR Diemen Netherlands contact@youwish.nl +31 6 83295085
Emergency Phone Number:	Within USA & Canada: 1.800.424.9300 CCN693143 Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200) of title 29)
Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation.
	15 : May cause eye irritation.
Acute Inhalation	25 : Inhalation at high levels may cause: difficulty in breathing, tremors, labored breathing, hypothermia, lethargy, ataxia.
Acute Oral	3 : May be harmful if swallowed .
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, stomach, gastrointestinal tract, brain, tongue, mucous membranes, musculo-skeletal system, respiratory tract.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

Carcinogenicity

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms



Signal	Wor	d: Da	inge
--------	-----	-------	------

Hazard statements				
H227	Combustible liquid			
H303	May be harmful if swallowed			
H313	May be harmful in contact with skin			
H315	Causes skin irritation			
H317	May cause an allergic skin reaction			
H319	Causes serious eye irritation			
H333	May be harmful if inhaled			
H400	Very Toxic to aquatic life			
H411	Toxic to aquatic life with long lasting effects			
Precautionary Statements				

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention

P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use
	a direct water jet on burning material
P391	Collect Spillage
2.3 Other Hazard	ls

No data available

Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc. Range	GHS Classification	OSHA
Ingredient				Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
101-86-0	200-983-3	5 – 10 %	H303; H316; H317; H400;	11, 15
Hexyl cinnamaldehyde			H411	
120-45-6	204-397-3	2-5%	H316	
alpha-Methylbenzyl propionate				
78-70-6	201-134-4	2-5%	H227; H303; H315; H317;	12, 26
Linalool			H319; H402	
1222-05-5	214-946-9	2 – 5 %	H316; H400; H410	11, 15
Hexamethylindanopyran				
5392-40-5	226-394-6	2-5%	H313; H315; H317; H319;	26
Citral			H401	
6259-76-3	228-408-6	2 – 5 %	H315; H317; H319; H400;	11, 15
Hexyl salicylate			H410	
10094-34-5	233-408-6	2-5%	H401; H411	11, 15
a ,a-Dimethylphenethyl butyrate				
103-60-6	203-127-1	1-2%	H316	11
2-Phenoxyethyl isobutyrate				
706-14-9	211-892-8	1-2%	H316	
gamma-Decalactone				
14907-07-6	238-969-9	1-2%	H316; H401; H411	11, 39
beta-lonone				
140-11-4	205-399-7	1-2%	H303; H316; H401; H412	15, 25, 26, 31,
Benzyl acetate				39
115-95-7	204-116-4	1-2%	H227; H315; H319; H401;	
Linalyl acetate			H402	
105-87-3	203-341-5	1-2%	H315; H317; H401; H412	11, 15

Geranyl acetate				
110-19-0	203-745-1	1-2%	H225; H336; H402	11, 15, 25
Isobutyl acetate (iso-Butyl acetate)				
128-37-0	204-881-4	1-2%	H316; H400; H410	
Butylated hydroxytoluene				
93-92-5	202-288-5	1-2%	H227; H401	
methylbenzyl acetate				
107-75-5	203-518-7	0.1 – 1.0 %	H317; H319; H402	11, 15, 31
Hydroxycitronellal				
103-95-7	203-161-7	0.1 – 1.0 %	H227; H303; H315; H317;	11, 15, 31
2-Methyl-3-(p-			H401; H412	
isopropylphenyl)propionaldehyde				
77-83-8	201-061-8	0.1 – 1.0 %	H317; H401; H411	11, 15
Ethyl methylphenylglycidate				
2705-87-5	220-292-5	0.1 – 1.0 %	H302; H312; H317; H332;	10, 12, 15, 3
Allyl cyclohexylpropionate			H400; H410	
1205-87-5	214-292-6	0.1 – 1.0 %	H303; H317; H401; H411	
a-Methyl-1,3-benzodioxole-5-				
propionaldehyde				
106-22-9	203-375-0	0.1 – 1.0 %	H303; H313; H315; H317;	11, 15
Citronellol			H319; H401	
23726-91-2	245-842-1	0.1 - 1.0 %	H303; H316; H317	11, 31
(2E)-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-				
2-buten-1-one				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.05

Section 4: First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. **Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam. Unsuitable: Do not use a direct water jet on burning material.

5.2 Special hazards arising from the substance or mixture

During firefighting: Water may be ineffective.

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable.

Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

		ACGIH	ACGIH	OSHA	OSHA
Component		TWA ppm	STEL ppm	TWA ppm	STEL ppm
140-11-4	Benzyl acetate	10			
110-19-0	Isobutyl acetate (iso-Butyl	acetate) 150		150	
128-37-0	Butylated hydroxytoluene	2			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard Odor: Conforms to Standard Color: Pale Yellow to Greenish Yellow (G2-4) Viscosity: Liquid Freezing Point: Not determined Boiling Point: Not determined Melting Point: Not determined **Flashpoint (CCCFP):** 194°F (90.00°C) Auto flammability: Not determined Explosive Properties: None Expected **Oxidizing properties:** None Expected Vapor Pressure (mmHg@20 C): 0.3125 %VOC: 3.4269 Specific Gravity @ 25 C: 1.0400 Density @ 25 C: 1.0370 Refractive Index @ 20 C: 1.5320

Soluble in: Oil

Section 10: Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

Section 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"Acute toxicity - Oral - (Rat) mg/kg(LD50: 2019.65): May be harmful if swallowedAcute toxicity - Dermal - (Rabbit) mg/kg(LD50: 3877.75): May be harmful in contact with skinAcute toxicity - Inhalation - (Rat) mg/L/4hr(LC50: 50.61): May be harmful if inhaledSkin corrosion / irritation: Causes skin irritationSerious eye damage / irritation: Causes serious eye irritationRespiratory sensitization: Not classified - the classification criteria are not metSkin sensitization: May cause an allergic skin reactionGerm cell mutagenicity: Not classified - the classification criteria are not metReproductive toxicity - Not classified - the classification criteria are not metSpecific target organ toxicity - single exposure: May cause respiratory irritationSpecific target organ toxicity - single exposure: Not classified - the classification criteria are not met.Aspiration hazard: Not classified - the classification criteria are not met.

Section 12: Ecological Information

12.1 Toxicity

Acute aquatic toxicity: Very toxic to aquatic life Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects. Toxicity Data on soil: No data available. Toxicity on other organisms: No data available.

12.2 Persistence and degradability: No data available.

12.3 Bioaccumulative potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)	9	Ш		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				
IATA (Air Cargo)	9	Ш		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				
IMDG (Sea)	9	Ш		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				

Section 14: Transport Information

Section 15: Regulatory Information

 U.S. Federal Regulations:

 TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt.

 40 CFR (EPCRA, SARA, CERCLA and CAA): This product contains the following components:

 110-19-0
 203-745-1
 1 – 2 %
 Isobutyl acetate (iso-Butyl acetate)

U.S. State Regulations: California Proposition 65 Warning: 123-35-3(NFS) 204-622-5 <= 8 ppm beta-Myrcene (NFS) Canadian Regulations: DSL / NDSL: 100.00% of the components are listed or exempt.

Section 16: Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(1.09) Skin Corrosion/Irritation, Category 2(1.18) Eye Damage/Eye Irritation, Category 2A(5.12) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(6.55) Sensitization, Skin, Category 1B (2.65) Aquatic Acute Toxicity, Category 1

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.