



# Safety Data Sheet

## Tropical Punch Fragrance Oil

February 08, 2017

### Section 1: Chemical Product and Company Identification

**Product name:** Tropical Punch Fragrance Oil  
**Contact Info:** Bramble Berry Inc.  
2138 Humboldt Street  
Bellingham, WA 98225  
info@brambleberry.com  
www.brambleberry.com  
1-877-627-7883

**Emergency Phone Number:**  
Within USA & Canada: 1.800.424.9300 CCN693143  
Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

### Section 2: Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation. 15 : May cause eye irritation.
Acute Inhalation	25 : Inhalation at high levels may cause: difficulty in breathing, tremors, labored breathing, hypothermia, lethargy, ataxia.
Acute Oral	3 : May be harmful if swallowed .
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, stomach, gastrointestinal tract, brain, tongue, mucous membranes, musculo-skeletal system, respiratory tract.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

**Hazard pictograms**



**Signal Word: Danger**

**Hazard statements**

- H227 Combustible liquid
- H303 May be harmful if swallowed
- H313 May be harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H333 May be harmful if inhaled
- H400 Very Toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects

**Precautionary Statements**

**Prevention:**

- P235 Keep cool
- P264 Wash hands thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment

**Response:**

- P302 + P352 IF ON SKIN: Wash with soap and water
- P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
- P312 Call a POISON CENTER or doctor/physician if you feel unwell
- P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
- P337 + P313 If eye irritation persists: Get medical advice/attention

- P362 Take off contaminated clothing and wash before reuse
- P363 Wash contaminated clothing before reuse
- P370 + P378 In case of fire: Use Carbon dioxide (CO<sub>2</sub>), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
- P391 Collect Spillage

### 2.3 Other Hazards

No data available

## Section 3: Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# <i>Ingredient</i>	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	30 - 40 %	H302; H313; H400; H411	28, 3
101-86-0 <i>Hexyl cinnamaldehyde</i>	200-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
120-45-6 <i>alpha-Methylbenzyl propionate</i>	204-397-3	2 - 5 %	H316	
78-70-6 <i>Linalool</i>	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	12, 26
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	2 - 5 %	H316; H400; H410	11, 15
5392-40-5 <i>Citral</i>	226-394-6	2 - 5 %	H313; H315; H317; H319; H401	26
6259-76-3 <i>Hexyl salicylate</i>	228-408-6	2 - 5 %	H315; H317; H319; H400; H410	11, 15
10094-34-5 <i>alpha, alpha-Dimethylphenethyl butyrate</i>	233-408-6	2 - 5 %	H401; H411	11, 15
103-60-6 <i>2-Phenoxyethyl isobutyrate</i>	203-127-1	1 - 2 %	H316	11
706-14-9 <i>gamma-Decalactone</i>	211-892-8	1 - 2 %	H316	
14907-07-6 <i>beta-Ionone</i>	238-969-9	1 - 2 %	H316; H401; H411	11, 39
140-11-4 <i>Benzyl acetate</i>	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39
115-95-7 <i>Linalyl acetate</i>	204-116-4	1 - 2 %	H227; H315; H319; H401; H402	
105-87-3	203-341-5	1 - 2 %	H315; H317; H401; H412	11, 15



## BRAMBLE BERRY

HANDCRAFT PROVISIONS

<i>Geranyl acetate</i>				
110-19-0 <i>Isobutyl acetate (iso-Butyl acetate)</i>	203-745-1	1 – 2 %	H225; H336; H402	11, 15, 25
128-37-0 <i>Butylated hydroxytoluene</i>	204-881-4	1 – 2 %	H316; H400; H410	
93-92-5 <i>methylbenzyl acetate</i>	202-288-5	1 – 2 %	H227; H401	
107-75-5 <i>Hydroxycitronellal</i>	203-518-7	0.1 – 1.0 %	H317; H319; H402	11, 15, 31
103-95-7 <i>2-Methyl-3-(p-isopropylphenyl)propionaldehyde</i>	203-161-7	0.1 – 1.0 %	H227; H303; H315; H317; H401; H412	11, 15, 31
77-83-8 <i>Ethyl methylphenylglycidate</i>	201-061-8	0.1 – 1.0 %	H317; H401; H411	11, 15
2705-87-5 <i>Allyl cyclohexylpropionate</i>	220-292-5	0.1 – 1.0 %	H302; H312; H317; H332; H400; H410	10, 12, 15, 3
1205-87-5 <i>α-Methyl-1,3-benzodioxole-5-propionaldehyde</i>	214-292-6	0.1 – 1.0 %	H303; H317; H401; H411	
106-22-9 <i>Citronellol</i>	203-375-0	0.1 – 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
23726-91-2 <i>(2E)-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one</i>	245-842-1	0.1 – 1.0 %	H303; H316; H317	11, 31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.05

### Section 4: First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

**Risks:** Refer to Section 2.2 "Hazard Statements"

#### 4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

## Section 5: Fire-Fighting Measures

### 5.1 Extinguishing media

**Suitable:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam.

**Unsuitable:** Do not use a direct water jet on burning material.

### 5.2 Special hazards arising from the substance or mixture

**During firefighting:** Water may be ineffective.

### 5.3 Advice for firefighters

**Further information:** Standard procedure for chemical fires.

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable.

## Section 7: Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## Section 8: Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits:

Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			
110-19-0	Isobutyl acetate (iso-Butyl acetate)	150		150	
128-37-0	Butylated hydroxytoluene	2			

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

**Appearance:** Conforms to Standard

**Odor:** Conforms to Standard

**Color:** Pale Yellow to Greenish Yellow (G2-4)

**Viscosity:** Liquid

**Freezing Point:** Not determined

**Boiling Point:** Not determined

**Melting Point:** Not determined

**Flashpoint (CCCFP):** 194°F (90.00°C)

**Auto flammability:** Not determined

**Explosive Properties:** None Expected

**Oxidizing properties:** None Expected

**Vapor Pressure (mmHg@20 C):** 0.3125

**%VOC:** 3.4269

**Specific Gravity @ 25 C:** 1.0400

**Density @ 25 C:** 1.0370

**Refractive Index @ 20 C:** 1.5320

Soluble in: Oil

## Section 10: Stability and Reactivity

**10.1 Reactivity** None

**10.2 Chemical stability** Stable

**10.3 Possibility of hazardous reactions** None known

**10.4 Conditions to avoid** None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

## Section 11: Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

**Acute toxicity - Oral - (Rat) mg/kg** (LD50: 2019.65): May be harmful if swallowed

**Acute toxicity - Dermal - (Rabbit) mg/kg** (LD50: 3877.75): May be harmful in contact with skin

**Acute toxicity - Inhalation - (Rat) mg/L/4hr** (LC50: 50.61): May be harmful if inhaled

**Skin corrosion / irritation:** Causes skin irritation

**Serious eye damage / irritation:** Causes serious eye irritation

**Respiratory sensitization:** Not classified - the classification criteria are not met

**Skin sensitization:** May cause an allergic skin reaction

**Germ cell mutagenicity:** Not classified - the classification criteria are not met

**Carcinogenicity:** Not classified - the classification criteria are not met

**Reproductive toxicity:** Not classified - the classification criteria are not met

**Specific target organ toxicity - single exposure:** May cause respiratory irritation

**Specific target organ toxicity - repeated exposure:** Not classified - the classification criteria are not met.

**Aspiration hazard:** Not classified - the classification criteria are not met.

## Section 12: Ecological Information

### 12.1 Toxicity

**Acute aquatic toxicity:** Very toxic to aquatic life

**Chronic aquatic toxicity:** Toxic to aquatic life with long lasting effects.

**Toxicity Data on soil:** No data available.

**Toxicity on other organisms:** No data available.

**12.2 Persistence and degradability:** No data available.

**12.3 Bioaccumulative potential:** No data available.

**12.4 Mobility in soil:** No data available.

**12.5 Other adverse effects:** No data available.

## Section 13: Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## Section 14: Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated - Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b> Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IATA (Air Cargo)</b> Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IMDG (Sea)</b> Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

## Section 15: Regulatory Information

### U.S. Federal Regulations:

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt.

**40 CFR (EPCRA, SARA, CERCLA and CAA):** This product contains the following components:

110-19-0      203-745-1      1 – 2 %      Isobutyl acetate (iso-Butyl acetate)

### U.S. State Regulations:

#### California Proposition 65 Warning:

123-35-3(NFS)    204-622-5      <= 8 ppm      beta-Myrcene (NFS)

### Canadian Regulations:

**DSL / NDSL:** 100.00% of the components are listed or exempt.

## Section 16: Other Information

**GHS H-Statements referred to under section 3**

**Total Fractional Values**



**BRAMBLE BERRY**

HANDCRAFT PROVISIONS

---

**(TFV) Risk**

(1.09) Skin Corrosion/Irritation, Category 2  
(1.18) Eye Damage/Eye Irritation, Category 2A  
(5.12) Aquatic Chronic Toxicity, Category 2

**(TFV) Risk**

(6.55) Sensitization, Skin, Category 1B  
(2.65) Aquatic Acute Toxicity, Category 1

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.