

Material Safety Data Sheet

EU Regulation: 1907/2006

1.1 Product Identification	
PRODUCT NAME	Essential oils - Grapefruit - Etherische olie - Grapefruit
BIOLOGICAL DEFINITION	CITRUS PARADISI PEEL OIL IS THE VOLATILE OIL EXPRESSED FROM THE PEEL OF THE GRAPEFRUIT, CITRUS PARADISI, RUTACEAE.
INCI NAME	CITRUS PARADISI PEEL

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

INCI NAME	CITRUS PARADISI PEEL			
Synonyms & Trade Names	-			
INTERNAL PRODUCT CODE	SQ0150207 - EO011			
CAS-No	8016-20-4 EC No. 289-904-6 EINECS No. 289-904-6			
1.2 Details of the supplier of the safety data sheet				
COMPANY ADDRESS	COMPANY ADDRESS YouWish Vergulden Wagen 13, 1111TD Diemen, The Netherlands www.youwish.nl			

CLASSIFICATION (67/548/EEC) NO ADDITIONAL DATA AVAILABLE FLAMMARE LOUD, HAZARE CATEGORY 3 - H226 SKIN COREORY / BRITATION CATEGORY 2 - H315 SERVICE CORECTION (EU1272/2008) ASPERATION HAZARE CATEGORY 1 - H307 ASPERATION HAZARE CATEGORY 1 - H307 ASPERATION HAZARE CATEGORY 1 - H304 HAZARDOUS TO THE AQUATIC ENVIRONMENT - AQUATIC CHRONIC CATEGORY 1 - H410 2 CH5 LABEL GH5 LABEL CONTAINS UMONER, MYRCENE, H226, FLAMMARE LOUDE DAMO VAPOUR. H336, CLASS STORE WITH REGULATION (EC) NO 1272/2008. CONTAINS UMONER, MYRCENE, H226, FLAMMARE LOUDE DAMO VAPOUR. H336, ALMS E FADAL IF SAVAL OWNER AND ENTERS ARWAYS. H317, MAY CAURE AN AURERIC SON BRACTION. P21	1 LASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
Skik Coecosion / Jestiation Category 2 - H315 Sestiatization - Sub Category 1 - H304 Hazabous to the Aquatic Environment - Aquatic Category 1 - H410 a Bete Elements Label In Accorbance with Regulation (EC) No 1272/2008. Chassing Category 1 Chassing Category 1 - H304 Hazabous to the Aquatic Environment - Aquatic Category 1 - H410 a Bete Elements Label In Accorbance with Regulation (EC) No 1272/2008. Chi Sola Like Chi Sola Chi			
GHS LABEL Of Signal Word Signal Word Danger. Contains Linonene, Myrache, HAZARDS STATEMENT Linonene, Myrache, HAZARDS STATEMENT Linonene, Myrache, P210, KEP AWARD (Linux) Contains Linonene, Myrache, P210, KEP AWARD (Linux) Contains Linonene, Myrache, P210, KEP AWARD (Linux) Contains P210, KEP AWARD (Linux) Contains P210, KEP AWARD (Linux) Contains P210, KEP AWARD (Linux) Contains (Linux) Contains (Linux) Contains (Linux) Contains (Linux) Contains (Linux) Contains P210, KEP AWARD (Linux) Contains (L	CLASSIFICATION (EU1272/2008)	Flammable Liquid, Hazard Category 3 - H226 Skin Corrosion / Irritation Category 2 - H315 Sensitization - Skin Category 1 - H317 Aspiration Hazard Category 1 - H304	
GHS02 GHS08 GHS07 GHS09 SIGNAL WORD DANGER. CONTAINS IMMONENE, MYRCENE, H226, FLAMMABLE LIQUID AND VAPOUR. H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315, CAUESS SIGN IRRITATION. H315, CAUESS SIGN IRRITATION. H316, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317, MAY CAUSE AN AIREOIC SIGN REACTIONA. H317, MAY CAUSE AN AIREOIC SIGN REACTIONA. H317, MAY CAUSE AND HOT SUBFICIENT AND. H317, MAY CAUSE AND HOT SUBFICIENT AND. H317, MAY CAUSE AND HOT SUBFICIENT AIRCON. P2210, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SUBFACES NO SMOKING. P223, AVOID BELEASE TO THE ENVIRONMENT. P233, AVOID BELASE TO THE ENVIRONMENT. P233, AVOID BELASE TO THE ENVIRONMENT. P330 + P331, JS IN IN INSTITUTION OR RASINGLE, DRY PONDER OR WATER FOG TO EXTINGUISH. B370 + P371 AIR SIN RIM RETATION OR RASINGLE, DRY PONDER OR WATER FOG TO EXTINGUISH. SUPPLEMENTARY PRECAUTIONARY STATEMENTS SUPPLEMENTARY PRECAUTIONARY STATEMENTS		LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.	
Signal Word DANGER. CONTAINS LMONENE, MYRCENE, H226, FLAMMABLE LIQUID AND VAPOUR. H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315, CAUSES SKIN IRRITATION. H315, CAUSES SKIN IRRITATION. H317, MAY CAUSES AN ALLEGOIC SKIN REACTION. H410, VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. P210, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SUBFACES NO SMOKING. P211, USE EXPLOSION-PROCE ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. P221, AUDID BELASE TO THE ENVIRONMENT. P201, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SUBFACES NO SMOKING. P211, VICE EXPLOSION-PROCE ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. P201, AUDID BELASE TO THE ENVIRONMENT. P233, AUDID RELASES TO THE ENVIRONMENT. P201, SWALLOWED. IMMEDIATELY CALL & POISON CENTER OR DOCTOR/PHYSICIAN. P301/310, IF SWALLOWED. P301/310, IF SWALLOWED. SUPPLEMENTARY PRECAUTIONARY STATEMENT P301/310, IF SWALLOWED. SUPPLEMENTARY PRECAUTIONARY STATEMENT P301/310, IF SWALLOWED. SUPPLEMENTARY PRECAUTIONARY STATEMENT P301/313, IF SIN IRRITATION OR RASH OCCURS. GET MEDICAL ADVICE/ATTENTION. P302+P352, IF ON SKIN. WASH WITH PLENTY OF WATER. <td< td=""><td>GHS LABEL</td><td>GHS02 GHS08 GHS07 GHS09</td></td<>	GHS LABEL	GHS02 GHS08 GHS07 GHS09	
CONTAINS H226, FLAMMABLE LIQUID AND VAPOUR. H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315, CAUSES SKIN REITATION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H310, CAUSES SKIN REITATION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. P210, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. P241, USE EXPLOSION-PROOF ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. P260, WEAR PROTECTIVE GLOVES/FER PROTECTION/ FACE PROTECTION. P280, WEAR PROTECTIVE GLOVES/FER PROTECTION/ FACE PROTECTION. P301/310, JF SW VALLOWED INMEDIATELY CALL ADOISON CENTRE OR DOCTOR/PHYSICIAN. P301/310, JF SW VALLOWED INMEDIATELY CALL CONTAINERT OR APPROVED THE OR DOCTOR/PHYSICIAN. P301/310, JF SWALLOWED INMEDIATELY CALL CONTAINER OR DOCTOR/PHYSICIAN. P301/310, JF SW VALLOWED INFORMATION, FACE PROTECTION. P301/310, JF SWALLOWED INFORMATION, CONTAINER TO APPROVED DISPOSAL SITE, IN ACCORDANCE WITH LOCAL REGUILATIONS. <td< td=""><td>Signal Word</td><td>DANGER.</td></td<>	Signal Word	DANGER.	
H32ARDS STATEMENH H305, CAUSES SKINI IRRITATION. H315, CAUSES SKINI IRRITATION. H315, CAUSES SKINI IRRITATION. H317, MAY CAUSE AN ALLERCIC SKIN REACTION. H410, VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. P210, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. P211, LISE EXPLOSION-PROOF ELECTICAL, VENTILATING AND LIGHTING EQUIPMENT. P261, AVOID RELEASE TO THE ENVIRONMENT. P261, AVOID RELEASE TO THE ENVIRONMENT. P280, WEAR PROTECTIVE GLOVES/EVE PROTECTION/FACE PROTECTION. P301/310, IS SWALLOWED. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P303/361/353, IF ON SKIN (OR HAR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN W WATER/SHOWER. P301/310, IS SWALLOWED. IMMEDIATELY CAIL A POISON CENTER FOG TO EXTINGUISH. P301/310, IS SWALLOWED. IMMEDIATELY CAIL A POISON CENTER FOG TO EXTINGUISH. P301/310, IS SWALLOWED. IMMEDIATELY CAIL A POURCH OR WATER FOG TO EXTINGUISH. P301/310, IS SWALLOWED. IMMEDIATELY CAIL A POURCH OR WATER FOG TO EXTINGUISH. P301/310, IS SWALLOWED. IMMEDIATELY CAIL A POURCH OR WATER FOG TO EXTINGUISH. P301/310, IS SWALLOWED. IMMEDIATELY CAIL A POURCH OR WATER FOG TO EXTINGUISH. P301/310, IS SWALLOWED. P301/313, IS SKIN RITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P331/DO NOT INDUCE VOMITING. P334/P331, IF SKIN RITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P324/P352, IF ON SKIN: WASH WITH PLENTY OF WATER.	Contains	Limonene, Myrcene,	
P241, USE EXPLOSION-PROOF ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. P261, AVOID BREATHING VAPOUR. P273, AVOID RELEASE TO THE ENVIRONMENT. P280, WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. P301/310, IF SWALLOWED: IMMEDIATELY CALL & POISON CENTER OR DOCTOR/PHYSICIAN. P303/361/353, IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN W WATER/SHOWER. P370+P378 IN CASE OF FIRE. USE FOAM, CARBON DIOXIDE, DRY POWDER OR WATER FOG TO EXTINGUISH. P331, DO NOT INDUCE VOMITING. PS01, DISPOSE OF CONTENTS/CONTAINER TO APPROVED DISPOSAL SITE, IN ACCORDANCE WITH LOCAL REGULATIONS. P261, AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P331, P313, IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P362+P364, TAKE OFF CONTAMINATED CLOTHING. AND WASH IT BEFORE REUSE. P302+P352, IF ON SKIN: WASH WITH PLENTY OF WATER. P273, AVOID RELEASE TO THE ENVIRONMENT. P391, COLLECT SPILLAGE. SUPPLEMENTARY PRECAUTIONARY STATEMENTS	HAZARDS STATEMENT	H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction.	
Supplementary Precautionary Statements P261, Avoid BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P333+P313, IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P362+P364, TAKE OFF CONTAMINATED CLOTHING. AND WASH IT BEFORE REUSE. P302+P352, IF ON SKIN: WASH with PLENTY OF WATER. P273, Avoid Release to the environment. P391, Collect spillage. Section 16 (Other Information): Risk & Safety Phrases in Full. 2.3 DTHER HAZARDS Combustible But Should NOT SELF-IGNITE.	PRECAUTIONARY STATEMENTS	 P241, USE EXPLOSION-PROOF ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. P261, AVOID BREATHING VAPOUR. P273, AVOID RELEASE TO THE ENVIRONMENT. P280, WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. P301/310, IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P303/361/353, IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. P370+P378 IN CASE OF FIRE: USE FOAM, CARBON DIOXIDE, DRY POWDER OR WATER FOG TO EXTINGUISH. 	
2.3 DTHER HAZARDS Adverse physio-chemical properties Combustible but should not self-ignite.	SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P261, AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P333+P313, IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P362+P364, TAKE OFF CONTAMINATED CLOTHING. AND WASH IT BEFORE REUSE. P302+P352, IF ON SKIN: WASH WITH PLENTY OF WATER. P273, AVOID RELEASE TO THE ENVIRONMENT.	
2.3 DTHER HAZARDS Adverse Physio-chemical properties Combustible but should not self-ignite.			
	2.3		
Adverse effects on human health Skin contact may cause irritation/sensitisation.	Adverse physio-chemical properties	COMBUSTIBLE BUT SHOULD NOT SELF-IGNITE.	
	Adverse effects on human health	SKIN CONTACT MAY CAUSE IRRITATION/SENSITISATION.	
PBT OR VPVB ACCORDING TO ANNEX XIII NONE	PBT OR VPVB ACCORDING TO ANNEX XIII	NONE	

	≤ 95.0% LIMONENE CAS-NO: 5989-27-5; EC NO.: 227-813-5 Classification (EC 1272/2008) Flam. Liq. 3 - H226, Skin Irrit. 2 - H315, Skin Sens. 1 - H317, ASP. Tox. 1 - H304, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410
3.2 MIXTURES	≤ 3.0% Myrcene CAS No: 123-35-3 ; EC NO: 204-622-5 Classification (EC 1272/2008) Flam. Liq. 3 - H226, Asp. Tox. 1 - H304, Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1			
DESCRIPTION OF FIRST AID MEASURES			
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.		
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL		
INHALATION	ATTENTION.		
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.		
Skin Contact	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.		
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.		
4.2	INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING.		
MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM.		
	SKIN CONTACT TOXIC IN CONTACT WITH SKIN.		
	EYE CONTACT MAY CAUSE EYE IRRITATION.		
4.3			
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.		
SPECIAL TREATMENT REQUIRED			

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:
Advice for fire-fighters	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2	Do not discharge into drains, water courses or onto the ground. Dispose of in line with Local authority
ENVIRONMENTAL PRECAUTIONS	GUIDELINES.
6.3 Methods & material for containment and cleaning UP	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.
6.4 References to other sections	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

SECTION 7: HANDLING & STORAGE

7.1 Precautions for safe-handling	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.	
7.2 Conditions for safe storage, including any incompatibilities	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.	
7.3 Specific end use(s)	ΝΟ ΔΑΤΑ.	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION		
8.1 Control Parameters	NO DATA.	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST	
	VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.	
Hygiene Measures	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO	
Hygiene Measures Engineering Measures	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.	
	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
ENGINEERING MEASURES	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE.	
Engineering Measures Skin Protection	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.	
ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.	

PROPERTIES

 9.1

 PHYSICAL & CHEMICAL PROPERTIES

 APPEARANCE
 LIQUID

 VELLOW - ORANGE

 ODOUR
 YELLOW - ORANGE

 CHARACTERISTIC - CITRUS - GRAPEFRUIT

 0.846@ 20°C

 FLASH POINT (°C)

 47°C.

 REFRACTIVE INDEX@20°C

 APPROX. 1.473@ 20°C

 INSOLUBILITY IN WATER@20°C

9.2 Other Information	NO DATA.
SECTION 10: STABILITY & REACTIVITY	
10.1 Reactivity	NOT APPLICABLE.
10.2 Chemical stability	Stable under suggested storage conditions (<1.5°C).
10.3 Possibility of hazardous reactions	No.
10.4 Conditions to avoid	Storage at high temperatures. Do not store above 1.5°C.
10.5 Incompatible materials	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	This product does not decompose under normal conditions. Under fire conditions the product will produce a mixture of irritating fumes & smoke & carbon monoxide.

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 Toxicological effects	
Αситε Τοχιςιτγ	LD50: > 5.0 G/KG (SOURCE RIFM).
SKIN IRRITATION	Causes Skin Iritation
EYE DAMAGE OR IRRITATION	NOT APPLICABLE.
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY	NOT APPLICABLE.
CARCINOGENICITY	NOT APPLICABLE.
R EPRODUCTIVE TOXICITY	NOT APPLICABLE.
STOT – SINGLE EXPOSURE	NOT APPLICABLE.
STOT – REPEATED EXPOSURE	NOT APPLICABLE.
Aspiration Hazard	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
OTHER INFORMATION	NOT APPLICABLE.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Τοχιατγ	AQUATIC LIFE: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. FISH/AQUATIC VERTEBRATES: NO ADDITIONAL DATA AVAILABLE. PNECS: NO ADDITIONAL DATA AVAILABLE.
12.2 Persistence & degradability	THIS MATERIAL IS CONSIDERED READILY BIODEGRADABLE, THEREFORE DOES NOT FULFIL THE CRITERIA FOR PERSISTENCE.
12.3 BIO- ACCUMULATIVE POTENTIAL	VERY TOXIC TO AQUATIC LIFE WITH LONG
12.4 Mobility in soil	This material is considered readily biodegradable, therefore simulation tests in surface water, sediment and soil are not required in accordance with column 2 of REACH Annex IX.
12.5 Results of PBT & VPVB assessment	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects	Do not allow product to enter streams, sewers or other waterways.	
SECTION 13: DISPOSAL INFORMATION		
13.1 Waste treatment methods	Always recover spilled product. Discard waste material with authorized waste management services. Act in accordance with local & national waste regulations.	

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
	ROAD: 1169
UN NUMBER	SEA: 1169
14.2	AIR: 1169
UN SHIPPING NAME	Extracts, Aromatic, Liquid.
	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID.
14.3 Transport hazard class(es)	TRANSPORT LABELS FLAMMABLE 3
14.4 Packing Group	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III
	ICAO PACKING GROUP III ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.
14.5 Enviromental Hazards	Y AND
14.6 Special precautions for user	SEE SECTIONS 6-8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 Product specific safety, health & environmental regulations & legislation	
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE

	1999/45/EC and repealing council regulation (EEC) No793/93 & commission regulation (EC) No1488/94 as well as council directive 76/769/EEC & commission directive 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (including amendments).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	Assessment has not been carried out as this is a non-hazardous material according to article 31 of REACH 1907/2006.

SECTION 16: OTHER INFORMATION	
Hazard and/ or Precautionary Statements in full	H226, FLAMMABLE LIQUID AND VAPOUR. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	H410, VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Abbreviations & Acronyms:	
MSDS	Material Safety Data Sheet.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	Chemical Abstract Service.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	Accord European sur le transport des merchandises Dangereuses par Route (European Agreement concerning the international Carriage of Dangerous goods by Road).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 TH APRIL 2018	Data Launch