according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Fragrance oil for cosmetics / soaps / melts - Apple blossom

Fragrance oil for candles - Apple blossom

 8 Article number: PSQ0261120 - GOF322 - PKF322

. 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture Flavour/Fragrance

1.3 Details of the supplier of the safety data sheet

°YouWish

Venserweg 21M

1112AR Diemen, The Netherlands

°Contact persoon: Regulatory Manager

1.4 Emergency telephone number: +31 6 83295085

. SECTION 2: Hazards identification

○ 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

- ∘ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



Hazard-determining components of labelling:

2H-1-Benzopyran-2-one

alpha-hexylcinnamic aldehyde

Methyl-delta-ionone

Signal word Warning

Ethyl methylphenylglycidate

Cinnamaldehyde

4-hydroxy-2,5-dimethylfuran-2(3H)-one

2,4,6-Trimethyl-3-cyclohexen-1-carboxaldehyde

Piperonal

Benzyl cinnamate

2,3-Butanedione

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Avoid release to the environment. P273

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

(Contd. of page 1)

⋄ 2.3 Other hazards

- ∘ Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ∘ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

. SECTION S. COII	iposition/information on ingredients	
	acterisation: Mixtures of substances listed below with nonhazardous additions.	
Dangerous compon	ents:	
CAS: 88-41-5 EINECS: 201-828-7	2-tert-Butylcyclohexylacetate Aquatic Chronic 2, H411	>10-20%
CAS: 104-67-6	gamma-Undecalactone Aquatic Chronic 3, H412	>5-10%
CAS: 142-19-8	2-Propenylheptanoat Acute Tox. 3, H301; Acute Tox. 3, H311; Aquatic Acute 1, H400; Aquatic Chronic 3, H412	>5-10%
CAS: 91-64-5	2H-1-Benzopyran-2-one Acute Tox. 3, H317; Aquatic Acute 1, H400, Aquatic Cirioffic 3, H412 Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	>2.5-5%
CAS: 1335-46-2	Methyl ionone (mixture of isomers)	<i>≥</i> 1-<2.59
CAS: 101-86-0	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319 alpha-hexylcinnamic aldehyde	<i>≥</i> 1-<2.59
EINECS: 202-963-3 CAS: 121-32-4 EINECS: 204-464-7	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Sens. 1B, H317 3-Ethoxy-4-hydroxybenzaldehyd, Ethylvanillin, 4-Hydroxy-3-ethylbenzaldehyd	1-2.5%
EINECS: 204-404-7 CAS: 7452-79-1 EINECS: 231-225-4	Ethyl 2-methylbutyrate	1-2.5%
CAS: 100-86-7	2-Methyl-1-phenylpropan-2-ol	<i>≥</i> 1-<2.59
CAS: 93-18-5	Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 beta-Naphthyl ethyl ether	<i>≥</i> 1-<2.5
CAS: 127-51-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315 Methyl-delta-ionone	≥1-<2.59
CAS: 77-83-8	Aquatic Chronic 2, H411; Skin Sens. 1B, H317 Ethyl methylphenylglycidate	≥1-<2.59
CAS: 57-55-6	Aquatic Chronic 2, H411; Skin Sens. 1B, H317 1,2-Propylene glycol Substance with a Community workplace exposure limit	1-2.5%
CAS: 1335-66-6	2,4,6-Trimethyl-3-cyclohexen-1-carboxaldehyde	≥0.1-<19
CAS: 120-57-0	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412 Piperonal	≥0.1-<19
CAS: 103-41-3	Skin Sens. 1B, H317 Benzyl cinnamate Aquatic Chronic 2, H411; Skin Sens. 1B, H317	≥0.25-<1
CAS: 431-03-8	- Aquatic Crironic 2, H411; Skin Sens. 1B, H317 2,3-Butanedione 3 Flam. Liq. 2, H225; Acute Tox. 3, H331; STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.1-<19
CAS: 104-55-2 EINECS: 203-213-9	Cinnamaldehyde Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317	≥0.1-<19
CAS: 127-43-5	1-(2,6,6-trimethyl-1-cyclohexenyl)pent-1-en-3-one Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.1-<0.2
CAS: 3658-77-3	4-hydroxy-2,5-dimethylfuran-2(3H)-one Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317	≥0.1-<19
	OMIT COM. 10, 11014, Lyc Dam. 1, 11010, Addic 10x. 4, 11002, OMIT COM. 1A, 11011	(Contd. on page

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

(Contd. of page 2)

CAS: 115-95-7 3,7-Dimethyl-1,6-octadien-3-yl acetate

EINECS: 204-116-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317

CAS: 5392-40-5 3,7-Dimethyl-2,6-octadien-1-al (cis und trans)

EINECS: 226-394-6 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317

◆ Additional information: For the wording of the listed hazard phrases refer to section 16.

≥0.1-<1%

≥0.1-<1%

. SECTION 4: First aid measures

⋄ 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- ⋄ After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

- ∘ 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

∘ 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ⋄ **7.1 Precautions for safe handling** Prevent formation of aerosols.
- ∘ Information about fire and explosion protection: No special measures required.
- ⋄ 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

(Contd. of page 3)

- Further information about storage conditions: None.
- ∘ Storage class: 10
- ∘ 7.3 Specific end use(s) No further relevant information available.

. SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

57-55-6 1,2-Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

431-03-8 2.3-Butanedione

WEL Short-term value: 0.36 mg/m³, 0.1 ppm Long-term value: 0.07 mg/m³, 0.02 ppm

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves The multichemical-resistant glove Barrier 02-100 is recommended.
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

. SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

⋄ General Information

⋄ Appearance:

Form: Fluid

Colour: Yellow to orange

○ Odour: Characteristic

○ Odour threshold: Not determined.

○ pH-value: Not determined.

○ Melting point/freezing point: Undetermined.

⋄ Flash point: 70 °C

Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.
 Auto-ignition temperature: Not determined.
 Explosive properties: Not determined.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

(Contd. of page 4)

Density at 20 °C: 0.949 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

Solubility in / Miscibility with

water: Not miscible or difficult to mix.

∘ Partition coefficient: n-octanol/water: Not determined.

Solvent separation test:

VOC (EC) 75.98 %

• 9.2 Other information
No further relevant information available.

. SECTION 10: Stability and reactivity

- ∘ 10.1 Reactivity No further relevant information available.
- ⋄ Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ∘ 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- ∘ LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 2,108 mg/kg (rat)
Dermal LD50 10,125 mg/kg

Inhalative LC50 938 mg/l

Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- ∘ Aspiration hazard Based on available data, the classification criteria are not met.

. SECTION 12: Ecological information

- ↑ 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

(Contd. of page 5)

- Ecotoxical effects:
- ∘ Remark: Harmful to fish
- ⋄ Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- ∘ 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ⋄ vPvB: Not applicable.

. SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

∘ 14.1 UN-Number

⋄ ADR, ADN, IMDG, IATA Void

⋄ADR, ADN, İMDG, İATA Void

◊ 14.3 Transport hazard class(es)

⋄ ADR, ADN, IMDG, IATA

Void Class

∘ 14.4 Packing group

⋄ ADR, IMDG, IATA Void

Not applicable. ∘ 14.6 Special precautions for user Not applicable.

∘ 14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code Not applicable.

UN "Model Regulation": Void

. SECTION 15: Regulatory information

- ○15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- Signal word Warning
- Hazard-determining components of labelling: 2H-1-Benzopyran-2-one

alpha-hexylcinnamic aldehyde

Methyl-delta-ionone

Ethyl methylphenylglycidate

Cinnamaldehyde

4-hydroxy-2,5-dimethylfuran-2(3H)-one

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

(Contd. of page 6)

2,4,6-Trimethyl-3-cyclohexen-1-carboxaldehyde

Piperonal

Benzyl cinnamate

2,3-Butanedione

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

- ∘ Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eve irritation.

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- ⋄ Contact: Dr. Maja Zippel
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 3: Acute toxicity - Category 3

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 81 Revision: 10.10.2020

(Contd. of page 7)

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1B. Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Skin Sens. 1B: Skin sensitisation – Category 1B
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.