Safety Data Sheet

Plumeria Fragrance Oil

July 20, 2022

Section 1: Chemical Product and Company Identification

Product name:	Plumeria Fragrance Oil
Contact Info:	YouWish
	Transistorstraat 91-02
	1322GL Almere
	The Netherlands
	contact@youwish.nl
Emergency Phone Number:	Within USA & Canada: 1.800.424.9300 CCN693143
	Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title 2	9)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2	H319 : Causes serious eye irritation
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
2.2 Label elements	
Labelling (REGULATION (EC) No 1272/2008)	
Hazard pictograms	



Signal Word: Warning

Hazard statements

Hazaru Statements			
H303 May be harmful	3 May be harmful if swallowed		
H313 May be harmful	May be harmful in contact with skin		
H315 Causes skin irrit	ation		
H317 May cause an a	llergic skin reaction		
H319 Causes serious	eye irritation		
H333 May be harmful	if inhaled		
H411 Toxic to aquatic	life with long lasting effects		
Precautionary Statemen	ts		
Prevention:			
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace		
P273	Avoid release to the environment		
Response:			
P302 + P352	IF ON SKIN: Wash with soap and water		
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if		
	present and easy to do. continue rinsing		
P312	Call a POISON CENTER or doctor/physician if you feel unwell		
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
P337 + P313	If eye irritation persists: Get medical advice/attention		
P362	Take off contaminated clothing and wash before reuse		
P363	Wash contaminated clothing before reuse		
P391	Collect Spillage		
2.3 Other Hazards			

no data available

Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a

health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of

CAS# EC# **GHS** Classification Conc. Ingredient Range 78-70-6 21-134-4 5-10% H227; H303; H315; H317; H319; H402 Linalool 6259-76-3 228-408-6 5-10% H316; H317; H400; H410 Hexyl salicylate 205-399-7 5-10% H303; H401; H412 140-11-4 Benzyl acetate H303; H316; H317; H400; H411 101-86-0 202-983-3 5-10% Hexyl cinnamal 104-67-6 203-225-4 2-5% H316; H402; H412 Gamma-Undecalactone 204-541-5 122-40-7 2-5% H303; H316; H317; H401; H411 Amyl Cinnamal 2-5% 18871-14-2 242-640-5 H402 4-Acetoxy-3-pentyltetrahydropyran 2-5% 259-367-2 54830-99-8 H303; H316; H402 Acetoxydihydrodicyclopentadiene 18479-58-8 242-362-4 2-5% H227; H303; H315; H319; H402 2,6-dimethyloct-7-en-2-ol 201-828-7 2-5% H227; H303; H316; H401; H411 88-41-5 2-t-Butylcyclohexyl acetate 107-755 203-518-7 2-5% H317; H319; H402 Hydroxycitronellal 10339-55-6 233-732-6 2-5% H227; H303; H316; H317; H319; H402 Ethyl Linalool 60-12-8 200-456-2 2-5% H302; H313; H316; H319 Phenethyl alcohol 68912-13-0 272-805-7 1-2% H401; H411 Hexahydro-methanoindenyl Propionate 106-22-9 203-375-0 1-2% H303; H313; H315; H317; H319; H401 Citronellol 93-92-5 202-288-5 1-2% H227; H402 Methylbenzyl acetate 97-53-0 202-589-1 0.1-1.0% H303; H316; H317; H319; H401 Eugenol 87-44-5 201-746-1 0.1-1.0% H304; H317 Beta-Caryophyllene 119-36-8 204-317-7 0.1-1.0% H302; H317; H318; H361; H402; H412 Methyl Salicylate

Chemicals (GHS):

57378-68-4	260-709-8	0.1-1.0%	H302; H315; H317; H318; H400; H410
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-			
yl)-2-buten-1-one (delta-Damascone)			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.11

Section 4: First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if

symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limi	its:				
Component		ACGIH	ACGIH	OSHA	OSHA
		TWA ppm	STEL ppm	TWA ppm	STELppm
140-11-4	Benzyl acetate	10			
Engineering C	ontrols: Use local exhaust as neede	ed.			

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard Viscosity: Liquid Freezing Point: Not determined Boiling Point: Not determined Melting Point: Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined Explosive Properties: None Expected **Oxidizing properties:** None Expected Vapor Pressure (mmHg@20 C): 0.0255 %VOC: 6.73 Specific Gravity @ 25 C: Not determined Density @ 25 C: Not determined Refractive Index @ 20 C: Not determined Soluble in: Oil

Section 10: Stability and Reactivity

Reactivity	None
Chemical stability	Stable
Possibility of hazardous reactions	None known
Conditions to avoid	None known
Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
Hazardous decomposition products	None known

Section 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 3977.2948) May be harmful if swallowed
(LD50: 4190.4891) May be harmful in contact with
skin
(LD50: 40.9287) May be harmful if inhaled
Causes skin irritation
Causes serious eye irritation
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Aspiration hazard

Not classified - the classification criteria are not met **Section 12: Ecological Information**

12.1 Toxicity

Acute aquatic toxicity: Chronic aquatic toxicity: Toxicity Data on soil: Toxicity on other organisms: Not classified - the classification criteria are not met Toxic to aquatic life with long lasting effects. No data available. No data available.

12.2 Persistence and degradability: No data available.

- 12.3 Bioaccumulative potential: No data available.
- 12.4 Mobility in soil: No data available.
- 12.5 Other adverse effects: No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Section 14: Transport Information

Marine Pollutant	0 0	reatest environmental imp %) : Hexyl salicylate	act :	
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regula	ated - Not Dangerous Good	ls	
Chemicals NOI				
ADR/RID (International I	Road/Rail) 9	111		UN3082
Chemicals NOI				
IATA (Air Cargo)	9	111		UN3082
Chemicals NOI				
IMDG (Sea)	9	III		UN3082
Chemicals NOI				

Section 15: Regulatory Information

Additional European Regulations	
European Union (EINECS, ELINCS or NLP)	100.00% (By Wt) of the components are listed or exempt.
Additional Asian Regulations	
Australian AICS	100.00% (By Wt) of the ingredients on AICS or notified.
Chinese IECS	100.00% (By Wt) of the ingredients on IECS.

Japan ENCS	99.39% (By Wt) of the ingredients on ENCS, fall within the 1000 kilogram per annum exemption or have been notified.
Korea KECL	100.00% (By Wt) of the ingredients on KECL, fall within the 100 kilogram per annum exemption or have been notified.
New Zealand NZIoc	100.00% (By Wt) of the ingredients on NZIoc.
Philippines PICCS	100.00% (By Wt) of the ingredients on PICCS.

Isoamyl Allylglycollate: <ENCS>

The Status of the following ingredient(s) is NOT known for the registration lists noted;

Asian Disclosure Lists noted within <> brackets after name

67634-00-8 266-803-5 0.1 - 1.0 %

Section 16: Other Information

GHS H-Statements referred to under section 3

H227 : Combustible liquid	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H319 : Causes serious eye irritation	H361 : Suspected of damaging fertility or the unborn child
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effect	S
Total Fractional Values	

lotal Fractional Values

(TFV) Risk	(TFV) Risk
(122.16) Acute Toxicity Inhalation, Category 5	(70.00) Sensitization, Skin, Category 1
(70.00) Sensitization, Skin, Category 1A	(34.67) Aquatic Chronic Toxicity, Category 3
(7.56) Sensitization, Skin, Category 1B	(4.48) Skin Corrosion/Irritation, Category 3
(3.43) Aquatic Chronic Toxicity, Category 2	(2.23) Eye Damage/Eye Irritation, Category 2
(2.23) Eye Damage/Eye Irritation, Category 2A	(1.28) Aquatic Chronic Toxicity, Category 4
(1.27) Skin Corrosion/Irritation, Category 2	(1.26) Acute Toxicity Oral, Category 5
(1.19) Acute Toxicity Dermal, Category 5	

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.