# **Material Safety Data Sheet**

**EU Regulation: 1907/2006** 

SECTION 1: IDENTIFICATION OF	THE SUBSTANCE	/MIXTURE /	AND OF THE COMPANY/	UNDERTAKING	
1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	CAMPHOR WHITE, ES	SENTIAL OIL			
BIOLOGICAL DEFINITION	CINNAMOMUM CAMPHORA BARK OIL IS THE VOLATILE OIL EXPRESSED, BY STEAM DISTILLATION, FROM THE BARK OF THE CAMPHOR, CINNAMOMUM CAMPHORA (L.), LAURACEAE.				
INCI NAME	CINNAMOMUM CAMPHORA BARK OIL				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	K0096				
CAS-No	92201-50-8 / 8022-91-1 / EC No. 295-980-1 EINECS No. 295-980-1				295-980-1
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	YouWish Venserweg 21M, 1112 AR Diemen, The Netherlands.				
EMAIL	contact@youwish.nl				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET				
EMERGENCY CONTACTS	+31 6 83295085				

SECTION 2: HAZARDS IDENTIFICATION			
2.1			
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.		
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.		
CLASSIFICATION (EU1272/2008)	ASPIRATION TOXICITY CATEGORY 1 - (H304).  SKIN CORROSION/IRRITATION CATEGORY 2 - (H315).  SERIOUS EYE DAMAGE/EYE IRRITATION CATEGORY 2 - (H319).  SKIN SENSITIZATION CATEGORY 1B - (H317).  CHRONIC AQUATIC TOXICITY CATEGORY 2 - (H411).  FLAMMABLE LIQUIDS CATEGORY 3 - (H226).		
2.2 LABEL ELEMENTS	Label in accordance with Regulation (EC) No 1272/2008.		
GHS LABEL	GHS02 GHS07 GHS08 GHS09		
SIGNAL WORD	DANGER.		
Contains	LIMONENE, ALPHA- PINENE, PARA-CYMENE, P-MENTHA-1,4-DIENE, BETA-PINENE, 7-METHYL-3-METHYLENEOCTA-1,6-DIENE, SABINENE, ALPHA-TERPINOLENE, ALPHA-PHELLANDRENE		
	H226 Flammable liquid and vapour.		
	H315 Causes skin irritation.		
	H319 Causes serious eye irritation.		
HAZARDS STATEMENT	H317 May cause an allergic skin reaction.		
	H410 Very toxic to aquatic life with long lasting effects.		
	H304 May be fatal if swallowed and enters airways.		
	11304 May be Julia ij Swallowed and enters all ways.		
SIGNAL WORD	DANGER.		
Precautionary Statements	P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P233 KEEP CONTAINER TIGHTLY CLOSED. P240 GROUND AND BOND CONTAINER AND RECEIVING EQUIPMENT. P241 USE EXPLOSION-PROOF ELECTRICAL EQUIPMENT. P242 USE NON-SPARKING TOOLS. P243 TAKE ACTION TO PREVENT STATIC DISCHARGES. P261 AVOID BREATHING VAPOUR/ SPRAY. P264 WASH CONTAMINATED SKIN THOROUGHLY AFTER HANDLING. P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P302+P352 IF ON SKIN: WASH WITH PLENTY OF WATER. P303+P361+P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER OR SHOWER. P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P321 SPECIFIC TREATMENT (SEE MEDICAL ADVICE ON THIS LABEL). P332+P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION. P333+P313 IF SY IN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION. P337+P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION. P337+P318 IN CASE OF FIRE: USE FOAM, CARBON DIOXIDE, DRY POWDER OR WATER FOG TO EXTINGUISH. P403+P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL. P405 STORE LOCKED UP. P501 DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH NATIONAL REGULATIONS.		
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	NONE.		
	Section 16 (Other Information): Risk & Safety phrases in full.		

0.0			
2.3 OTHER HAZARDS			
Adverse physio-chemical properties	TOXIC TO AQUATIC LIFE.		
Adverse effects on human health	MAY BE HARMFUL IF SWALLOWED MAY BE HARMFUL IN CONTACT WITH SKIN.		
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA.		
SECTION 3: COMPOSITION OF INGREDIEN	TS		
	33 - 45% 1,8 CINEOL	CAS No: 470-82-6 EC No: 207-431-5	
3.1 Substances	CLASSIFICATION (EC 1272/2008)	FLAM. LIQ. 3 - H226, SKIN SENS. 1B - H317	
	8 - 36% LIMONENE	CAS No: 5989-27-5 EC No: 227-813-5	
		M FACTOR (ACUTE) = 1 M FACTOR (CHRONIC) = 1, FLAM. LIQ. $3$ - H226, SKIN IRRIT. SP. TOX. $1$ - H304, AQUATIC ACUTE $1$ - H400, AQUATIC CHRONIC $1$ - H410	
	4 - 17% ALPHA- PINENE	CAS No: 80-56-8 EC No: 201-291-9	
	Classification (EC 1272/2008)	M FACTOR (ACUTE) = 1 M FACTOR (CHRONIC) = 1  FLAM. LIQ. 3 - H226, ACUTE TOX. 4 - H302, SKIN IRRIT. 2 - H315  SKIN SENS. 1 - H317, ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400,  AQUATIC CHRONIC 1 - H410	
	1 – 7.0 % PARA- CYMENE	CAS No: 99-87-6 EC No: 202-796-7	
	Classification (EC 1272/2008)	FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 ASP. TOX. 1 - H304, STOT SE 3 -H335	
	0.5 - 10% P-MENTHA-1,4-DIENE	CAS No: 99-85-4 EC No: 202-794-6	
	CLASSIFICATION (EC 1272/2008)	FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304	
	0.7 - 9% BETA- PINENE	CAS No: 127-91-3 EC No: 204-872-5	
	Classification (EC 1272/2008)	M FACTOR (ACUTE) = 1 M FACTOR (CHRONIC) = 1  FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317  ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 -	
	H410	ASI. TOX. 1 - 11004, AQUATIC ACUTE 1 - 11400, AQUATIC CHRONIC 1 -	
	0.5 - 4% ALPHA- PHELLANDRENE	CAS No: 99-83-2 EC No: 202-72-5	
	Classification (EC 1272/2008)	Flam. Liq. 3 - H226, Asp. Tox. 1 - H304	
	0.5 - 8% 7-METHYL-3-METHYLENEC	OCTA-1,6-DIENE (MYRCENE) CAS NO: 123-35-3 EC NO: 204-622-5	
	Classification (EC 1272/2008)	M FACTOR (ACUTE) = 1 M FACTOR (CHRONIC) = 1 FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 -	
	H410	ASP. TOX. 1 - 11304, AQUATIC ACUTE 1 - 11400, AQUATIC CHRONIC 1 -	
	0.1 - 12% SABINENE	CAS No: 3387-41-5 EC No: 222-212-4	
	Classification (EC 1272/2008)	FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 SKIN SENS. 1 - H317, STOT SE 3 - H335, ASP. TOX. 1 H304	
	0.09 - 5% ALPHA- TERPINOLENE	CAS No: 586-62-9 EC No: 209-578-0	
	Classification (EC 1272/2008)	M FACTOR (ACUTE) = 1 M FACTOR (CHRONIC) = 1 SKIN SENS. 1 - H317, ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400 AQUATIC CHRONIC 1 - H410	
	0.02 – 3% P-MENTH-1-EN-8-OL	CAS No: 98-55-5 EC No: 202-680-6	

CLASSIFICATION (EC 1272/2008)	SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319
0.01 - 3% TERPINENE-1-OL-4	CAS No: 562-74-3 EC No: 209-235-5
CLASSIFICATION (EC 1272/2008) H319,	ACUTE TOX. 4 - H302, SKIN IRRIT. 2 - H315, SKIN SENS. 1 H317, EYE IRRIT. 2 -
l ·	STOT SE 3 H336

SECTION 4: FIRST AID MEASURES	
4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. IMMEDIATELY CALL THE DOCTOR. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	None known.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	None expected, see Section 4.1 for further information.
SECTION 5. FIRE FIGHTING MEASURES	

SECTION 5: FIRE FIGHTING MEASURES	
5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 Special hazards arising from the substance Or mixture	Burning produces irritating, toxic and obnoxious fumes
5.3 Advice for fire-fighters	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:  WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES** ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE 6.1 EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, PERSONAL PRECAUTIONS EYES AND CLOTHING. AVOID INHALATION. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY **ENVIRONMENTAL PRECAUTIONS** GUIDELINES. 6.3 REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN **METHODS & MATERIAL FOR CONTAINMENT AND CLEANING** SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. COVER WITH AN INERT, INORGANIC, NON-COMBUSTIBLE ABSORBENT MATERIAL (E.G DRY-LIME, SAND, SODA ASH). UP 6.4 REFER & CONSIDER SECTION 12. REFERENCES TO OTHER SECTIONS

SECTION 7: HANDLING & STORAGE		
	HANDIE IN ACCORDANCE WITH GOOD HYGIENE A	AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND
7.1		PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD
PRECAUTIONS FOR SAFE-HANDLING		TICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR
	SMOKE WHEN USING THIS PRODUCT.	•
7.2	STORAGE CLASS: FLAMMABLE LIQUID STORAGE. STORE ONLY IN THE ORIGINAL RECEPTACLE. KEEP CONTAINER TIGHTLY SEALED.	
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP IN COOL, DRY, VENTILATED STORAGE AND CL	LOSED CONTAINERS. KEEP AWAY FROM HEAT.
7.3 SPECIFIC END USE(S)	RISK MANAGEMENT METHODS (RMM) THE INFORMATION REQUIRED IS CONTAINED IN TH	HIS MATERIAL SAFETY DATA
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION		
	1, 8 -CINEOLE (CAS: 470-82-6)	
	DNEL	
	WORKERS - INHALATION;	Long term systemic effects: 7.05 mg/m <sup>3</sup>
	WORKERS - DERMAL;	LONG TERM SYSTEMIC EFFECTS: 2 MG/KG, BW/DAY
	GENERAL POPULATION - INHALATION; LONG TER/	
	GENERAL POPULATION - DERMAL;	LONG TERM SYSTEMIC EFFECTS: 1 BW/DAY, MG/KG
	GENERAL POPULATION - ORAL;	LONG TERM SYSTEMIC EFFECTS: 600 BW/DAY, MG/KG
	PNEC	
	FRESH WATER;	SHORT TERM 5.7 MG/L
	INTERMITTENT RELEASE,	Fresh water; 0.57 mg/l
	MARINE WATER;	SHORT TERM 5.7 MG/L
	STP;	SHORT TERM 10 MG/L
	SEDIMENT (FRESH WATER);	SHORT TERM 1.425 MG/KG
	SEDIMENT (MARINE WATER); SOIL;	SHORT TERM 0.142 MG/KG SHORT TERM 0.25 MG/KG
	ALPHA- PINENE (CAS: 80-56-8)	
	DNEL	Love 7504 00075440 5575070 2 0 40 /u2
	WORKERS - INHALATION;	LONG TERM SYSTEMIC EFFECTS: 3.8 MG/M <sup>3</sup>
	WORKERS - DERMAL; GENERAL POPULATION - INHALATION; LONG TER/	LONG TERM SYSTEMIC EFFECTS: 0.54 MG/KG, BW/DAY
	GENERAL POPULATION - INHALATION; LONG TEXT	LONG TERM SYSTEMIC EFFECTS: 0.19 MG/KG, BW/DAY
	GENERAL POPULATION - ORAL;	LONG TERM SYSTEMIC EFFECTS: 0.17 MG/KG, BW/DAY
	PNEC	LONG TERM GIGIENIC ETTECTO. G.T. 7 MOJ KOJ DVI J DAT
	FRESH WATER;	SHORT TERM 0.606 MG/L
8.1	FRESH WATER,	INTERMITTENT RELEASE; 3.03 MG/L
CONTROL PARAMETERS	MARINE WATER;	SHORT TERM 0.061 MG/L
	INTERMITTENT RELEASE,	MARINE WATER; 0.303 MG/L
	STP;	SHORT TERM 0.2 MG/L
	SEDIMENT (FRESH WATER);	SHORT TERM 157 MG/KG
	SEDIMENT (MARINE WATER); SOIL;	SHORT TERM 15.7 MG/KG SHORT TERM 31.7 MG/KG
		SHOKI ILKM ST.7 MG/ KG
	BETA- PINENE (CAS: 127-91-3) DNEL	
		LONG TERM SYSTEMS SESSEES F 40 Mg /u3
	WORKERS - INHALATION; WORKERS - DERMAL;	Long term systemic effects: 5.69 mg/m³ Long term systemic effects: 0.8 mg/kg, bw/day
	GENERAL POPULATION - INHALATION; LONG TER/	, , , ,
	GENERAL POPULATION - DERMAL;	LONG TERM SYSTEMIC EFFECTS: 0.3 BW/DAY, MG/KG
	GENERAL POPULATION - ORAL;	LONG TERM SYSTEMIC EFFECTS: 0.3 MG/KG, BW/DAY
	PNEC	· · · · · · · · · · · · · · · · · · ·
	Fresh water;	SHORT TERM 1.004 MG/L
	INTERMITTENT RELEASE,	FRESH WATER; 5.02 MG/L
	MARINE WATER;	SHORT TERM 0.1 MG/L
	STP;	SHORT TERM 3.26 MG/L
	SEDIMENT (FRESH WATER);	SHORT TERM 0.337 MG/KG
	SEDIMENT (MARINE WATER);	SHORT TERM 0.034 MG/KG
	SOIL;	SHORT TERM 0.067 MG/KG
	7-METHYL-3-METHYLENEOCTA-1,6-DIENE (CAS	: 123-35-3)
	1	

Long term systemic effects: 0.83 mg/kg

DNEL WORKERS - DERMAL;

WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 5.83 MG/M<sup>3</sup>

GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.42 MG/KG

GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1.25 MG/M<sup>3</sup>

PNEC

 STP;
 0.2 mg/L

 SOIL;
 1.015 mg/kg

 FRESH WATER;
 0.00028 mg/L

 MARINE WATER;
 0.0008 mg/L

SEDIMENT (FRESH WATER); 5.022 MG/KG
SEDIMENT (MARINE WATER); 0.502 MG/KG

### ALPHA- TERPINOLENE (CAS: 586-62-9)

DNEL

WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 3.6 MG/M³
WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.52 BW/DAY, MG/KG

GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 0.9 MG/M<sup>3</sup>

GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.26 BW/DAY, MG/KG
GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.26 BW/DAY, MG/KG

PNEC

Fresh water; Short term 0.634 mg/L

INTERMITTENT RELEASE, FRESH WATER; SHORT TERM 0.634 MG/L

MARINE WATER;

SHORT TERM 0.063 MG/L

STP;

SHORT TERM 0.2 MG/L

SEDIMENT (FRESH WATER);

SHORT TERM 14.7 MG/KG

SEDIMENT (MARINE WATER); SHORT TERM 14.7 MG/KG

SOIL; SHORT TERM 29.1 MG/KG

### P-MENTH-1-EN-8-OL (CAS: 98-55-5)

PNFC

FRESH WATER; SHORT TERM 68 MG/L
MARINE WATER; SHORT TERM 6.8 MG/L
STP; SHORT TERM 2.6 MG/L

SEDIMENT (FRESH WATER); SHORT TERM 1.85 MG/KG
SEDIMENT (MARINE WATER); SHORT TERM 0.185 MG/KG

SOIL; SHORT TERM 0.329 MG/KG

## 8.2 EXPOSURE CONTROLS



EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY	
	GOGGLES. (EN166)	
	AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN	
HAND PROTECTION	374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT / THE SUBSTANCE / THE PREPARATION.	
	PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF	
	THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.	
RESPIRATORY EQUIPMENT	DO NOT INHALE GASES / FUMES / AEROSOLS. CERTIFIED RESPIRATORY PROTECTIVE DEVICE RECOMMENDED.	
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
ENGINEERING MEASURES	None.	
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.	
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE	
	PERSONAL PROTECTION ACCORDING TO DIRECTIVE 89/686/EEC.	
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.	
Process Conditions	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.	
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.	
	· · · · · · · · · · · · · · · · · · ·	

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES	
9.1 PHYSICAL & CHEMICAL PROPERTIES	
Appearance	LIQUID
COLOUR	COLORIESS - PALE YELLOW
Odour	CHARACTERISTIC
FLASH POINT (°C)	46 °C.
SOLUBILITY IN WATER @ 20 °C	SLIGHTLY SOLUBLE IN WATER. 0.1-100 MG/L
9.2	REACH DOSSIER INFORMATION. THE AUTO IGNITION TEMPERATURE OF THE TEST SUBSTANCE WAS MEASURED ACCORDING TO
9.2 OTHER INFORMATION	EU A.15/DIN 51794 GUIDELINE. THREE MAIN TESTS WERE PERFORMED, THE RELEVANT PARAMETERS WERE RECORDED AND
	results ranged between 254 and 255°C. The lowest result, rounded down to 5°C, i.e., 250°C is retained.
SECTION 10: STABILITY & REACTIVITY	
10.1 Reactivity	Presents no significant reactivity hazards. No reaction known with water.
10.2 CHEMICAL STABILITY	CHEMICALLY STABLE MATERIAL UNDER THE RECOMMENDED STORAGE AND HANDLING CONDITIONS.
10.3 Possibility of Hazardous reactions	NONE UNDER NORMAL PROCESSING.
10.4 CONDITIONS TO AVOID	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C. AVOID HEAT, FLAMES AND OTHER SOURCES OF IGNITION.
10.5 INCOMPATIBLE MATERIALS	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 TOXICOLOGICAL EFFECTS	
Acute Toxicity	NOT CALSSIFIED
SKIN IRRITATION	CAUSES SKIN IRRITATION.
EYE DAMAGE OR IRRITATION	Causes serious eye irritation.
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY	Not Calssified
CARCINOGENICITY	Not Calssified
REPRODUCTIVE TOXICITY	Not Calssified
STOT – SINGLE EXPOSURE	Not Calssified
STOT — REPEATED EXPOSURE	NO DATA.
ASPIRATION HAZARD	MAY BE HARMFUL IF SWALLOWED AND ENTERS AIRWAYS
OTHER INFORMATION	NO DATA.
SECTION 12: ECOLOGICAL INFORMATION	
12.1	NO ADDITIONAL DATA AVAILABLE

TOXICITY	
12.2 PERSISTENCE & DEGRADABILITY	NO DATA.
12.3 BIO- ACCUMULATIVE POTENTIAL	REACH DOSSIER INFORMATION. PARTITION COEFFICIENT, LOG KOW, OF THE SUBSTANCE SABINENE (CAS 3387-41-5), HAS BEEN CALCULATED BY THE MODEL ISAFERAT® HA-QSAR TOOLBOX V1.1.  CALCULATION WAS PERFORMED FROM THE INPUT SMILES OF SABINENE,, AND SABINENE FALLS INSIDE THE APPLICABILITY DOMAIN OF THE MODEL.
	THEREFORE, THE LOG KOW VALUE OF SABINENE IS 4.64. SABINENE CANNOT BE EXCLUDED AS POTENTIAL
	BIOACCUMULATIVE IN A PBT CONTEXT.
12.4 Mobility in soil	NO DATA
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO DATA.
12.6 OTHER ADVERSE EFFECTS	NO DATA.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
UN Number	ROAD: UN 1130 SEA: UN 1130 AIR: UN 1130
14.2 UN SHIPPING NAME	CAMPHOR OIL
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID.  TRANSPORT LABELS:  FLAMMABLE 3
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 ENVIROMENTAL HAZARDS	ENVIRONMENTALLY HAZARDOUS / MARINE POLLUTANT.

	¥27
14.6 SPECIAL PRECAUTIONS FOR USER	EMS F-E, S-E ADR TRANSPORT CATEGORY 3 EMERGENCY ACTION CODE 3Y HAZARD IDENTIFICATION NUMBER (ADR/RID) 30 TUNNEL RESTRICTION CODE (D/E)
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NO DATA
SECTION 15: REGULATORY INFORMATION	
PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 <sup>th</sup> DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC and repealing council regulation (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 as WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

Hazard and/ or Precautionary Statements in full	H226 - Flammable liquid and vapour.  H302 - Harmful if swallowed.  H303 - May be harmful if swallowed.  H304 - May be fatal if swallowed and enters airways.  H315 - Causes skin irritation.  H316 - Causes mild skin irritation  H317 - May cause an allergic skin reaction.  H319 - Causes serious eye irritation.  H400 - Very toxic to aquatic life.  H410 - Very toxic to aquatic life with long lasting effects.  H411 - Toxic to aquatic life with long lasting effects.	
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.		

MSDS	MATERIAL SAFETY DATA SHEET.
INCI	International Nomenclature of Cosmetic Ingredients.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN
	AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
Trem Card	TRANSPORT EMERGENCY CARD.
STOT	Specific Target Organ Toxicity.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
OCTOBER 2020	Review