Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF	THE SUBSTANCE	MIXIUKE	AND OF THE COMPANY	UNDERTAKING	
1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	Cinnamon Leaf, Es	Cinnamon Leaf, Essential Oil			
BIOLOGICAL DEFINITION	CINNAMOMUM ZEYLANICUM LEAF OIL IS THE VOLATILE OIL OBTAINED FROM THE LEAVES OF THE CEYLON CINNAMON, CINNAMOMUM ZEYLANICUM, LAURACEAE.				
INCI NAME	Cinnamomum Zeylanicum Leaf Oil.				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	K0131				
CAS-No	84649-98-9 EC No. 283-479-0 EINECS No. 283-479-0				
I.2 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET				
COMPANY ADDRESS	YouWish Venserweg 21M, 1112 AR Diemen, The Netherlands.				
EMAIL	contact@youwish.nl				
1.3 Details of the supplier of the safety dat	A SHEET				
EMERGENCY CONTACTS	+31 6 83295085				

SECTION 2: HAZARDS IDENTIFICATION		
2.1		
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (EU1272/2008)	Physical hazards: Not classified Health hazards: Asp. Tox. 1 - H304, Skin Sens. 1B - H317, Eye Irrit. 2 - H319, Muta. 2 - H341, Carc. 1B - H350 Environmental hazards: Aquatic Chronic 2 - H411	
2.2 LABEL ELEMENTS	Label in accordance with Regulation (EC) No 1272/2008.	
GHS LABEL	GHS07 GHS08 GHS09	
Signal Word	DANGER	
CONTAINS	BETA-CARYOPHYLLENE, ALPHA-PHELLANDRENE, ALPHA-PINENE, ALPHA-PHELLANDRENE, SAFROLE	
HAZARDS STATEMENT	H304 - MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317 - MAY CAUSE AN ALLERGIC SKIN REACTION. H319 - CAUSES SERIOUS EYE IRRITATION. H341 - SUSPECTED OF CAUSING GENETIC DEFECTS. H350 - MAY CAUSE CANCER. H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	
Precautionary Statements	P261 - AVOID BREATHING VAPOURS/SPRAY. P273 - AVOID RELEASE TO THE ENVIRONMENT. P280 - WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. P302+P352 IF ON SKIN: WASH WITH PLENTY OF WATER. P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P308+P313 - IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION. P333+P313 - IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P337+P313 - IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION. P391 - COLLECT SPILLAGE.	
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P362+P364 TAKE OFF CONTAMINATED CLOTHING. AND WASH IT BEFORE REUSE.	
	SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3 OTHER HAZARDS		
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO ADDITIONAL DATA AVAILABLE.	
Adverse effects on human health	No additional data available.	
PBT OR VPVB ACCORDING TO ANNEX XIII	No additional data available.	
SECTION 3: COMPOSITION OF INGREDIEN	ITS	
3.1 Substances	 ≤ 83.0% EUGENOL CAS NO: 97-53-0 EC NO: 202-589-1 EYE IRRIT. 2, H319, SKIN SENS. 1B, H317 5.0 – 10.0% EUGENYL ACETATE CAS NO: 93-28-7 EC NO: 202-235-6 CLASSIFICATION (EC 1272/2008): ACUTE TOX. 4 (ORAL), H302 1.0 – 5.0% BETA-CARYOPHYLLENE CAS NO: 87-44-5 EC NO: 201-746-1 CLASSIFICATION (EC 1272/2008): ASP. TOX. 1, H304, SKIN SENS. 1B, H317 	

≤ 4.0% BENZYL BENZOATE CAS NO: 120-51-4 EC No: 204-402-9

CLASSIFICATION (EC 1272/2008): ACUTE TOX. 4 (ORAL), H302, AQUATIC ACUTE 1, H400,

AQUATIC CHRONIC 2, H411

1.0 - 5.0% CINNAMYL ACETATE CAS No: 103-54-8EC No: 203-121-9

CLASSIFICATION (EC 1272/2008): NOT CLASSIFIED

≤ 3.1% LINALOOL CAS No: 78-70-6 EC No: 201-134-4

CLASSIFICATION (EC 1272/2008): EYE IRRIT. 2, H319, SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317

≤ 2.0% CINNAMALDEHYDE (CINNAMAL) CAS No: 104-55-2 EC No: 203-213-9

CLASSIFICATION (EC 1272/2008): ACUTE TOX. 4 (DERMAL), H312, EYE IRRIT. 2, H319, SKIN IRRIT. 2, H315, SKIN SENS. 1A, H317

1.0 – 5.0% ALPHA-PHELLANDRENE CAS No: 99-83-2 EC No: 202-792-5 CLASSIFICATION (EC 1 272/2008): ASP. TOX. 1, H304, FLAM. LIQ. 3, H226

1.0 – 5.0% ALPHA-PINENE CAS No: 80-56-8 EC No: 201-291-9

CLASSIFICATION (EC 1272/2008): ASP. TOX. 1, H304, ACUTE TOX. 4 (ORAL), H302, AQUATIC ACUTE 1, H400, AQUATIC CHRONIC 1, H410, FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315, SKIN SENS. 1B,

H317

≤ 1.3% SAFROLE CAS No: 94-59-7 EC No: 202-345-4

CLASSIFICATION (EC 1272/2008): ACUTE TOX. 4 (ORAL), H302, CARC. 1B, H350, MUTA. 2, H341

1.0 – 2.5% P-CYMENE CAS No: 99-87-6 EC No: 202-796-7

CLASSIFICATION (EC 1272/2008): ASP. TOX. 1, H304, REPR. 2, H361, AQUATIC CHRONIC 2, H411,

FLAM. LIQ. 3, H226

≤ 1.0% CARYOPHYLLENE OXIDE CAS No: 1139-30-6 EC No: 214-519-7

CLASSIFICATION (EC 1272/2008): AQUATIC CHRONIC 2, H411

≤ 1.0% CAMPHENE CAS No: 79-92-5 EC No: 201-234-8

CLASSIFICATION (EC 1272/2008): EYE IRRIT. 2, H319, AQUATIC ACUTE 1, H400, AQUATIC CHRONIC

1, H410,

FLAM. SOL. 2, H228

≤ **0.6% d-Limonene** CAS No: 5989-27-5 EC No: 227-813-5 CLASSIFICATION (EC 1272/2008): ASP. TOX. 1, H304, AQUATIC ACUTE 1, H400, AQUATIC

CHRONIC 1, H410, FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317

≤ 1.0% BETA-PINENECAS NO: 127-91-3
EC NO: 204-872-5
CLASSIFICATION (EC 1272/2008):
ASP. TOX. 1, H304, AQUATIC ACUTE 1, H400, AQUATIC

CHRONIC 1, H410, FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315, SKIN SENS. 1B, H317

≤ .01% ALPHA-TERPINEOL CAS NO: 98-55-5 EC NO: 202-680-6 CLASSIFICATION (EC 1272/2008): EYE IRRIT. 2, H319, SKIN IRRIT. 2, H315

≤ 1.0% BETA-PHELLANDRENE CAS No: 555-10-2 EC No: 209-081-9

Classification (EC 1272/2008): Asp. Tox. 1, H304, Flam. Liq. 3, H226

≤ 1.0% **EUCALYPTOL** CAS NO: 470-82-6EC NO: 207-431-5 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3, H226, SKIN SENS. 1B, H317

≤ **0.20% Isoeugenol** CAS No: 97-54-1 EC No: 202-590-7

CLASSIFICATION (EC 1272/2008): ACUTE TOX. 4 (DERMAL), H312, ACUTE TOX. 4 (INHALATION), H332, ACUTE TOX. 4 (ORAL), H302, EYE IRRIT. 2, H319, SKIN IRRIT. 2, H315, SKIN SENS. 1A, H317, STOT

SE 3, H335

≤ 0.20%Benzaldehyde Classification (EC 1272/2008):	CAS NO: 100-52-7 EC NO: 202-860-4 ACUTE TOX. 4 (INHALATION), H332, ACUTE TOX. 4 (ORAL), H302, EYE IRRIT. 2, H319, STOT SE 3, H335
≤ 0.20% CINNAMYL ALCOHOL CLASSIFICATION (EC 1272/2008): CHRONIC 2, H411	CAS NO: 104-54-1 EC NO: 203-212-3 SKIN SENS. 1B, H317, ACUTE TOX. 4 (ORAL), H302, AQUATIC

SECTION 4: FIRST AID MEASURES	
4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	DO NOT INDUCE VOMITING. IMMEDIATELY RINSE MOUTH AND PROVIDE FRESH AIR. GET MEDICAL ADVICE/ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR UP TO 15 MINUTES. REMOVE ANY CONTACT LENSES AND OPEN EYES WIDE APART. GET MEDICAL ADVICE/ATTENTION. CONTINUE TO RINSE.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	SYMPTOMS/EFFECTS AFTER SKIN CONTACT : MAY CAUSE AN ALLERGIC SKIN REACTION. SYMPTOMS/EFFECTS AFTER EYE CONTACT : EYE IRRITATION.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.

5.1	SUITABLE EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL, FOAM.
EXTINGUISHING MATERIAL	Unsuitable extinguishing media: DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS MAY SCATTER AND SPREAD FIR
5.2	A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR	HEALTH. DO NOT BREATHE IN SMOKE.
MIXTURE	THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES:
	Carbon dioxide (CO2), Carbon monoxide (CO), other toxic gases.
	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER.
5.3	AVOID INHALATION OF GENERATED FUMES OR VAPOURS. WEAR SELF-CONTAINED BREATHING APPARATUS AND APPROPRIA
Advice for fire-fighters	PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES 6.1 Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Handle the product using protective gloves resistant to the chemicals exposed. Avoid contact with skin and inhalation of its vapours.

MAINTAIN ADEQUATE VENTILATION IN THE WORKING AREA AFTER SPILLING.

6.2 DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY
ENVIRONMENTAL PRECAUTIONS
GUIDELINES.

METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP

6.4

REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.

REFER & CONSIDER SECTION 7, 8.

REFERENCES TO OTHER SECTIONS REFER & CONSIDER SECTION 13.

SECTION 5: FIRE FIGHTING MEASURES

SECTION 7: HANDLING & STORAGE

ENSURE GOOD VENTILATION OF THE WORK STATION. OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. TAKE ALL NECESSARY TECHNICAL MEASURES TO AVOID OR MINIMIZE 7.1 PRECAUTIONS FOR SAFE-HANDLING HANDLING AND LIMIT THE NUMBER OF EXPOSED WORKERS. PROVIDE LOCAL EXHAUST OR GENERAL ROOM VENTILATION. WEAR PERSONAL PROTECTIVE EQUIPMENT. FLOORS, WALLS AND OTHER SURFACES IN THE HAZARD AREA MUST BE CLEANED REGULARLY. AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING DUST/FUME/GAS/MIST/ VAPOURS/SPRAY.

SEPARATE WORKING CLOTHES FROM TOWN CLOTHES, LAUNDER SEPARATELY, CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. WASH CONTAMINATED CLOTHING BEFORE REUSE. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. ALWAYS WASH HANDS AFTER HANDLING THE PRODUCT. KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF CONDITIONS FOR SAFE STORAGE, INCLUDING ANY IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN. INCOMPATIBILITIES 7.3 NO DATA. SPECIFIC END USE(S) **SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION** 8.1 NO ADDITIONAL DATA AVAILABLE. **CONTROL PARAMETERS** 8.2 **EXPOSURE CONTROLS EYE PROTECTION** WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. HAND PROTECTION WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING RESPIRATORY EQUIPMENT CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. DO HYGIENE MEASURES NOT EAT, DRINK OR SMOKE DURING USE. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USING. **ENGINEERING MEASURES** PROVIDE ADEQUATE VENTILATION. **SKIN PROTECTION** WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. PERSONAL PROTECTION AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. **OTHER PROTECTION** WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. **PROCESS CONDITIONS** ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. **ENVIROMENTAL EXPOSURE CONTROLS** AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES. **SECTION 9: PHYSICAL & CHEMICAL PROPERTIES** 9.1 **PHYSICAL & CHEMICAL PROPERTIES** APPEARANCE MOBILE OILY LIQUID

YELLOW BROWN - DARK YELLOW.

CHARACTERISTIC.

APPROX 1.040 @ 20°C

APPROX. 1.560 @ 20°C

COLOUR

ODOUR

RELATIVE DENSITY

FLASH POINT (°C)

REFRACTIVE INDEX @ 20 °C

Solubility in water $ extcircled{@}$ 20 $^{\circ}$ C	INSOLUABLE IN WATER.
9.2	BOILING POINT (°C): 245.7
OTHER INFORMATION	Auto-ignition temperature (°C): 380.0
SECTION 10: STABILITY & REACTIVITY	
10.1	Presents no significant reactivity hazards, by itself or in contact with water. Stable under normal
REACTIVITY	TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.
10.2 CHEMICAL STABILITY	Stable under suggested storage conditions (<15°C).
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.
10.4	KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. PREVENT STORING THE
CONDITIONS TO AVOID	PRODUCT IN OPEN CONTAINERS FOR LONG PERIODS SO AS TO PREVENT PRODUCT DETERIORATION.
10.5 INCOMPATIBLE MATERIALS	AVOID CONTACT WITH STRONG ACIDS, ALKALIS OR OXIDISING AGENTS.
10.6	NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	Thermal decomposition may release/form oxides of Carbon (Carbon monoxide, Carbon dioxide) and other
	TOXIC GASES.

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 TOXICOLOGICAL EFFECTS		
ACUTE TOXICITY	NOT CLASSIFIED. CINNAMON LEAF OIL (84649-9) LD50 ORAL RAT LD50 DERMAL RAT ALPHA-PINENE (80-56-8) LD50 ORAL P-CYMENE (99-87-6) LD50 ORAL LINALOOL (78-70-6) LD50 ORAL ALPHA-TERPINEOL (98-55-5) LD50 ORAL ALPHA-TERPINEOL (98-55-5) LD50 ORAL CINNAMALDEHYDE (104-55-2) LD50 ORAL CINNAMYL ACETATE (103-54-8) LD50 ORAL EUGENOL (97-53-0) LD50 ORAL EUGENYL ACETATE (93-28-7) LD50 ORAL CINNAMYL ALCOHOL (104-54-1) LD50 ORAL CINNAMYL ALCOHOL (104-54-1) LD50 ORAL LD50 DERMAL BENZYL BENZOATE (120-51-4) LD50 ORAL LD50 DERMAL BENZALDEHYDE (100-52-7)	28-9) 2650 MG/KG BODYWEIGHT > 5000 MG/KG BODYWEIGHT 500 MG/KG BODYWEIGHT 4750 MG/KG BODYWEIGHT 2790 MG/KG BODYWEIGHT 4300 MG/KG BODYWEIGHT 1950 MG/KG BODYWEIGHT 2500 MG/KG BODYWEIGHT 3330 MG/KG BODYWEIGHT 2500 MG/KG BODYWEIGHT 2500 MG/KG BODYWEIGHT 1670 MG/KG BODYWEIGHT 1500 MG/KG BODYWEIGHT
	LD50 ORAL EUCALYPTOL (470-82-6)	1430 MG/KG BODYWEIGHT

	LD50 ORAL 2480 MG/KG BODYWEIGHT
SKIN IRRITATION	NOT CLASSIFIED.
EYE DAMAGE OR IRRITATION	Causes serious eye irritation.
RESPIRATORY OR SKIN SENSITIVITY	SKIN - MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY	SUSPECTED OF CAUSING GENETIC DEFECTS.
CARCINOGENICITY	MAY CAUSE CANCER.
REPRODUCTIVE TOXICITY	Not Classified.
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.
STOT – REPEATED EXPOSURE	NOT CLASSIFIED.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
OTHER INFORMATION	NO DATA.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Toxicity	ECOLOGY - GENERAL: ACUTE AQUATIC TOXICITY: CHRONIC AQUATIC TOXICITY: TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. CHRONIC AQUATIC TOXICITY: TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. CINNAMON LEAF OIL (84649-98-9) EC50 DAPHNIA 1 1.6 MG/L EC50 72H ALGAE (1) 17 MG/L
12.2 PERSISTENCE & DEGRADABILITY	NO ADDITIONAL DATA AVAILABLE.
12.3 BIO- ACCUMULATIVE POTENTIAL	NO ADDITIONAL DATA AVAILABLE.
12.4 Mobility in soil	NO ADDITIONAL DATA AVAILABLE.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO ADDIITIONAL DATA AVAILABLE.
12.6 Other adverse effects	NO ADDITIONAL DATA AVAILABLE.
CECTION 12 Disposed Internation	
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT. SOILED PACKAGING: EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER.

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
UN NUMBER	ROAD: 3082
ON NOMBER	RAIL: 3082

	AIR: 3082		
14.2 UN SHIPPING NAME	ENVIRONMENTALLY HAZARD SUBSTANCE LIQUID, N.O.S (BENZYL BENZOATE)		
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID CLASSIFICATION CODE (ADR): SPECIAL PROVISIONS (ADR): LIMITED QUANTITIES (ADR): PACKING INSTRUCTIONS (ADR): PACKING INSTRUCTIONS (ADR): ROO1 SPECIAL PACKING PROVISIONS (ADR): MIXED PACKING PROVISIONS (ADR): PORTABLE TANK AND BULK CONTAINER INSTRUCTIONS (ADR): PORTABLE TANK AND BULK CONTAINER SPECIAL PROVISIONS (ADR): TANK CODE (ADR): VEHICLE FOR TANK CARRIAGE: TRANSPOOT CATEGORY (ADR): SPECIAL PROVISIONS FOR CARRIAGE - PACKAGES (ADR): SPECIAL PROVISIONS FOR CARRIAGE - LOADING, UNLOADING AND HAZARD IDENTIFICATION NUMBER (KEMLER NO.): EMERCENCY ACTION CODE: IMDG IMDG: SPECIAL PROVISIONS (IMDG): EXCEPTED QUANTITIES (IMDG): PACKING INSTRUCTIONS (IMDG): SPECIAL PACKING PROVISIONS (IMDG): TANK INSTRUCTIONS (IMDG): TANK INSTRUCTIONS (IMDG): EMS-NO. (FIRE): EMS-NO. (FIRE): EMS-NO. (SPILLAGE): STOWAGE CATEGORY (IMDG): ICAO/IATA ICAO/IATA ICAO/IATA ICAO/IATA ICAO/IATA ICAO/IATA: IATA PROPER SHIPPING NAME - ENVIRONMENTALLY HAZARDI PCA LIMITED QUANTITIES (IATA): PCA LIMITED QUANTITIES (IATA): PCA LIMITED QUANTITY MAX NET QUANTITY (IATA): PCA LIMITED QUANTITY MAX NET QUANTITY (IATA): PCA AMX NET QUANTITY (IATA): SPECIAL PROVISIONS (IATA): ERG CODE (IATA): TRANSPORT LABEL:	LGBV AT 3 V12 HANDLING (ADR): CV13 90 •3Z CLASS 9 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 F-A S-F A CLASS 9	
14.4 PACKING GROUP	ADR/RID PACKING GROUP: III IMDG PACKING GROUP: III ICAO PACKING GROUP: III ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.		
14.5 ENVIROMENTAL HAZARDS			
14.6 SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6 – 8.		

147	
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 th
	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF
	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE
EU DIRECTIVES	1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION
	regulation (EC) No1488/94 as well as council directive 76/769/EEC & commission
	DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009
STATUTORY INSTRUMENTS	No 716).
	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY, SAFETY DATA
Approved Code of Practice	SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	
	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	-
CHEMICAL JAPETT ASSESSMENT	

SECTION 16: OTHER INFORMATION	
Hazard and/ or Precautionary Statements in full	H226 FLAMMABLE LIQUID AND VAPOUR. H228 FLAMMABLE SOLID. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H312 HARMFUL IN CONTACT WITH SKIN. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H332 HARMFUL IF INHALED. H335 MAY CAUSE RESPIRATORY IRRITATION. H341 SUSPECTED OF CAUSING GENETIC DEFECTS. H350 MAY CAUSE CANCER. H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD. H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	
KID	International Carriage of Dangerous Goods by Rail.
ICAO	International Carriage of Dangerous Goods by Rail. International Civil Aviation Organization.

GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
Trem Card	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10™ April 2018	Data Launch
OCOTBER 2020	Review
2021	Review