# **Material Safety Data Sheet**

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF	THE SUBSTANCE	/MIXTURE /	AND OF THE COMPANY/	UNDERTAKING	
1.1 PRODUCT IDENTIFICATION					
Product Name	Frankincense (Boswellia Carterii), Essential Oil				
BIOLOGICAL DEFINITION	BOSWELLIA CARTERII OIL IS THE VOLATILE OIL OBTAINED FROM THE BOSWELLIA CARTERII, BURSERACEAE.				
INCI NAME	Boswellia Carterii Oil				
Synonyms & Trade Names	Frankincense Oil				
INTERNAL PRODUCT CODE	К0190				
CAS-No	89957-98-2 / 8050-07-5 EC No. 289-620-2 / 232-474-1 EINECS No. 289-620-2 / 232-474-1				
1.2 Details of the supplier of the safety data sheet					
COMPANY ADDRESS	YouWish Venserweg 21M, 1112 AR Diemen, The Netherlands				
EMAIL	contact@youwish.nl				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	+31 6 83295085				

ASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.	
	Physical hazards: Flam. Liq. 3 – H226	
CLASSIFICATION (EU1272/2008)	<b>Health hazards:</b> Acute Tox. 4 – H302, Asp. Tox. 1 – H304, Skin Irrit. 2 – H315, Skin Sens. 1B – H317, Repr. 2 H361	
	<b>ENVIRONMENTAL HAZARDS:</b> AQUATIC ACUTE 1 – H 400, AQUATIC CHRONIC 1 – H410- CHRONIC HAZARD, CATEGORY 2 (AQUATIC CHRONIC 2, H411).	
2 ABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.	
GHS LABEL	GHS07 GHS02 GHS09 HGS08	
Signal Word	Danger	
Contains	ALPHA-PINENE, D-LIMONENE, P-CYMENE	
HAZARDS STATEMENT	H226 Flammable Liquid and Vapour. H302 Harmful if Swallowed. H304 May be fatal if Swallowed and enters airways. H315 Causes skin irritation. H317 May cause an Allergic Skin reaction. H361 Suspected of Damaging Fertility or the UNBORN CHILD. H410 Very toxic to Aquatic Life with Long Lasting Effects.	
Precautionary Statements	P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P240 GROUND AND BOND CONTAINER AND RECEIVING EQUIPMENT. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/EQUIPMENT. P242 USE NON-SPARKING TOOLS. P243 TAKE ACTION TO PREVENT STATIC DISCHARGES P261 AVOID BREATHING VAPOURS/SPRAY. P273 AVOID RELEASE TO THE ENVIRONMENT. P280 WEAP PROTECTIVE OUTS/PROTECTIVE CLOTHING/EYE PROTECTION /EACE PROTECTION	
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P264 Wash hands and exposed skin thoroughly after handling.	
5	Section 16 (Other Information): Risk & Safety phrases in full.	
3 THER HAZARDS		
Adverse physio-chemical properties	NO DATA.	
Adverse effects on human health	No Data.	
	No Data.	

## **SECTION 4: FIRST AID MEASURES**

<b>4</b> .1	
DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	Get medical attention immediately. Remove from exposure site to fresh air, keep at rest, and obtain medical
INHALATION	ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. IMMEDIATELY CALL THE DOCTOR. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL
INGESTION	ATTENTION. INGESTION MAY CAUSE NAUSEA AND VOMITING.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2	
MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE &	NO ADDITIONAL DATA AVAILABLE.
DELAYED)	
4.3	
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR	TREAT SYMTOMATICALLY.
SPECIAL TREATMENT REQUIRED	

#### **SECTION 5: FIRE FIGHTING MEASURES** 5.1 EXTINGUISH WITH THE FOLLOWING MEDIA: CARBON DIOXIDE, DRY CHEMICAL, FOAM. EXTINGUISHING MATERIAL **UNSUITABLE EXTINGUISHING MEDIA:** DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS MAY SCATTER AND SPREAD FIRE. 5.2 A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR HEALTH, DO NOT BREATHE IN SMOKE, MIXTURE THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES: CARBON DIOXIDE (CO2), CARBON MONOXIDE (CO), OTHER TOXIC GASES. CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. 5.3 SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: **ADVICE FOR FIRE-FIGHTERS** WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE	
6.1 Personal precautions	EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID INHALATION.	
6.2 Environmental precautions	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.	
6.3	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN	
METHODS & MATERIAL FOR CONTAINMENT AND CLEANING	SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. COVER WITH AN INERT, INORGANIC, NON-COMBUSTIBLE ABSORBENT MATERIAL (E.G DRY-LIME, SAND, SODA ASH).	
6.4 REFERENCES TO OTHER SECTIONS	Refer & Consider Section 12.	
SECTION 7: HANDLING & STORAGE		
	1	
7.1 Precautions for safe-handling	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.	
7.2	STORAGE CLASS: FLAMMABLE LIQUID STORAGE. STORE ONLY IN THE ORIGINAL RECEPTACLE. KEEP CONTAINER TIGHTLY SEALED	
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP IN COOL, DRY, VENTILATED STORAGE AND CLOSED CONTAINERS. KEEP AWAY FROM HEAT.	
7.3 Specific end use(s)	NO DATA.	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION		
8.1 Control Parameters	NO ADDITIONAL DATA AVAILABLE.	
8.2	<u> </u>	
	<u>I</u>	
8.2	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)	
8.2 EXPOSURE CONTROLS	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Penetration time of glove material: The exact break through time has to be found out by the manufacturer of	
8.2 EXPOSURE CONTROLS	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.	
8.2 EXPOSURE CONTROLS CORPORED CONTROLS EYE PROTECTION HAND PROTECTION	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. PENETRATION TIME OF GLOVE material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Do not inhale gases / fumes / aerosols. Certified respiratory protective device recommended.	
8.2 EXPOSURE CONTROLS CON	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.	
8.2 EXPOSURE CONTROLS EVE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT HYGIENE MEASURES	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED. DO NOT INHALE GASES / FUMES / AEROSOLS. CERTIFIED RESPIRATORY PROTECTIVE DEVICE RECOMMENDED. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
8.2 EXPOSURE CONTROLS EYE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT HYGIENE MEASURES ENGINEERING MEASURES	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED. DO NOT INHALE GASES / FUMES / AEROSOLS. CERTIFIED RESPIRATORY PROTECTIVE DEVICE RECOMMENDED. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE	
8.2 EXPOSURE CONTROLS EYE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT HYGIENE MEASURES ENGINEERING MEASURES SKIN PROTECTION	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED. DO NOT INHALE GASES / FUMES / AEROSOLS. CERTIFIED RESPIRATORY PROTECTIVE DEVICE RECOMMENDED. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE PERSONAL PROTECTION ACCORDING TO DIRECTIVE 89/686/EEC.	
8.2 EXPOSURE CONTROLS EYE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT HYGIENE MEASURES ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION	GOGGLES. (EN166) AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED. DO NOT INHALE GASES / FUMES / AEROSOLS. CERTIFIED RESPIRATORY PROTECTIVE DEVICE RECOMMENDED. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE	

#### SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 Physical & Chemical Properties	
Appearance	Liquid
COLOUR	COLOURLESS TO YELLOW.
Odour	CHARACTERISTIC
RELATIVE DENSITY @ 20°C	Approx. 0.878 @ 20°C
FLASH POINT (°C)	35 °C.
<b>Refractive Index @ 20</b> °C	Approx. 1.460 @ 20°C
Solubility in water @ 20 °C	INSOLUBLE IN WATER.
9.2 Other Information	VAPOUR PRESSURE: BETWEEN 175 KPA AND 300 KPA INCLUSIVE.

#### SECTION 10: STABILITY & REACTIVITY

10.1 Reactivity	NOT APPLICABLE.
10.2 Chemical stability	Stable under suggested storage conditions (<15°C).
10.3 Possibility of hazardous reactions	NONE UNDER NORMAL PROCESSING.
10.4 Conditions to avoid	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C. AVOID HEAT, FLAMES AND OTHER SOURCES OF IGNITION.
10.5 INCOMPATIBLE MATERIALS	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	This product does not decompose under normal conditions. Under fire conditions the product will produce a mixture of irritating fumes & smoke & carbon monoxide.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Toxicological effects	
Αсυτε Τοχιςιτγ	HARMFUL IF SWALLOWED. (CALCULATION METHOD)
SKIN IRRITATION	CAUSES SKIN IRRITATION.
EYE DAMAGE OR IRRITATION	NOT CLASSIFIED.
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY	NOT CLASSIFIED.
CARCINOGENICITY	NOT CLASSIFIED.
Reproductive toxicity	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.
STOT – REPEATED EXPOSURE	NOT CLASSIFIED.
Aspiration Hazard	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
Other Information	NO DATA.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Τοχιςιτγ	THE PRODUCT MUST NOT BE ALLOWED TO RUN INTO DRAINS OR WATERWAYS.
12.2 PERSISTENCE & DEGRADABILITY	NO DATA.
12.3 BIO- ACCUMULATIVE POTENTIAL	ΝΟ ΔΑΤΑ
12.4 Mobility in soil	PREVENT CONTAMINATION OF SOIL, GROUND AND SURFACE WATER.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO DATA.
12.6 Other adverse effects	NO DATA.

### **SECTION 13: DISPOSAL INFORMATION**

	DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS.
13.1 Waste treatment methods	WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT.
	Soiled Packaging: Empty container completely. Keep label(s) on container. Dispose of via a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION		
14.1 Transport Information		
	ROAD: UN 1169	
UN NUMBER	SEA: UN 1169	
	<b>AIR</b> : UN 1169	
14.2 UN Shipping Name	Extracts, Aromatic, Liquid	
	ADR/RID ADR/RID- CLASS 3 ADR CLASSIFICATION CODE – F1 SPECIAL PROVISIONS – 601 604E LIMITED QUANTITIES – 5L EXPECTED QUANTITIES – E1 EMERGENCY ACTION CODE – 3Y TUNNEL RESTRICTION CODE – D/E	
14.3 TRANSPORT HAZARD CLASS(ES)	IMDG IMDG – Class 3 Special Provisions – 601 640E Limited Quantities – 5L Expected Quantities – E1 IMDG EMS – F-E, S-D Stowage and Handling – Category A	
	ICAO/IATA ICAO/IATA– Class 3 IATA proper shipping name - EXTRACTS, AROMATIC, LIQUID EXPECTED QUANTITIES – E1	

	TRANSPORT LABELS:
	FLAMMABLE
	3
14.4	ADR/RID/ADN PACKING GROUP III
PACKING GROUP	IMDG PACKING GROUP III
	ICAO PACKING GROUP III
	ENVIRONMENTALLY HAZARDOUS / MARINE POLLUTANT.
14.5 Enviromental Hazards	
147	SEE SECTIONS 6-8.
14.6 Special precautions for user	
14.7	
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NONE.
SECTION 15: REGULATORY INFORMATION	
15.1	
PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
	Regulation (EC) No 1907/2006 of the European Parliament and of the council of $18^{\text{th}}$
	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF
	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE
	1999/45/EC and repealing council regulation (EEC) No793/93 & commission
	REGULATION (EC) NO1488/94 as well as council directive $76/769/EEC \&$ commission
	DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009
	No 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA
Guidance Notes	SHEETS FOR SUBSTANCES & PREPARATIONS.
15.2	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.
	AKTICLE ST OF REACH 190/ 2000.

SECTION 16: OTHER INFORMATION		
Hazard and/ or Precautionary Statements in full	H226 FLAMMABLE LIQUID AND VAPOUR. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD. H400 VERY TOXIC TO AQUATIC LIFE.	

	H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H413 MAY CAUSE LONG LASTING HARMFUL EFFECTS TO AQUATIC LIFE.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
Abbreviations & Acronyms:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	Accord European sur le transport des merchandises Dangereuses par Route (European
	AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 <sup>™</sup> April 2018	Data Launch
2021	Review