according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

## . SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Fragrance oil / perfume - SQ Wissia (inspired by Wisal "Ajmal")

Article number: PSQ0241022 - GOP104

\$1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture Flavour/Fragrance

1.3 Details of the supplier of the safety data sheet

YouWish

Venserweg 21M, 1112AR Diemen

Netherlands

°Contact persoon: Regulatory Manager

1.4 Emergency telephone number: contact@youwish.nl

o+31 6 83295085

#### . SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

∘ Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### ○ 2 2 I ahel elements

∘ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

dl-Citronellol

3,7-Dimethyl-1,6-octadien-3-yl acetate

3,7-Dimethylocta-2,6-dien-1-ole

DIPENTENE

omega-Pentadecalactone

2,6-Octadien-1-ol-3,7-dimethylacetate

1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one

1-(2,2,6-Trimethylcyclohexyl)-3-hexanol

Methyl-delta-ionone

Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

∘ Results of PBT and vPvB assessment

◇ PBT: Not applicable.

(Contd. on page 2)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

∘ vPvB: Not applicable.

(Contd. of page 1)

. SECTION 3: Composition/information on ingredients	
<ul> <li>3.2 Chemical characterisation: Mixtures</li> <li>Description: Mixture of substances listed below with nonhazardous additions.</li> </ul>	
∘ Dangerous components:	
CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one EINECS: 259-174-3 Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	>2.5-5%
CAS: 60-12-8 2-Phenylethanol EINECS: 200-456-2 Acute Tox. 4, H302; Eye Irrit. 2, H319	1-2.5%
CAS: 106-22-9	1-2.5%
CAS: 18479-58-8 2,6-Dimethyloct-7-en-2-ol EINECS: 242-362-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-2.5%
CAS: 119-61-9 Benzophenone EINECS: 204-337-6 STOT RE 2, H373; Aquatic Chronic 2, H411	≥1-<2.5%
CAS: 111879-80-2 Oxacyclohexadecen-2-one ELINCS: 422-320-3 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<i>≥</i> 1-<2.5%
CAS: 115-95-7 3,7-Dimethyl-1,6-octadien-3-yl acetate EINECS: 204-116-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	1-2.5%
CAS: 57934-97-1 Ethyl 2-ethyl-6,6-dimethylcyclohex-2-ene-1-carboxylate EINECS: 261-020-5 Aquatic Chronic 3, H412	≥1-<2.5%
CAS: 106-24-1 3,7-Dimethylocta-2,6-dien-1-ole EINECS: 203-377-1 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.1-<1%
CAS: 138-86-3 DIPENTENE EINECS: 205-341-0 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥0.25-<1%
CAS: 106-02-5 omega-Pentadecalactone EINECS: 203-354-6 Aquatic Chronic 2, H411; Skin Sens. 1B, H317	≥0.25-<1%
CAS: 105-87-3 2,6-Octadien-1-ol-3,7-dimethylacetate EINECS: 203-341-5 Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<1%
CAS: 70788-30-6 1-(2,2,6-Trimethylcyclohexyl)-3-hexanol EINECS: 274-892-7 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	≥0.25-<1%
CAS: 127-51-5 Methyl-delta-ionone EINECS: 204-846-3 Aquatic Chronic 2, H411; Skin Sens. 1B, H317	≥0.25-<1%
CAS: 106-25-2 Nerol EINECS: 203-378-7 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥0.1-<1%
CAS: 7785-26-4 alpha-Pinene EINECS: 232-077-3 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥0.1-<0.25%
CAS: 13828-37-0 cis-4-(1-methylethyl)-Cyclohexanemethanol EINECS: 237-539-8 Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥0.1-<1%
CAS: 91-64-5 2H-1-Benzopyran-2-one EINECS: 202-086-7 Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<1%
CAS: 97-53-0 Eugenol	≥0.1-<1%
EINECS: 202-589-1 Eye Irrit. 2, H319; Skin Sens. 1B, H317  CAS: 101-84-8	<0.25%
EINECS: 202-981-2 Aquatic Acute 1, H400; Eye Irrit. 2, H319; Aquatic Chronic 3, H412  CAS: 1205-17-0 3-(3,4-Methylenedioxyphenyl)-2-methylpropanal	≥0.1-<0.25%
EINECS: 214-881-6 Repr. 2, H361; Aquatic Chronic 2, H411; Skin Sens. 1B, H317	(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

(Contd. of page 2)

CAS: 4180-23-8 trans-Anethole

EINECS: 224-052-0 Skin Sens. 1B, H317

CAS: 18127-01-0 3-(4-tertbutylphenyl)-propanal

EINECS: 242-016-2 STOT RE 2, H373; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412

Additional information: For the wording of the listed hazard phrases refer to section 16.

≥0.1-<1% ≥0.1-<1%

#### . SECTION 4: First aid measures

- ⋄ 4.1 Description of first aid measures
- ∘ General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- ∘ After eye contact: Rinse opened eye for several minutes under running water.
- ⋄ After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### . SECTION 5: Firefighting measures

- ∘ 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- ⋄ 5.3 Advice for firefighters
- Protective equipment: No special measures required.

#### . SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- ∘ 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

◦ 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Treat with 2 % sodium hydroxide solution.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## . SECTION 7: Handling and storage

- $\,{}^{\diamond}$  7.1 Precautions for safe handling <code>Prevent</code> formation of aerosols.
- ∘ Information about fire and explosion protection: No special measures required.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

(Contd. of page 3)

- ∘ 7.2 Conditions for safe storage, including any incompatibilities
- ⋄ Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- ⋄ Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

### . SECTION 8: Exposure controls/personal protection

- ⋄ 8.1 Control parameters
- ◇ Additional information about design of technical facilities: No further data; see item 7.
- ∘ Ingredients with limit values that require monitoring at the workplace:

#### 101-84-8 Phenoxybenzene

WEL Short-term value: 14 mg/m³, 2 ppm Long-term value: 7 mg/m³, 1 ppm

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
   Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves The multichemical-resistant glove Barrier 02-100 is recommended.
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

### . SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

⋄ General Information

⋄ Appearance:

Form: Fluid
Colour: Yellowish
Odour: Characteristic
Odour threshold: Not determined.

PH-value: Not determined.
Melting point/freezing point: Undetermined.
Flash point: >100 °C

Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.
 Auto-ignition temperature: Not determined.
 Explosive properties: Not determined.

Explosion limits:

Lower: Not determined.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

(Contd. of page 4)

Upper: Not determined.

◇ Density at 20 °C: 0.952 g/cm³

◇ Relative density Not determined.

◇ Vapour density Not determined.

◇ Evaporation rate Not determined.

Solubility in / Miscibility with

water: Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: Not determined.

⋄ Solvent separation test:

VOC (EC) 73.95 %

• **9.2 Other information** No further relevant information available.

## . SECTION 10: Stability and reactivity

- ∘ 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- ◆ 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### . SECTION 11: Toxicological information

- ∘ 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- ⋄ LD/LC50 values relevant for classification:

## ATE (Acute Toxicity Estimates)

Oral LD50 45,466 mg/kg (rat)

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information:
- ∘ CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## . SECTION 12: Ecological information

- ∘ 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- ∘ 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

(Contd. of page 5)

- ⋄ Additional ecological information:
- ⋄ General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- ∘ 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ∘ vPvB: Not applicable.
- ◆ 12.6 Other adverse effects No further relevant information available.

### . SECTION 13: Disposal considerations

- ∘ 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- ◊ Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information	
∘ 14.1 UN-Number	
∘ ADR, IMDG, IATA	UN3082
○ 14.2 UN proper shipping name	
<i>ADR</i>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (DIPENTENE, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one)
<i>◇IMDG</i>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (DIPENTENE, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-
<i>◇IATA</i>	tetramethyl-2-naphthyl)ethan-1-one), MARINE POLLUTANT
VIATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (containing DIPENTENE, 1-(1,2,3,4,5,6,7,8-octahydro-
	2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one)
○ 14.3 Transport hazard class(es)	, , , , , , , , , , , , , , , , , , ,
⋄ ADR	
⋄ Class	9 (M6) Miscellaneous dangerous substances and articles.
∘ Label	9 '
◇IMDG, IATA	
◇ Class ์	9 Miscellaneous dangerous substances and articles.
<i>◇Label</i>	9
∘ 14.4 Packing group	
∘ ADR, IMDG, IATA ∘ <b>14.5 Environmental hazards:</b>	
14.5 Environmental nazaros:	Product contains environmentally hazardous substances: 1- (1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-
	one
∘ Marine pollutant:	Yes
•	Symbol (fish and tree)
∘ Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
○ 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
<ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	90 F-A,S-F
⋄ Stowage Category	Г-A,3-Г A
g <b></b>	(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

(Contd. of page 6)

∘ 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

⋄ Transport/Additional information:

⋄ Limited quantities (LQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category

⋄ Tunnel restriction code

5L

∘ Excepted quantities (ÉQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-UN "Model Regulation":

2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE), 9, III

### . SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Warning

· Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

dl-Citronellol

3,7-Dimethyl-1,6-octadien-3-yl acetate

3,7-Dimethylocta-2,6-dien-1-ole

**DIPENTENE** 

omega-Pentadecalactone

2,6-Octadien-1-ol-3,7-dimethylacetate

1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one

1-(2,2,6-Trimethylcyclohexyl)-3-hexanol

Methyl-delta-ionone

Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

- ⋄ Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 25.03.2021 Version 40 Revision: 12.12.2020

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### . SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- · Contact: Dr. Maja Zippel
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Lig. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Repr. 2: Reproductive toxicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

GB