

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 1

|         |                       |                             |            |                      |
|---------|-----------------------|-----------------------------|------------|----------------------|
| Product | <b>12-39907 @ 25%</b> | <b>PERFUME MAHOGANY LLF</b> |            |                      |
| Version | 9.0                   | Revisiondate                | 05-07-2022 | Printdate 05-07-2022 |

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

|              |                         |
|--------------|-------------------------|
| Product code | MULTI-COMPONENT MIXTURE |
|              | 12-39907 @ 25%          |
|              | PERFUME MAHOGANY LLF    |
|              | 0000-0000-0000-0000     |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|              |            |                  |
|--------------|------------|------------------|
| Intended Use | Fragrances | Perfume compound |
|--------------|------------|------------------|

### 1.3 Details of the supplier of the safety data sheet

|         |                                |
|---------|--------------------------------|
| Company | YouWish                        |
|         | Venserweg 21M, 1112 AR Diemen, |
|         | The Netherlands                |
|         | Tel. +31 6 83295085            |
|         | E-mail: contact@youwish.nl     |

### 1.4 Emergency telephone number

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

H317 May cause an allergic skin reaction.Sensitization, skin (SS 1 / 1B)Category 1

H412 Harmful to aquatic life with long lasting effects.Hazardous to the aquatic environment, long-term hazard (EH C)Category 3

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



GHS07

#### Signalword

WARNING

#### Hazard statements

H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 2

|         |                       |                             |            |                      |
|---------|-----------------------|-----------------------------|------------|----------------------|
| Product | <b>12-39907 @ 25%</b> | <b>PERFUME MAHOGANY LLF</b> |            |                      |
| Version | 9.0                   | Revisiondate                | 05-07-2022 | Printdate 05-07-2022 |

## Precautionary statements

Prevention P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P361 Remove/Take off immediately all contaminated clothing.  
P391 Collect spillage.

## Hazardous components which must be listed on the label:

benzyl phenyl formate  
benzyl ortho hydroxy benzoate  
α-cedrene  
3-phenylpropen-2-al  
coumarine  
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1one  
phenol, 4allyl-2-methoxy  
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran  
limonene  
linalool  
linalyl acetate  
isoeugenyl methyl ether

## 2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 3. Composition/information on ingredients

### 3.2 Mixtures

Hazardous components

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 3

|             |                       |                             |                      |
|-------------|-----------------------|-----------------------------|----------------------|
| Product     | <b>12-39907 @ 25%</b> | <b>PERFUME MAHOGANY LLF</b> |                      |
| Version 9.0 |                       | Revisiondate 05-07-2022     | Printdate 05-07-2022 |

| <u>Chemical Name</u>                                                                                                           | <u>CAS-Nr.</u><br><u>REACH reg.</u>   | <u>(REGULATION (EC) No 1272/2008)</u>                                                                                                                                                                                                                                     | <u>Concentration [%]</u> |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| benzyl acetate                                                                                                                 | 140-11-4<br><br>01-2119638272-42-xxxx | H412Hazardous to the aquatic environment, long-term hazard (EH C)Category 3                                                                                                                                                                                               | 1 - 5%                   |
| <hr/> <div>Acute toxicity estimate</div> <div>Acute oral toxicity 2490 mg/kg</div>                                             |                                       |                                                                                                                                                                                                                                                                           |                          |
| benzyl phenyl formate                                                                                                          | 120-51-4<br><br>01-2119976371-33-xxxx | H302Acute toxicity, oral (ATO)Category 4<br>H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1<br>H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2                                                                        | 5 - 10%                  |
| <hr/> <div>Acute toxicity estimate</div> <div>Acute oral toxicity 1500 mg/kg</div> <div>Acute dermal toxicity 4000 mg/kg</div> |                                       |                                                                                                                                                                                                                                                                           |                          |
| benzyl ortho hydroxy benzoate                                                                                                  | 118-58-1<br><br>01-2119969442-31-xxxx | H317Sensitization, skin (SS 1 / 1B)Category 1<br>H412Hazardous to the aquatic environment, long-term hazard (EH C)Category 3                                                                                                                                              | 1 - 5%                   |
| <hr/> <div>Acute toxicity estimate</div> <div>Acute oral toxicity 2200 mg/kg</div>                                             |                                       |                                                                                                                                                                                                                                                                           |                          |
| a-cedrene                                                                                                                      | 469-61-4                              | H304Aspiration hazard (AH)Category 1<br>H315Skin corrosion/irritation (SCI)Category 2<br>H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1<br>H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1                           | 0,1 - 1%                 |
| <hr/> <div>M Factor Acute 10; Chronic 10</div>                                                                                 |                                       |                                                                                                                                                                                                                                                                           |                          |
| 3-phenylpropen-2-al                                                                                                            | 104-55-2<br><br>01-2119935242-45-xxxx | H312Acute toxicity, dermal (ATD)4<br>H315Skin corrosion/irritation (SCI)Category 2<br>H317+Sensitization, skin (SS 1A)Category 1<br>H319Serious eye damage/eye irritation (EDI)Category 2A<br>H412Hazardous to the aquatic environment, long-term hazard (EH C)Category 3 | 0,01 - 0,1%              |
| <hr/> <div>Acute toxicity estimate</div> <div>Acute oral toxicity 2200 mg/kg</div>                                             |                                       |                                                                                                                                                                                                                                                                           |                          |

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 4

| Product                                                                |                       | 12-39907 @ 25% PERFUME MAHOGANY LLF                                                                                                                                                                                                                                                                                                      |            |
|------------------------------------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Version 9.0                                                            |                       | Revisiondate                                                                                                                                                                                                                                                                                                                             | 05-07-2022 |
|                                                                        |                       | Printdate                                                                                                                                                                                                                                                                                                                                | 05-07-2022 |
| coumarine                                                              | 91-64-5               | H302Acute toxicity, oral (ATO)Category 4<br>H317Sensitization, skin (SS 1 / 1B)Category 1                                                                                                                                                                                                                                                |            |
|                                                                        |                       | 0,1 - 1%                                                                                                                                                                                                                                                                                                                                 |            |
|                                                                        | 01-2119949300-45-xxxx |                                                                                                                                                                                                                                                                                                                                          |            |
|                                                                        |                       | Acute toxicity estimate<br>Acute oral toxicity 500 mg/kg                                                                                                                                                                                                                                                                                 |            |
| 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1one                     | 57378-68-4            | H302Acute toxicity, oral (ATO)Category 4<br>H315Skin corrosion/irritation (SCI)Category 2<br>H317+Sensitization, skin (SS 1A)Category 1<br>H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1<br>H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1                                        |            |
|                                                                        |                       | 0,01 - 0,1%                                                                                                                                                                                                                                                                                                                              |            |
|                                                                        | 01-2119535122-53-xxxx |                                                                                                                                                                                                                                                                                                                                          |            |
|                                                                        |                       | Acute toxicity estimate<br>Acute oral toxicity 1400 mg/kg                                                                                                                                                                                                                                                                                |            |
| phenol, 4allyl-2-methoxy                                               | 97-53-0               | H317Sensitization, skin (SS 1 / 1B)Category 1<br>H319Serious eye damage/eye irritation (ED)Category 2A                                                                                                                                                                                                                                   |            |
|                                                                        |                       | 0,1 - 1%                                                                                                                                                                                                                                                                                                                                 |            |
|                                                                        | 01-2119971802-33-xxxx |                                                                                                                                                                                                                                                                                                                                          |            |
|                                                                        |                       | Acute toxicity estimate<br>Acute oral toxicity 2500 mg/kg                                                                                                                                                                                                                                                                                |            |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran | 1222-05-5             | H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1<br>H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1                                                                                                                                                                                   |            |
|                                                                        |                       | 0,1 - 1%                                                                                                                                                                                                                                                                                                                                 |            |
|                                                                        | 01-2119488227-29-xxxx |                                                                                                                                                                                                                                                                                                                                          |            |
| limonene                                                               | 5989-27-5             | H226Flammable liquids (FL)Category 3<br>H304Aspiration hazard (AH)Category 1<br>H315Skin corrosion/irritation (SCI)Category 2<br>H317Sensitization, skin (SS 1 / 1B)Category 1<br>H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1<br>H412Hazardous to the aquatic environment, long-term hazard (EH C)Category 3 |            |
|                                                                        |                       | 0,1 - 1%                                                                                                                                                                                                                                                                                                                                 |            |
|                                                                        | 01-2119529223-47-xxxx |                                                                                                                                                                                                                                                                                                                                          |            |
|                                                                        |                       | M Factor Acute 1<br>Acute toxicity estimate<br>Acute oral toxicity >2000 mg/kg                                                                                                                                                                                                                                                           |            |
| linalool                                                               | 78-70-6               | H315Skin corrosion/irritation (SCI)Category 2<br>H317Sensitization, skin (SS 1 / 1B)Category 1<br>H319Serious eye damage/eye irritation (ED)Category 2A                                                                                                                                                                                  |            |
|                                                                        |                       | 0,1 - 1%                                                                                                                                                                                                                                                                                                                                 |            |
|                                                                        | 01-2119474016-42-xxxx |                                                                                                                                                                                                                                                                                                                                          |            |
|                                                                        |                       | Acute toxicity estimate<br>Acute oral toxicity 2790 mg/kg                                                                                                                                                                                                                                                                                |            |

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 5

Product **12-39907 @ 25% PERFUME MAHOGANY LLF**

Version **9.0** Revisiondate **05-07-2022** Printdate **05-07-2022**

linalyl acetate 115-95-7 H315Skin corrosion/irritation (SCI)Category 2  
H317Sensitization, skin (SS 1 / 1B)Category 1 0,1 - 1%

01-2119454789-19-xxxx

isoeugenyl methyl ether 93-16-3 H317Sensitization, skin (SS 1 / 1B)Category 1 0,1 - 1%

01-2120223689-47-xxxx

Acute toxicity estimate  
Acute oral toxicity 2500 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 6

|         |                |                      |            |                      |
|---------|----------------|----------------------|------------|----------------------|
| Product | 12-39907 @ 25% | PERFUME MAHOGANY LLF |            |                      |
| Version | 9.0            | Revisiondate         | 05-07-2022 | Printdate 05-07-2022 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

### 4.1 Description of first aid measures

|                         |                                                                                                                                                                                                                                                |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | Move out of dangerous area. Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.                                                                                            |
| If inhaled              | If unconscious place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                                                                                   |
| In case of skin contact | If on skin, rinse well with water.                                                                                                                                                                                                             |
| In case of eye contact  | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>Take victim immediately to hospital.                                         |

### 4.2 Most important symptoms and effects, both acute and delayed

|          |                   |
|----------|-------------------|
| Symptoms | no data available |
|----------|-------------------|

### 4.3 Indication of any immediate medical attention and special treatment needed

|           |                   |
|-----------|-------------------|
| Treatment | no data available |
|-----------|-------------------|

## 5. Fire-fighting measures

### 5.1 Extinguishing media

|                                |                                                                                            |
|--------------------------------|--------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | Dry chemical<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Water spray |
| Unsuitable extinguishing media | High volume water jet                                                                      |

### 5.2 Special hazards arising from the substance or mixture

|                                      |                                                                           |
|--------------------------------------|---------------------------------------------------------------------------|
| Specific hazards during firefighting | Do not allow run-off from fire fighting to enter drains or water courses. |
|--------------------------------------|---------------------------------------------------------------------------|

### 5.3 Advice for firefighters

|                                                |                                                                                                                                                                                                                      |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for fire-fighters | Wear self contained breathing apparatus for fire fighting if necessary.                                                                                                                                              |
| Further information                            | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

|                      |                                    |
|----------------------|------------------------------------|
| Personal precautions | Use personal protective equipment. |
|----------------------|------------------------------------|

### 6.2 Environmental precautions

|                           |                                                                                                                                                                                         |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental precautions | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 6.3 Methods and materials for containment and cleaning up

|                         |                                                                                                                                                             |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for cleaning up | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal. |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 6.4 Reference to other sections

|  |                |
|--|----------------|
|  | not applicable |
|--|----------------|

## 7. Handling and storage

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 7

|             |                |                         |           |            |
|-------------|----------------|-------------------------|-----------|------------|
| Product     | 12-39907 @ 25% | PERFUME MAHOGANY LLF    |           |            |
| Version 9.0 |                | Revisiondate 05-07-2022 | Printdate | 05-07-2022 |

## 7.1 Precautions for safe handling

|                                                 |                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling                         | Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>To avoid spills during handling keep bottle on a metal tray.<br>Dispose of rinse water in accordance with local and national regulations. |
| Advice on protection against fire and explosion | Normal measures for preventive fire protection.                                                                                                                                                                                                                                                                                                                    |
| Temperature class                               | no data available                                                                                                                                                                                                                                                                                                                                                  |
| Fire-fighting class                             | no data available                                                                                                                                                                                                                                                                                                                                                  |
| Dust explosion class                            | no data available                                                                                                                                                                                                                                                                                                                                                  |

## 7.2 Conditions for safe storage, including any incompatibilities

|                                               |                                                                                                                                                                                                                                                                       |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Requirements for storage areas and containers | Keep container tightly closed in a dry and well-ventilated place.<br>Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Electrical installations / working materials must comply with the technological safety standards. |
| Further information on storage conditions     | no data available                                                                                                                                                                                                                                                     |
| Advice on common storage                      | no data available                                                                                                                                                                                                                                                     |
| German storage class                          | no data available                                                                                                                                                                                                                                                     |
| Other data                                    | No decomposition if stored and applied as directed.                                                                                                                                                                                                                   |

## 7.3 Specific end uses

|                 |                   |
|-----------------|-------------------|
| Specific use(s) | no data available |
|-----------------|-------------------|

## 8. Exposure controls/personal protection

### 8.1 Control parameters

#### BENZYL ACETATE

Workingprogram : Limits Denemarken 2007 Limits : 10 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 2007 (publicatie C.0.1)  
Workingprogram : Limits België 2009 Limits : 10 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065  
Workingprogram : Limits Spanje 2010 Limits : 10 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT

#### CAMPHOR

Workingprogram : Limits Finland 2007 Limits : 0,3 parts per million Publication : Julkaisuja 2007:4  
Workingprogram : Limits Denemarken 2007 Limits : 2 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 007 (publicatie C.0.1)  
Workingprogram : Limits Frankrijk 2008 Limits : 2 parts per million Publication : Valeurs limites d'exposition professionnelle aux agents chimiques en France; INRS ED 984; juni 2008  
Workingprogram : Limits Noorwegen 2010 Limits : 2 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet  
Workingprogram : Limits België 2009 Limits : 2 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065  
Workingprogram : Limits Oostenrijk 2007 Limits : 2 parts per million Publication : Grenzwerteverordnung 2007 - GKV 2007  
Workingprogram : Limits Zwitserland Limits : 2 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009  
Workingprogram : Limits Verenigd Koninkrijk 2007 Limits : 2 parts per million Publication : EH40/2005  
Workingprogram : Limits Spanje 2010 Limits : 2 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT  
Workingprogram : Werkprogramma Herevaluatie bestaande Limits Limits : Publication : 2000/15 OSH/018

#### DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009  
Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

#### LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975

# SAFETY DATA SHEET

## according to Regulation (EC) No. 1907/2006

Page 8

|         |                       |                                |
|---------|-----------------------|--------------------------------|
| Product | <b>12-39907 @ 25%</b> | <b>PERFUME MAHOGANY LLF</b>    |
| Version | <b>9.0</b>            | <b>Revisiondate 05-07-2022</b> |
|         |                       | <b>Printdate 05-07-2022</b>    |

Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900  
Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009  
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.  
uitgave november 2009; Arbeidstilsynet  
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.  
uitgave november 2009; Arbeidstilsynet  
Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

### PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065  
Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17  
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet

### PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065  
Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17  
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet  
Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

## 8.2 Exposure controls

### Personal protective equipment

|                          |                                                                                                                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection          | Use protective gloves. Gloves must comply with standard EN 374-1/2/3.<br>Suitable material: Nitrile<br>Breakthrough time (maximum wearing time): >30 min.<br>Thickness of the material: 0.13 mm |
| Eye protection           | Eye wash bottle with pure water<br>Tightly fitting, approved safety goggles with side shields with standard EN166.<br>Wear face-shield and protective suit for abnormal processing problems.    |
| Skin and body protection | impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.                                                           |
| Hygiene measures         | When using do not eat or drink.<br>When using do not smoke.<br>Wash hands before breaks and at the end of workday.                                                                              |

### Environmental exposure controls

|                |                                                                                                                                                                                         |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properti

|                           |                       |
|---------------------------|-----------------------|
| Physical state            | liquid                |
| Form                      | liquid                |
| Color                     | not determined        |
| Odor                      | not determined        |
| Odour Threshold           | not applicable        |
| Flash point               | >100°C                |
| Lower explosion limit     | not determined        |
| Upper explosion limit     | not determined        |
| Flammability (solid, gas) | not applicable        |
| Oxidizing properties      | not applicable        |
| Autoignition temperature  | not determined        |
| Decomposition temperature | no data available     |
| pH                        | not determined        |
| Melting point             | not determined        |
| Boiling point             | not determined        |
| Vapour pressure           | not determined        |
| Density                   | not determined        |
| Bulk density              | not applicable        |
| Water solubility          | not determined        |
| Solubility/qualitative    | practically insoluble |



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 9

|         |                       |                             |                   |                             |
|---------|-----------------------|-----------------------------|-------------------|-----------------------------|
| Product | <b>12-39907 @ 25%</b> | <b>PERFUME MAHOGANY LLF</b> |                   |                             |
| Version | <b>9.0</b>            | Revisiondate                | <b>05-07-2022</b> | Printdate <b>05-07-2022</b> |

|                                           |                   |
|-------------------------------------------|-------------------|
| Partition coeff noctanol/H <sub>2</sub> O | not applicable    |
| Viscosity, kinematic                      | no data available |
| Relative vapour density                   | no data available |
| Evaporation rate                          | no data available |
| Explosive properties                      | no data available |

## 10. Stability and reactivity

**10.1 Reactivity** none

**10.2 Chemical stability** The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid no data available

### 10.5 Incompatible materials

Materials to avoid no data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products  
no data available  
Thermal decomposition no data available

## 11. Toxicological information

### 11.1 Information on toxicological effects

|                                                           |                                             |                                             |
|-----------------------------------------------------------|---------------------------------------------|---------------------------------------------|
| <b>Acute orale toxicity</b>                               | Estimated Acute toxicity Dosis mg/kg :      | 1708                                        |
| Method                                                    | Calculationmethod                           |                                             |
| <b>Acute inhalation toxicity</b>                          | Estimated Acute toxicity Dosis mg/ltr :     |                                             |
| Method                                                    | Calculationmethod                           | No data is available on the product itself. |
| <b>Acute dermale toxicity</b>                             | Estimated Acute toxicity Dosis mg/kg :      | 3975                                        |
| Method                                                    | Calculationmethod                           |                                             |
| <b>Acute toxicity (other routes of administration)</b>    | No data is available on the product itself. |                                             |
| <b>Skin corrosion/irritation</b>                          |                                             |                                             |
| Skin irritation                                           | No data is available on the product itself. |                                             |
| <b>Serious eye damage/eye irritation</b>                  |                                             |                                             |
| Eye irritation                                            | No data is available on the product itself. |                                             |
| <b>Respiratory or skin sensitization</b>                  |                                             |                                             |
| Sensitisation                                             | No data is available on the product itself. |                                             |
| <b>Germ cell mutagenicity</b>                             |                                             |                                             |
| Germ cell mutagenicity                                    | No data is available on the product itself. |                                             |
| <b>Carcinogenicity</b>                                    |                                             |                                             |
| Carcinogenicity                                           | No data is available on the product itself. |                                             |
| <b>Reproductive toxicity</b>                              |                                             |                                             |
| Reproductive toxicity                                     | No data is available on the product itself. |                                             |
| <b>Target Organ Systemic Toxicant - Single exposure</b>   |                                             |                                             |
| Target Organ Systemic Toxicant - Single exposure          | No data is available on the product itself. |                                             |
| <b>Target Organ Systemic Toxicant - Repeated exposure</b> |                                             |                                             |
| Target Organ Systemic Toxicant - Repeated exposure        | No data is available on the product itself. |                                             |
| <b>Aspiration hazard</b>                                  |                                             |                                             |
| Aspiration toxicity                                       | No data is available on the product itself. |                                             |
| <b>Phototoxicity</b>                                      |                                             |                                             |
| Phototoxicity                                             | No data is available on the product itself. |                                             |
| <b>Further information</b>                                | no data available                           |                                             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 10

Product **12-39907 @ 25% PERFUME MAHOGANY LLF**

Version **9.0**

Revisiondate **05-07-2022**

Printdate

**05-07-2022**

## **12. Ecological information**

### **12.1 Toxicity**

Toxicity to fish no data available  
Toxicity to daphnia and other aquatic invertebrates. no data available  
Toxicity to algae no data available

### **12.2 Persistence and degradability**

Biodegradability no data available  
Biodegradability BO (Biodegradable Organics) % 21,4

### **12.3 Bioaccumulative potential**

Bioaccumulation no data available

### **12.4 Mobility in soil**

Mobility no data available  
Distribution among environmental compartments no data available  
Additional advice Environmental fate and pathways no data available  
Physico-chemical removability no data available

### **12.5 Results of PBT and vPvB assessment**

no data available

### **12.6 Other adverse effects**

Biochemical Oxygen Demand (BOD) no data available  
Dissolved organic carbon (DOC) no data available  
Chemical Oxygen Demand (COD) no data available  
Adsorbed organic bound halogens (AOX) no data available  
Additional ecological information

## **13. Disposal considerations**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### **13.1 Waste treatment methods**

Product The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
Contaminated packaging Empty remaining contents.  
Dispose of as unused product. Do not re-use empty containers.  
Dispose of in accordance with local regulations.

## **14. Transport information**

### **ADR/RID/ADN**

UNnumber Not regulated

Description of Goods

Transportclass and packaging group -----

### **IATA/ICAO**

UNnumber Not regulated

Description of Goods

Transportclass and packaging group -----

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 11

|         |                       |                             |            |                      |
|---------|-----------------------|-----------------------------|------------|----------------------|
| Product | <b>12-39907 @ 25%</b> | <b>PERFUME MAHOGANY LLF</b> |            |                      |
| Version | 9.0                   | Revisiondate                | 05-07-2022 | Printdate 05-07-2022 |

**IMDG** UNnumber Not regulated  
Description of Goods  
Transportclass and packaging group -----

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|         |                                    |
|---------|------------------------------------|
| ABM Cat | Water hazard class NL (ABM) Cat A3 |
| WGK     | WGK2                               |

### 15.2 Chemical Safety Assessment

A chemical safety assessment is not required for this substance

## 16. Other information

### Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.