# **Safety Data Sheet**

# **Southern Peach Fragrance Oil**

May 31, 2019

# **Section 1: Chemical Product and Company Identification**

**Product name:** Southern Peach Fragrance Oil

Contact Info: YouWish

Venserweg 21 M 1112 AR Diemen The Netherlands www.youwish.nl

Within USA & Canada: 1.800.424.9300 CCN693143

Emergency Phone Number: Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

## **Section 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H333: May be harmful if inhaled

H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing,

hypothermia, lethargy, ataxia.

Acute Oral 2 : Harmful if swallowed

Reproductive/Developmental 39 : Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys,

liver, stomach, brain, tongue, mucous membranes, musculo-skeletal

system.

28 : Prolonged or repeated Dermal Exposure may cause damage to:

kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or

greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 







# Signal Word: Danger Hazard statements

 5666611161165	

H227 Combustible liquid

H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reactionH319 Causes serious eye irritation

H333 May be harmful if inhaled H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

#### **Prevention:**

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce

+ P331 vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and

+ P338 easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse
P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a

direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards
No data available

# **Section 3: Composition/Information on Ingredients**

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc. Range	GHS Classification	OSHA
Ingredient				Classification
120-51-4	204-402-9	50 – 60 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
8008-57-9	232-433-8	5 – 10 %	H226; H304; H315; H400;	12, 3, 31
Citrus Aurantium Dulcis (Orange) Peel Oil			H410	
104-67-6	203-225-4	5 – 10 %	H316; H402; H412	11
gamma-Undecalactone				
105-95-3	203-347-8	2-5%	H401	11, 15
Ethylene brassylate				
101-86-0	202-983-3	2-5%	H303; H316; H317; H400;	11, 15
Hexyl cinnamaldehyde			H411	
8028-48-6	232-433-8	2-5%	H226; H304; H315; H317;	12, 3, 31
Citrus aurantium dulcis (Orange) fruit			H400; H410	
extract				
1222-05-5	214-946-9	2-5%	H316; H400; H410	11, 15
Hexamethylindanopyran				
103-60-6	203-127-1	2-5%	H316	11
2-Phenoxyethyl isobutyrate				
78-70-6	201-134-4	1-2%	H227; H303; H315; H317;	12, 26
Linalool			H319; H402	
706-14-9	211-892-8	1-2%	H316	
gamma-Decalactone				
31906-04-4	250-863-4	1-2%	H317; H402	
Hydroxyisohexyl 3-cyclohexene				
carboxaldehyde				

88-41-5	201-828-7	1-2%	H227; H303; H316; H401;	12, 2
2-t-Butylcyclohexyl acetate			H411	
116-53-0	204-145-2	1-2%	H227; H302; H312; H314;	11, 15, 3
2-Methylbutyric acid			H318	
140-11-4	205-399-7	1-2%	H303; H401; H412	15, 25, 26, 31,
Benzyl acetate				39
10094-64-5	233-221-8	1-2%	H401; H411	11, 15
a ,a-Dimethylphenethyl butyrate				
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	11, 15
4-tert-Butylcyclohexyl acetate				
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317;	11, 15, 26, 28,
Butylphenyl Methylpropional			H361; H401; H412	3, 31, 39
1843-05-6	217-421-2	0.1 - 1.0 %	H317	
Methanone, [2-hydroxy-4-				
(octyloxy)phenyl]phenyl-				
5989-27-5	227-813-5	0.1 – 1.0 %	H226; H304; H315; H317;	11, 15, 23
Limonene			H400; H410	
4180-23-8	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401	11, 15
trans-Anethole [(E)-Anethole]				
68737-61-1	272-113-5	0.1 – 1.0 %	H227; H303; H313; H315;	12, 15, 31
Dimethyltetrahydro Benzaldehyde			H317; H401;	
			H411	
122-40-7	204-541-5	0.1 – 1.0 %	H303; H316; H317; H401;	11, 15
Amyl Cinnamal			H411	
79-78-7	201-225-9	0.1 – 1.0 %	H317; H401; H411	
Allyl a-ionone				
23696-85-7	245-833-2	0.01 - 0.1 %	H313; H315; H317; H401;	31
1-(2,6,6-Trimethylcyclohexa-1,3-dienyl)-2-			H411	
buten-1-one (Damascenone)				
57378-68-4	260-709-8	0.01 - 0.1 %	H302; H315; H317; H318;	11, 15, 31
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-			H400; H410	
yl)-2-buten-1-one (delta-Damascone)				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 12.48

# **Section 4: First Aid Measures**

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. **Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

## 4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

# **Section 5: Fire-Fighting Measures**

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam.

**Unsuitable:** Do not use a direct water jet on burning material.

## 5.2 Special hazards arising from the substance or mixture

**During firefighting:** Water may be ineffective.

## **5.3** Advice for firefighters

Further information: Standard procedure for chemical fires.

## **Section 6: Accidental Release Measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable.

# **Section 7: Handling and Storage**

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

# **Section 8: Exposure Controls/Personal Protection**

## 8.1 Control parameters

**Exposure Limits:** 

		ACGIH	ACGIH	OSHA	OSHA
Component		TWA ppm	STEL ppm	TWA ppm	STEL ppm
140-11-4	Benzyl Acetate	10			

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where

appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# **Section 9: Physical and Chemical Properties**

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

**Odor:** Conforms to Standard

Color: Yellow/Golden Yellow (G5-8)

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined Melting Point: Not determined Flashpoint (CCCFP): 163°F (72.78°C) Auto flammability: Not determined

Explosive Properties: None Expected Oxidizing properties: None Expected Vapor Pressure (mmHg@20 C): 0.231

%VOC: 17.8755

**Specific Gravity @ 25 C:** 0.9990

Density @ 25 C: 0.9960

Refractive Index @ 20 C: 1.5070

Soluble in: Oil

# **Section 10: Stability and Reactivity**

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# **Section 11: Toxicological Information**

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2410.08): May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3968.79): May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 51.53): May be harmful if inhaled

**Skin corrosion / irritation:** Causes skin irritation

Serious eye damage / irritation: Causes serious eye irritation

Respiratory sensitization: Not classified - the classification criteria are not met

Skin sensitization: May cause an allergic skin reaction

Germ cell mutagenicity: Not classified - the classification criteria are not met

**Carcinogenicity**: Not classified - the classification criteria are not met **Reproductive toxicity**: Not classified - the classification criteria are not met

**Specific target organ toxicity - single exposure:** Not classified - the classification criteria are not met. **Specific target organ toxicity - repeated exposure:** Not classified - the classification criteria are not met.

**Aspiration hazard:** May be fatal if swallowed and enters airways

# **Section 12: Ecological Information**

### 12.1 Toxicity

Acute aquatic toxicity: Very toxic to aquatic life

**Chronic aquatic toxicity:** Toxic to aquatic life with long lasting effects.

Toxicity Data on soil: No data available.

**Toxicity on other organisms**: No data available.

**12.2** Persistence and degradability: No data available. **12.3** Bioaccumulative potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

# **Section 13: Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# **Section 14: Transport Information**

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulate	d - Not Dangero	us Goods
Chemicals NOI				
ADR/RID (International Road/Rail)	9	III		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				
IATA (Air Cargo)	9	III		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				
IMDG (Sea)	9	III		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				

# **Section 15: Regulatory Information**

#### **U.S. Federal Regulations:**

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt. **40 CFR (EPCRA, SARA, CERCLA and CAA):** This product contains NO components of concern.

## **U.S. State Regulations:**

### **California Proposition 65 Warning:**

89-82-7 (NFS)	201-943-2	<= 10 ppm	Pulegone (NFS)
123-35-3(NFS)	204-622-5	0.01 – 1.0 %	beta-Myrcene (NFS)

#### **Canadian Regulations:**

DSL / NDSL: 99.79% of the components are listed or exempt. The following components are NOT on the list:

129520-41-8 407-562-0 0.1 - 1.0 % 4,7-methano-3aH-indene-3a-carboxylic acid, octahydro-,

ethyl ester

815580-59-7 453-570-1 <= 1 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl

ester

## **Section 16: Other Information**

### GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H312 : Harmful in contact with skin H314 : Causes severe skin burns and eye damage

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H361 : Suspected of damaging fertility or the unborn

child

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects H412 : Harmful to aquatic life with long lasting

effects

## **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.29) Aspiration Hazard, Category 1(2.86) Skin Corrosion/Irritation, Category 2(160.00) Sensitization, Skin, Category 1A(1.65) Eye Damage/Eye Irritation, Category 2A(2.49) Aquatic Acute Toxicity, Category 1(8.42) Aquatic Chronic Toxicity, Category 2

The information in this publication is believed to be accurate and is given in good faith, but no representation of

warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.