

Safety Data Sheet

Santa's Spruce Fragrance Oil

October 23, 2018

Section 1: Chemical Product and Company Identification

Product name: Santa's Spruce Fragrance Oil
Contact Info: YouWish
Venserweg 21 M
1112 AR Diemen
The Netherlands
www.youwish.nl

Emergency Phone Number: Within USA & Canada: 1.800.424.9300 CCN693143
Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

| | |
|--|---|
| Flammable Liquids, Category 4 | H227: Combustible liquid |
| Acute Toxicity Oral, Category 5 | H303: May be harmful if swallowed |
| Aspiration Hazard, Category 1 | H304: May be fatal if swallowed and enters airways |
| Acute Toxicity Dermal, Category 5 | H313: May be harmful in contact with skin |
| Skin Corrosion/Irritation, Category 2 | H315: Causes skin irritation |
| Sensitization, Skin, Category 1A | H317: May cause an allergic skin reaction |
| Eye Damage/Eye Irritation, Category 2A | H319: Causes serious eye irritation |
| Acute Toxicity Inhalation, Category 5 | H333: May be harmful if inhaled |
| Aquatic Acute Toxicity, Category 2 | H401: Toxic to aquatic life |
| Aquatic Chronic Toxicity, Category 2 | H411: Toxic to aquatic life with long lasting effects |

Classification OSHA (Provisions 1910.1200 of title 29)

| | |
|---------------------------------|---|
| Flammability | Class IIIA Combustible Liquid |
| Acute Dermal/Eye | 12: Causes moderate skin irritation 16: Causes eye irritation 9: Harmful if absorbed through the skin |
| Acute Oral | 2: Harmful if swallowed |
| Sensitization/Allergic Response | 31: May cause allergic skin reaction |
| Target Organ Effects | 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, blood, bile duct |

Carcinogenicity

28: Prolonged or repeated Dermal Exposure may cause damage to:
kidneys, skin

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: **Danger**

Hazard statements

| | |
|------|---|
| H227 | Combustible liquid |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H401 | Very toxic to aquatic life |
| H412 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

| | |
|------|---|
| P235 | Keep Cool |
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |

Response:

| | |
|--------------------|---|
| P301 + P310 + P331 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. |

- P312 Call a POISON CENTER or doctor/physician if you feel unwell
 P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
 P337 + P313 If eye irritation persists: Get medical advice/attention
 P362 Take off contaminated clothing and wash before reuse
 P363 Wash contaminated clothing before reuse
 P370 + P378 In case of fire: Use Carbon Dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material.
 P391 Collect Spillage

2.3 Other Hazards

No data available

Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# <i>Ingredient</i> | EC# | Conc. Range | GHS Classification | OSHA Classification |
|---|-----------|-------------|--|------------------------|
| 125-12-2 Isobornyl acetate | 204-727-6 | 40 – 50 % | H227; H316; H401 | 11, 15 |
| 120-51-4 Benzyl Benzoate | 204-402-9 | 10 – 20 % | H302; H313; H400; H411 | 28, 3 |
| 8028-48-6 Citrus aurantium dulcis (Orange) fruit extract | 232-433-8 | 5 – 10 % | H226; H304; H315; H400; H410 | 12, 3, 31 |
| 8021-29-2 Abies sibirica oil | 294-351-9 | 5 – 10 % | H226; H304; H316; H319; H400; H410 | 12, 16, 3, 31 |
| 77-83-8 Ethyl methylphenylglycidate | 201-061-8 | 2 – 5 % | H317; H401; H411 | 11, 15 |
| 5471-51-2 4-(p-Hydroxyphenyl)-2-butanone (p-Hydroxybenzyl acetone) | 226-806-4 | 2 – 5 % | H402 | 2 |
| 4940-11-8 Ethyl maltol | 225-582-5 | 1 – 2 % | H302 | 2 |
| 91-64-5 Coumarin | 202-086-7 | 1 – 2 % | H302; H317; H402 | 12, 15, 2, 26, 31, 9 |
| 32210-23-4 4-tert-Butylcyclohexyl acetate | 250-954-9 | 1 – 2 % | H303; H317; H401 | 11, 15 |
| 121-33-5 Vanillin | 204-465-2 | 1 – 2 % | H303; H319 | 31 |
| 80-56-8 α-Pinene | 201-291-9 | 0.1 – 1.0 % | H226; H302; H304; H315; H317; H400; H410 | 11, 15, 25 |

| | | | | |
|---|-----------|--------------|---|-----------------------|
| 68647-72-3 Limonene | 232-433-8 | 0.1 – 1.0 % | H226; H304; H315; H317; H400; H410 | 12, 3, 31 |
| 115-95-7 Linalyl acetate | 204-116-4 | 0.1 – 1.0 % | H227; H315; H317; H319; H402 | |
| 127-91-3 β-Pinene | 204-872-5 | 0.1 – 1.0 % | H226; H304; H315; H317; H400; H410 | 11, 15, 24, 25, 31 |
| 68737-61-1 Dimethyltetrahydro Benzaldehyde | 272-113-5 | 0.1 – 1.0 % | H227; H303; H313; H315; H317; H401; H411 | 12, 15, 31 |
| 586-62-9 Terpinolene | 209-578-0 | 0.1 – 1.0 % | H227; H303; H304; H316; H317; H400; H401; H410 | |
| 87-44-5 Beta-Caryophyllene | 201-746-1 | 0.1 – 1.0 % | H304; H316; H317 | 31, 4 |
| 112-54-9 Lauric aldehyde | 203-983-6 | 0.1 – 1.0 % | H315; H317; H319 | |
| 86803-90-9 Methoxy dicyclopentadiene carboxaldehyde | 429-860-9 | 0.1 – 1.0 % | H303; H317; H401; H411 | 11, 15, 31 |
| 111-12-6 Methyl-2-Octynoate | 203-836-6 | 0.01 – 0.1 % | H317; H400; H412 | 11, 15, 2, 31 |

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 13.35

Section 4: First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam.

Unsuitable: Do not use a direct water jet on burning material.

5.2 Special hazards arising from the substance or mixture

During firefighting: Water may be ineffective.

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable.

Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

| Component | | ACGIH | ACGIH | OSHA | OSHA |
|-----------|----------|---------|----------|---------|----------|
| | | TWA ppm | STEL ppm | TWA ppm | STEL ppm |
| 80-56-8 | a-Pinene | 20 | | | |
| 127-91-3 | β-Pinene | 20 | | | |

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): 150°F (65.56°C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.3034

%VOC: 19.234

Specific Gravity @ 25 C: 0.9810

Density @ 25 C: 0.9780

Refractive Index @ 20 C: 1.4800

Soluble in: Oil

Section 10: Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

Section 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,682.32): May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,842.95): May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 69.65): May be harmful if inhaled

Skin corrosion / irritation: Causes skin irritation

Serious eye damage / irritation: Causes serious eye irritation

Respiratory sensitization: Not classified - the classification criteria are not met

Skin sensitization: May cause an allergic skin reaction

Germ cell mutagenicity: Not classified - the classification criteria are not met

Carcinogenicity: Not classified - the classification criteria are not met

Reproductive toxicity: Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure: Not classified - the classification criteria are not met.

Specific target organ toxicity - repeated exposure: Not classified - the classification criteria are not met.

Aspiration hazard: May be fatal if swallowed and enters airways.

Section 12: Ecological Information

12.1 Toxicity

Acute aquatic toxicity: Toxic to aquatic life

Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects.

Toxicity Data on soil: No data available.

Toxicity on other organisms: No data available.

12.2 Persistence and degradability: No data available.

12.3 Bioaccumulative potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Section 14: Transport Information

| Regulator | Class | Pack Group | Sub Risk | UN-nr. |
|--|-------------------------------------|------------|----------|--------|
| U.S. DOT (Non-Bulk) Chemicals NOI | Not Regulated - Not Dangerous Goods | | | |
| ADR/RID (International Road/Rail) Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |
| IATA (Air Cargo) Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |
| IMDG (Sea) Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |

Section 15: Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA and CAA): This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning: This product contains the following components:

| | | | |
|--------------|-----------|-------------|----------------------|
| 93-15-2 | 202-223-0 | <= 4 ppm | Methyl Eugenol (NFS) |
| 123-35-3(NF) | 204-622-5 | 0.1 – 1.0 % | beta-Myrcene (NFS) |

Canadian Regulations:

DSL / NDSL: 100% of the components are listed or exempt. The following components are NOT on the list:

| | | | |
|------------|-----------|----------|---------------------------------------|
| 94201-73-7 | 303-662-1 | <= 2 ppm | Tetrahydro-4-methyl-2-phenyl-2H-pyran |
|------------|-----------|----------|---------------------------------------|

Section 16: Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour

H316 : Causes mild skin irritation

H401 : Toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H302 : Harmful if swallowed

H317 : May cause an allergic skin reaction

H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(1.70) Aspiration Hazard, Category 1

(1.00) Sensitization, Skin, Category 1A

(1.10) Aquatic Acute Toxicity, Category 1

(TFV) Risk

(1.17) Skin Corrosion/Irritation, Category 2

(1.34) Eye Damage/Eye Irritation, Category 2A

(7.23) Aquatic Chronic Toxicity, Category 2

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.