

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 6/5/2019 Revision date: 3/3/2020 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: Acqua Di Gio #TCDL-CFRA-BOWL-NADG
UFI	: 6MA5-J3YN-M00A-M03T
Product code	: TCDL-CFRA-BOWL-NADG
Type of product	: Perfumes, fragrances
Product group	: Finished Good

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

#### 1.4. Emergency telephone number

Emergency number : +44 1376 560 348

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

##### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Hazardous ingredients :

Iso E Super; acetyl cedrene; Benzyl benzoate; d-Limonene; Linalyl acetate; Linalool

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

Hazard statements (CLP)	: H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	50 – 70	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	1.625 – 3.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	1.225 – 2.47	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	0.975 – 1.94	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Tonalid (Fixolide) crystals	(CAS-No.) 21145-77-7 (EC-No.) 244-240-6	0.05 – 1.36	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexamethylindanopyran	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	0.6 – 1.205	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Iso E Super	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	0.525 – 1.03	Skin Sens. 1, H317 Aquatic Chronic 2, H411
acetyl cedrene	(CAS-No.) 32388-55-9 (EC-No.) 251-020-3 (REACH-no) 01-2119969651-28	0.525 – 1.03	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

Helional	(CAS-No.) 1205-17-0 (EC-No.) 214-881-6 (REACH-no) 01-2120740119-58	0.3 – 0.62	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hydroxy	(CAS-No.) 107-75-5 (EC-No.) 203-518-7 (REACH-no) 01-2119973482-31	0.2249766 – 0.4499532	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Lemon oil	(CAS-No.) 8008-56-8 (EC-No.) 284-515-8;616-925-3	0.175 – 0.34	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Butylated hydroxytoluene (BHT) crystals	(CAS-No.) 128-37-0 (EC-No.) 204-881-4 (REACH-no) 01-2119480433-40	0.175 – 0.34	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Musk ketone	(CAS-No.) 81-14-1 (EC-No.) 201-328-9 (EC Index-No.) 609-069-00-7	0.175 – 0.34	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lime oil distilled	(CAS-No.) 8008-26-2 (EC-No.) 290-010-3;616-919-0	0.075 – 0.17	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
2-Hydroxybenzoic acid, benzyl ester	(CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31	0.075 – 0.14	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	----------------------------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--------------------------------------------------

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--------------------------------------------------	--------------------------------

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	------------------------------------------------------------------------------------------------------------------------------------------

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Storage temperature : 25 °C  
Storage area : Store in a well-ventilated place. Store away from heat.  
Special rules on packaging : Store in a closed container.  
Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Butylated hydroxytoluene (BHT) crystals (128-37-0)	
Austria - Occupational Exposure Limits	
MAK (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Belgium - Occupational Exposure Limits	
Limit value (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (aerosol and vapor)
Bulgaria - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### Butylated hydroxytoluene (BHT) crystals (128-37-0)

#### Croatia - Occupational Exposure Limits

GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
------------------------------------------------------------	----------------------

#### Denmark - Occupational Exposure Limits

Grænseværdie (langvarig) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
-----------------------------------------------	----------------------

#### Finland - Occupational Exposure Limits

HTP-arvo (8h) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
------------------------------------	----------------------

HTP-arvo (15 min)	20 mg/m <sup>3</sup>
-------------------	----------------------

#### France - Occupational Exposure Limits

VME (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
--------------------------	----------------------

#### Germany - Occupational Exposure Limits (TRGS 900)

Occupational exposure limit value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
--------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------

#### Greece - Occupational Exposure Limits

OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
------------------------------	----------------------

#### Ireland - Occupational Exposure Limits

OEL (8 hours ref) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
----------------------------------------	---------------------

OEL (15 min ref) (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> (calculated)
---------------------------------------	----------------------------------

#### Portugal - Occupational Exposure Limits

OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable fraction, aerosol and vapor)
------------------------------	-------------------------------------------------------------

OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen
----------------------------	---------------------------------------------

#### Slovenia - Occupational Exposure Limits

OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable fraction)
------------------------------	-------------------------------------------

OEL STEL (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup> (inhalable fraction)
-------------------------------	-------------------------------------------

#### Spain - Occupational Exposure Limits

VLA-ED (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
-----------------------------	----------------------

#### United Kingdom - Occupational Exposure Limits

WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
------------------------------	----------------------

WEL STEL (mg/m <sup>3</sup> )	30 mg/m <sup>3</sup> (calculated)
-------------------------------	-----------------------------------

#### Switzerland - Occupational Exposure Limits

MAK (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (aerosol, inhalable dust, vapour)
--------------------------	--------------------------------------------------------

KZGW (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup> (aerosol, inhalable dust, vapour)
---------------------------	--------------------------------------------------------

OEL chemical category (CH)	Category C1B carcinogen
----------------------------	-------------------------

#### USA - ACGIH - Occupational Exposure Limits

ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable fraction and vapor)
--------------------------------	----------------------------------------------------

ACGIH chemical category	Not Classifiable as a Human Carcinogen
-------------------------	----------------------------------------

### Musk ketone (81-14-1)

#### Austria - Occupational Exposure Limits

OEL chemical category (AT)	Group B Carcinogen
----------------------------	--------------------

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### d-Limonene (5989-27-5)

#### Finland - Occupational Exposure Limits

HTP-arvo (8h) (mg/m <sup>3</sup> )	140 mg/m <sup>3</sup>
HTP-arvo (8h) (ppm)	25 ppm
HTP-arvo (15 min)	280 mg/m <sup>3</sup>
HTP-arvo (15 min) (ppm)	50 ppm

#### Germany - Occupational Exposure Limits (TRGS 900)

Occupational exposure limit value (mg/m <sup>3</sup> )	28 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization

#### Slovenia - Occupational Exposure Limits

OEL TWA (mg/m <sup>3</sup> )	28 mg/m <sup>3</sup>
OEL TWA (ppm)	5 ppm
OEL STEL (mg/m <sup>3</sup> )	112 mg/m <sup>3</sup>
OEL STEL (ppm)	20 ppm
OEL chemical category (SI)	Potential for cutaneous absorption

#### Spain - Occupational Exposure Limits

VLA-ED (mg/m <sup>3</sup> )	168 mg/m <sup>3</sup>
VLA-ED (ppm)	30 ppm
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption

#### Norway - Occupational Exposure Limits

Grenseverdier (AN) (mg/m <sup>3</sup> )	140 mg/m <sup>3</sup>
Grenseverdier (AN) (ppm)	25 ppm
Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	175 mg/m <sup>3</sup> (value calculated)
Grenseverdier (Korttidsverdi) (ppm)	37.5 ppm (value calculated)
OEL chemical category (NO)	Sensitizing substance

#### Switzerland - Occupational Exposure Limits

MAK (mg/m <sup>3</sup> )	40 mg/m <sup>3</sup>
MAK (ppm)	7 ppm
KZGW (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
KZGW (ppm)	14 ppm
OEL chemical category (CH)	Sensitizer

## 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Hand protection:

Protective gloves

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow . amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1.09
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Acqua Di Gio #TCDL-CFRA-BOWL-NADG

ATE CLP (oral)	702.316 mg/kg bodyweight
----------------	--------------------------

#### Butylated hydroxytoluene (BHT) crystals (128-37-0)

LD50 oral rat	> 2930 mg/kg
---------------	--------------

LD50 dermal rat	> 2000 mg/kg
-----------------	--------------

#### Musk ketone (81-14-1)

LD50 oral rat	10 g/kg
---------------	---------

LD50 dermal rabbit	> 10 g/kg
--------------------	-----------

#### acetyl cedrene (32388-55-9)

LD50 oral	4500 mg/kg bodyweight
-----------	-----------------------

#### Hexamethylindanopyran (1222-05-5)

LD50 oral rat	> 3250 mg/kg
---------------	--------------

LD50 dermal rabbit	> 3250 mg/kg
--------------------	--------------

#### Benzyl benzoate (120-51-4)

LD50 oral rat	500 mg/kg
---------------	-----------

LD50 oral	1500 mg/kg bodyweight
-----------	-----------------------

LD50 dermal rabbit	4000 mg/kg
--------------------	------------

LD50 dermal	4000 mg/kg bodyweight
-------------	-----------------------

#### Tonalid (Fixolide) crystals (21145-77-7)

LD50 oral rat	570 mg/kg
---------------	-----------

LD50 oral	1000 mg/kg bodyweight
-----------	-----------------------

LD50 dermal rabbit	> 5 g/kg
--------------------	----------



# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### d-Limonene (5989-27-5)

LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg

### Linalool (78-70-6)

LD50 oral rat	2790 mg/kg
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	2000 mg/kg

### Linalyl acetate (115-95-7)

LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

### 2-Hydroxybenzoic acid, benzyl ester (118-58-1)

LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

### Lime oil distilled (8008-26-2)

LD50 oral rat	> 5 g/kg
---------------	----------

### Lemon oil (8008-56-8)

LD50 oral rat	2840 mg/kg
---------------	------------

### Hydroxy (107-75-5)

LD50 oral rat	> 5 g/kg
---------------	----------

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

### Butylated hydroxytoluene (BHT) crystals (128-37-0)

IARC group	3 - Not classifiable
------------	----------------------

### d-Limonene (5989-27-5)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

#### Butylated hydroxytoluene (BHT) crystals (128-37-0)

EC50 72h algae (1)	6 mg/l (Species: Pseudokirchneriella subcapitata)
EC50 72h algae (2)	> 0.42 mg/l (Species: Desmodesmus subspicatus)

#### Hexamethylindanopyran (1222-05-5)

LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 µg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier

#### Benzyl benzoate (120-51-4)

LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

#### d-Limonene (5989-27-5)

LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

#### Linalool (78-70-6)

LC50 fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

#### Linalyl acetate (115-95-7)

LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
-------------	-------------------------------------------------------------------------

#### 2-Hydroxybenzoic acid, benzyl ester (118-58-1)

LC50 fish 1	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
-------------	----------------------------------------------------------------------

#### 12.1. Persistence and degradability

#### Benzyl benzoate (120-51-4)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---------------------------------------------------------

#### 12.3. Bioaccumulative potential

#### Butylated hydroxytoluene (BHT) crystals (128-37-0)

BCF fish 1	230 – 2500
Partition coefficient n-octanol/water (Log Pow)	4.17

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### Benzyl benzoate (120-51-4)

Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

### Linalool (78-70-6)

Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.1 (at 25 °C)
-------------------------------------------------	-----------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9, III, (E)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-Limonene), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 9
Danger labels (ADR)	: 9

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl



### IMDG

Transport hazard class(es) (IMDG) : 9

Danger labels (IMDG) : 9



### IATA

Transport hazard class(es) (IATA) : 9

Danger labels (IATA) : 9



### ADN

Transport hazard class(es) (ADN) : 9

Danger labels (ADN) : 9



### RID

Transport hazard class(es) (RID) : 9

Danger labels (RID) : 9



## 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

Portable tank and bulk container special provisions (ADR) : TP1, TP29

Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : E

### Transport by sea

Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP2, TP29  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29

Tank codes for RID tanks (RID) : LGBV  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

Colis express (express parcels) (RID) : CE8

Hazard identification number (RID) : 90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
[www.youwish.nl](http://www.youwish.nl)

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on
3(a)	Lemon oil ; Lime oil distilled ; d-Limonene
3(b)	Acqua Di Gio #TCDL-CFRA-BOWL-NADG ; Lemon oil ; Lime oil distilled ; Helional ; Iso E Super ; Musk ketone ; acetyl cedrene ; Benzylbenzoate ; 2-Hydroxybenzoic acid, benzyl ester ; d-Limonene ; Linalyl acetate ; Linalool ; Hydroxy
3(c)	Acqua Di Gio #TCDL-CFRA-BOWL-NADG ; Lemon oil ; Lime oil distilled ; Helional ; Iso E Super ; Musk ketone ; acetyl cedrene ; Hexamethylindanopyran ; Benzyl benzoate ; 2-Hydroxybenzoic acid, benzyl ester ; d-Limonene
40.	Lemon oil ; Lime oil distilled ; d-Limonene

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Lemon oil is listed

SZW-lijst van mutagene stoffen : Lemon oil is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vuchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302
Skin Sens. 1	H317
Aquatic Chronic 2	H411

# Acqua Di Gio #TCDL-CFRA-BOWL-NADG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YouWish  
Venserweg 21 M  
1112 AR Diemen  
The Netherlands  
www.youwish.nl

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.