Page


1

Product	12-40970 @ 10%	PERFUME S	SANDALWOOD VANILLA LL	KBSF		
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022	
1. Identification of the substance/mixture and of the company/undertaking						
1.1 Product i	dentifier	MULTI-COMPC	DNENT MIXTURE			
Product code		12-40970 @ 10% PERFUME SANDALWOOD VANILLA LLKBSF 0000-0000-0000				
1.2 Relevant identified uses of the substance or Intended Use Fragrances Perfum			•			
1.3 Details of	f the supplier of the safety d	lata sheet				
Company		YouWish Venserweg 21M The Netherland Tel. +31 6 8329 E-mail: contact	95085			
1.4 Emergei	ncy telephone number					
2. Hazards i	dentification					
2.1 Classific	ation of the substance or m	ixturo				

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H317 May cause an allergic skin reaction.Sensitization, skin (SS 1A)Category 1 H412 Harmful to aquatic life with long lasting effects.Hazardous to the aquatic environment, long-term hazard (EH C)Category 3



Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signalword Hazard statements

WARNING

H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

Page	2				
Product	12-40970 @ 10%	PERFUME	SANDALWOOD VANIL	LA LLKBSF	
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022
Precautio	onary statements				
	Prevention	P273 Avoid releas	se to the environment.		
				g/eye protection/face protection.	
			5		
	Response	P302+P352 IF OI	N SKIN: Wash with plenty of	soap and water.	
		P332+P313 If ski	n irritation occurs: Get medica	al advice/attention.	
		P361 Remove/Ta	ke off immediately all contarr	ninated clothing.	
		P391 Collect spill	age.		

Hazardous components which must be listed on the label:

benzyl phenyl formate cerdyl methyl ether iso bornyl cyclo hexanol iso eugenol 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one

2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

Page 3	i				
Product 1 Version 9.0	2-40970 @ 10%	PERFUME S Revisiondate	ANDALWOOD VANII	LLA LLKBSF Printdate	05-07-2022
Chemical Name benzyl phenyl for	CAS-Nr. REACH reg. mate 120-51-4	H302Acu H400Haz	TION (EC) No 1272/2008) Ite toxicity, oral (ATO)Category - tardous to the aquatic environm	4 ent, acute hazard (EH A)Category 1	concentration [9 5 - 10%
	01-211997637	2		ent, long-term hazard (EH C)Category	
		Acute or	kicity estimate al toxicity 1500 mg/kg rmal toxicity 4000 mg/kg		
cerdyl methyl eth	er 19870-74-7	H400Haz	sitization, skin (SS 1 / 1B)Categ ardous to the aquatic environm ardous to the aquatic environm	gory 1 ent, acute hazard (EH A)Category 1 ent, long-term hazard (EH C)Category	0,1 - 1%
	01-212022833	5-61-xxxx			
		M Factor	Acute 1		
coumarine	91-64-5		te toxicity, oral (ATO)Category isitization, skin (SS 1 / 1B)Categ		0,1 - 1%
	01-211994930	D-45-xxxx			
		Acute tox Acute ora	xicity estimate al toxicity 500 mg/kg		
iso bornyl cyclo h	exanol 68877-29-2			ent, acute hazard (EH A)Category 1 ent, long-term hazard (EH C)Category	0,1 - 1%
	01-211997958	3-21-xxxx			
		M Factor	Acute 1		
iso eugenol	97-54-1	H312Acu H315Skir H317+Se	tte toxicity, oral (ATO)Category te toxicity, dermal (ATD)4 n corrosion/irritation (SCI)Catego nsitization, skin (SS 1A)Catego isus ove domanc/ove irritotico (ory 2 ry 1	0,01 - 0,1%
	01-212022368	2-01-XXXX H332Acu		EDI)Category 2A gory 4 e exposure; Respiratory tract irritation	
		Acute or	xicity estimate al toxicity 1500 mg/kg rmal toxicity 1912 mg/kg		

Page	4					
Product	12-409	970 @ 10%	PERFUME	SANDALWOOD VAN	ILLA LLKBSF	
Version 9.0			Revisiondate	05-07-2022	Printdate	05-07-2022
3-methyl-4-(2,6 trimethyl-2-cyc -1-yl)-3-buten-2	lohexen	127-51-5	H317Se H411Ha 2	ensitization, skin (SS 1 / 1B)Cat azardous to the aquatic environ	egory 1 ment, long-term hazard (EH C)Catego	ry 0,1 - 1%
<i>,</i>		01-2120138569-	45-xxxx			
						_

Page 5 Product 12-40970 @ 10% PERFUME SANDALWOOD VANILLA LLKBSF Version 9.0 Revisiondate Printdate 05-07-2022 05-07-2022 For the full text of the H-Statements mentioned in this Section, see Section 16. 4. First aid measures 4.1 Description of first aid measures General advice Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

	Do not leave the victim unattended.
If inhaled	If unconscious place in recovery position and seek medical advice.
	If symptoms persist, call a physician.
In case of skin contact	If on skin, rinse well with water.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	Remove contact lenses.
	Protect unharmed eye.
	Keep eye wide open while rinsing.
	If eye irritation persists, consult a specialist.
If swallowed	Keep respiratory tract clear.
	Do NOT induce vomiting.
	Do not give milk or alcoholic beverages.
	Never give anything by mouth to an unconscious person.
	Take victim immediately to hospital.
4.2 Most important symptoms an	d effects, both acute and delayed
Symptoms	no data available
-	nedical attention and special treatment needed
Treatment	no data available
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing me	edia Dry chemical
	Alcohol-resistant foam
	Carbon dioxide (CO2)
	Water spray
Unsuitable extinguishing	
medi	a High volume water jet
5.2 Special hazards arising from	the substance or mixture
Specific hazards during fi	
	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters	
Special protective equipn	nent for fire-fighters
	Wear self contained breathing apparatus for fire fighting if necessary.
Further information	Collect contaminated fire extinguishing water separately. This must not be discharged into
	drains. Fire residues and contaminated fire extinguishing water must be disposed of in
	accordance with local regulations.
6. Accidental release measures	
6.1 Personal proceptions protecti	ve equipment and emergency procedures
Personal precautions, protections	Use personal protective equipment.
r cisonal precaduons	
6.2 Environmental precautions	
Environmental precaution	s Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and materials for cor	
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections not applicable

7. Handling and storage

Product 12-40970 @ 10% PERFUME SANDALWOOD VANILLA LLKBSF Version 9.0 Printdate 05-07-2022 Revisiondate 05-07-2022 7.1 Precautions for safe handling Advice on safe handling Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Advice on protection against fire and explosion Normal measures for preventive fire protection. no data available Temperature class Fire-fighting class no data available Dust explosion class no data available 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage areas and containers Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. Further information on storage conditions no data available no data available Advice on common storage no data available German storage class Other data No decomposition if stored and applied as directed.

7.3 Specific end uses

Page

Specific use(s)

8. Exposure controls/personal protection

8.1 Control parameters

DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975

Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900

no data available

Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere: 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

8.2 Exposure controls

Personal protective equipment

Page

7

Product	12-40970 @ 10%	PERFUME	SANDALWOOD VA	NILLA LLKBSF	
Version 9	.0	Revisiondate	05-07-2022	Printdate	9 05-07-2022
I	Hand protection	Suitable material: N	litrile (maximum wearing time)	with standard EN 374-1/2/3. : >30 min.	
I	Eye protection	0 7 0 11	ved safety goggles with	side shields with standard EN16 ormal processing problems.	6.
:	Skin and body protection	impervious clothing	•	ount and concentration of the da	angerous substance
I	Hygiene measures	When using do not When using do not Wash hands before		f workday.	
I	Environmental exposure c	ontrols			

General advice	Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform respective authorities.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properti

	Physical state	liquid
	Form	liquid not determined
	Color	
	Odor	not determined
	Odour Threshold	not applicable
	Flash point	>100°C
	Lower explosion limit	not determined
	Upper explosion limit	not determined
	Flammability (solid, gas)	not applicable
	Oxidizing properties	not applicable
	Autoignition temperature	not determined
	Decomposition temperature	no data available
	pH	not determined
	Melting point	not determined
	Boiling point	not determined
	Vapour pressure	not determined
	Density	not determined
	Bulk density	not applicable
	Water solubility	not determined
	Solubility/qualitative Partition coeff noctanol/H2O	practically insoluble
		not applicable no data available
	Viscosity, kinematic	no data available
	Relative vapour density	
	Evaporation rate Explosive properties	no data available no data available
<u>10. Stab</u>	ility and reactivity	
40 4 D.		
10.1 Rea	activity	none
	activity emical stability	none The product is chemically stable.
10.2 Ch	emical stability	The product is chemically stable.
10.2 Ch	•	The product is chemically stable.
10.2 Ch 10.3 Po:	emical stability ssibility of hazardous reaction Hazardous reactions nditions to avoid	The product is chemically stable. ons No decomposition if stored and applied as directed.
10.2 Ch 10.3 Po:	emical stability ssibility of hazardous reaction Hazardous reactions	The product is chemically stable.
10.2 Ch 10.3 Po 10.4 Co	emical stability ssibility of hazardous reaction Hazardous reactions nditions to avoid	The product is chemically stable. ons No decomposition if stored and applied as directed.
10.2 Ch 10.3 Po 10.4 Co	emical stability ssibility of hazardous reaction Hazardous reactions nditions to avoid Conditions to avoid	The product is chemically stable. ons No decomposition if stored and applied as directed.
10.2 Ch 10.3 Po 10.4 Co 10.5 Inc	emical stability ssibility of hazardous reaction Hazardous reactions nditions to avoid Conditions to avoid ompatible materials Materials to avoid zardous decomposition proc	The product is chemically stable. ons No decomposition if stored and applied as directed. no data available no data available
10.2 Ch 10.3 Po 10.4 Co 10.5 Inc	emical stability ssibility of hazardous reaction Hazardous reactions nditions to avoid Conditions to avoid ompatible materials Materials to avoid	The product is chemically stable. ons No decomposition if stored and applied as directed. no data available no data available
10.2 Ch 10.3 Po 10.4 Co 10.5 Inc	emical stability ssibility of hazardous reaction Hazardous reactions nditions to avoid Conditions to avoid ompatible materials Materials to avoid zardous decomposition proc	The product is chemically stable. ons No decomposition if stored and applied as directed. no data available no data available

Page 8

Product	12-40970 @ 10%	PERFUME SANDALWOOD VANILLA LLK	BSF
/ersion		Revisiondate 05-07-2022	Printdate 05-07-202
	cological information	00-01-2022	
	_		
11.1 Info	ormation on toxicological effec	ts	
	Acute orale toxicity Method	Estimated Acute toxicity Dosis mg/kg : 157 Calculationmethod	7
	Acute inhalation toxicity Method	Estimated Acute toxicity Dosis mg/ltr : Calculationmethod No data is available on the	e product itself.
	Acute dermale toxicity Method	Estimated Acute toxicity Dosis mg/kg : 3940 Calculationmethod)
	Acute toxicity (other routeso	f administration) No data is available on the product itself.	
	Skin corrosion/irritation Skin irritation	No data is available on the product itself.	
	Serious eye damage/eye irrit Eye irritation	ation No data is available on the product itself.	
	Respiratory or skin sensitizat Sensitisation		
	Germ cell mutagenicity Germ cell mutagenicit	No data is available on the product itself. ty No data is available on the product itself.	
	Carcinogenicity Carcinogenicity	No data is available on the product itself.	
	Reproductive toxicity Reproductive toxicity		
	Target Organ Systemic Toxic Target Organ System	ant - Single exposure hic Toxicant - Single exposure No data is available on the product itself.	
	Target Organ Systemic Toxic Target Organ System	ant - Repeated exposure nic Toxicant - Repeated exposure	
	Aspiration hazard	No data is available on the product itself.	
	Aspiration toxicity Phototoxicity	No data is available on the product itself.	
	Phototoxicity	No data is available on the product itself.	
	Further information	no data available	
<u>12. Eco</u>	logical information		
12.1 To	xicity		
	Toxicity to fish	no data available	
	Toxicity to daphnia and other a	aquatic invertebrates. no data available	
	Toxicity to algae	no data available	
12.2 Pe	rsistence and degradability Biodegradability	no data available	
	Biodegradability BO (Biodegra		
12.3 Bio	baccumulative potential Bioaccumulation	no data available	
12.4 Mo	bility in soil		
	Distribution among environme		
	Additional advice Environment	no data available al fate and pathways no data available	
	Physico-chemical removability		
12.5 Re	sults of PBT and vPvB assess	ment no data available	

Page 9

Product	12-40970 @ 10	% PERFU	JME	SANDALWOOD VA	NILLA LLKBSF		
Version 9.0	1	Revisio	ndate	05-07-2022		Printdate	05-07-2022
12.6 Other	adverse effects						
E	Biochemical Oxygen De	mand (BOD)					
		no data ava	ilable				
E	Dissolved organic carbo	()					
		no data ava	ilable				
(Chemical Oxygen Dema	· · ·					
		no data ava	ilable				
ŀ	Adsorbed organic bound	• • •	labla				
,	dditional applaciant inf	no data ava	liable				
	Additional ecological info		montal	hazard cannot be exclud	lad in the event of unn	ofossional har	dling or di
<u>13. Dispos</u>	al considerations	Anenwion	nentai			Ulessional nai	iuning of ui
Contamina Dispose of	Do Sen ted packaging Em as unused product. Do Disp	not contaminate p d to a licensed wa pty remaining con not re-use empty o	onds, v aste ma tents. contain	Illowed to enter drains, w waterways or ditches with anagement company. ers. th local regulations.			
	port information						
ADR/RID/	ADN	UNnumber	Not re	egulated			
	Desc	ription of Goods					

Transportclass and packaging group ------

IATA/ICAO	UNnumber	Not regulated
	Description of Goods	
Tran	sportclass and packaging group	

IMDG	UNnumber	Not regulated
	Description of Goods	
	Transportclass and packaging group	

15. Regulatory information

15.1 Safety, health and environmental re	gulations/legislation specific for the substance or mixture	
ABM Cat	Water hazard class NL (ABM) Cat A3	
WGK	WGK2	
15.2 Chemical Safety Assessment		
	A chemical safety assessment is not required for this substa	
16. Other information		
Full text of H-Statements referred to under	er sections 2 and 3.	

H332 Harmful if inhaled. H302 Harmful if swallowed.

Page 10

Product	12-40970 @ 10%	PERFUME	SANDALWOOD VANILLA LLKB	SF	
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022
H315 Causes H317 May ca H319 Causes	l in contact with skin. s skin irritation. use an allergic skin reaction s serious eye irritation. use respiratory irritation.				

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.