Page

1


Draduat										
Product	11-40969 @ 25%		BERGAMOT BLACK TEA LLKBSF	Duintalata						
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022					
1. Identificat	ion of the substance/mixtur	e and of the com	pany/undertaking							
1.1 Product	dentifier	MULTI-COMPO	DNENT MIXTURE							
Product	code	11-40969 @ 25	%							
		PERFUME BERGAMOT BLACK TEA LLKBSF								
		0000-0000-000								
	identified uses of the subs Use Fragrances	tance or mixture a Perfume compo	•							
1.3 Details o	f the supplier of the safety o	lata sheet								
Compan	у	YouWish Venserweg 211 The Netherland Tel. +31 6 8329 E-mail: contact	95085							
1.4 Emerge	ncy telephone number									
<u>2. Hazards i</u>	dentification									
2.1 Classific	cation of the substance or n	nixture								

Classification (REGULATION (EC) No 1272/2008)

H315 Causes skin irritation.Skin corrosion/irritation (SCI)Category 2

H317 May cause an allergic skin reaction. Sensitization, skin (SS 1 / 1B)Category 1

H412 Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term hazard (EH C)Category 3



Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signalword Hazard statements

WARNING

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Page	2					
Product	11-40969 @ 25%	PERFUME B	BERGAMOT BLAG	CK TEA LLKBSF		
Version 9.0		Revisiondate	05-07-2022		Printdate	05-07-2022
Precautio	onary statements					
	Prevention		se to the environment. ctive gloves/protective o	clothing/eye protection/t	face protection.	
	Response	P332+P313 If ski	ike off immediately all c	medical advice/attentior	1.	

Hazardous components which must be listed on the label:

7-acetyl-(1,8)-octahydro-1,1,6,7-tetramethylnapthalene limonene linalool linalyl acetate I-beta-pinene acetyl cedrene

2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

Page 3			
	•	FUME BERGAMOT BLACK TEA LLKBSF	
Version 9.0	Revis	iondate 05-07-2022 Printdate	05-07-2022
<u>Chemical Name</u> (e)-4-(2,6,6-	<u>CAS-Nr.</u> <u>REACH reg.</u> 79-77-6	H411Hazardous to the aquatic environment, long-term hazard (EH C)Category	oncentration [9
trimethylcyclohex-1-en -1-yl)-but-3-en-2-one	01-2119449921-34-xxxx	2	
7-acetyl-(1,8)-octahydro -1,1,6,7- tetramethylnapthalene	0 54464-57-2 01-2119489989-04-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	1 - 5%
limonene	5989-27-5 01-2119529223-47-xxxx	H226Flammable liquids (FL)Category 3 H304Aspiration hazard (AH)Category 1 H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H412Hazardous to the aquatic environment, long-term hazard (EH C)Category 3	1 - 5%
		M Factor Acute 1 Acute toxicity estimate Acute oral toxicity >2000 mg/kg	
linalool	78-70-6	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDI)Category 2A	0,1 - 1%
	01-2119474016-42-xxxx		
		Acute toxicity estimate Acute oral toxicity 2790 mg/kg	
linalyl acetate	115-95-7	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1	5 - 10%
	01-2119454789-19-xxxx		

Page	4								
Product	11-409)69 @ 25%	PERF		BERGAMO	OT BLACK T	EA LLKBSF		
Version 9.0			Revisio	ondate	05-07-2022	2	I	Printdate	05-07-2022
l-beta-pinene		18172-67-3 01-2119519230-5	54-xxxx	H304As H315Sk H317Se H400Ha	piration hażard in corrosion/irri nsitization, skir zardous to the	s (FL)Category 3 (AH)Category 1 tation (SCI)Categor (SS 1 / 1B)Catego aquatic environme aquatic environme	ry 2 yry 1 nt, acute hazard (EH nt, long-term hazard (A)Category 1 (EH C)Category	0,1 - 1%
				M Facto	r	Acute 1; Chronic	1		
1-methyl-4-(1- methylethyl)-1		99-85-4 01-2120780478-4	40-xxxx	H304As H361Re	piration hazard	s (FL)Category 3 (AH)Category 1 city (REP)2 aquatic environme	nt, long-term hazard	(EH C)Category	0,1 - 1%
					oxicity estimate ral toxicity	3650 mg/kg			
acetyl cedrene	9	32388-55-9		H400Ha	zardous to the		ory 1 nt, acute hazard (EH nt, long-term hazard		0,1 - 1%
		01-2119969651-2	28-xxxx						
					or oxicity estimate ral toxicity	Acute 1; Chronic 4500 mg/kg	1		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Page Product 11-40969 @ 25% PERFUME BERGAMOT BLACK TEA LLKBSF Version 9.0 Printdate 05-07-2022 Revisiondate 05-07-2022 For the full text of the H-Statements mentioned in this Section, see Section 16. 4. First aid measures 4.1 Description of first aid measures General advice Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact If on skin, rinse well with water. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of eye contact Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital. 4.2 Most important symptoms and effects, both acute and delayed Symptoms no data available 4.3 Indication of any immediate medical attention and special treatment needed Treatment no data available 5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media Dry chemical Alcohol-resistant foam Carbon dioxide (CO2) Water spray

High volume water jet media 5.2 Special hazards arising from the substance or mixture Specific hazards during firefighting Do not allow run-off from fire fighting to enter drains or water courses. 5.3 Advice for firefighters Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary. Further information Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. 6.2 Environmental precautions Environmental precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. 6.3 Methods and materials for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 6.4 Reference to other sections not applicable

7. Handling and storage

Unsuitable extinguishing

Product 11-40969 @ 25% PERFUME BERGAMOT BLACK TEA LLKBSF Version 9.0 Printdate 05-07-2022 Revisiondate 05-07-2022 7.1 Precautions for safe handling Advice on safe handling Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Advice on protection against fire and explosion Normal measures for preventive fire protection. no data available Temperature class Fire-fighting class no data available Dust explosion class no data available 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage areas and containers Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. Further information on storage conditions no data available no data available Advice on common storage no data available German storage class Other data No decomposition if stored and applied as directed. 7.3 Specific end uses Specific use(s) no data available

8. Exposure controls/personal protection

8.1 Control parameters

DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

LIMONENE

Page

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975

Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900

Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere: 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

PARA CYMENE

Workingprogram : Limits Denemarken 2007 Limits : 25 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 2007 (publicatie C.0.1)

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

Page

7

Product	11-40969 @ 25%	PERFUME	BERGAMOT BLACK TE	EA LLKBSF	
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022
	09; Arbeidstilsynet jram : Limits Zweden 200)5 Limits : 25 parts pe	r million Publication : AFS 200	5:17	
8.2 Exposure	controls				
Per	sonal protective equipr	nent			
Har	nd protection	Suitable material: N	(maximum wearing time): >30		
Eye	e protection	0 0 11	th pure water oved safety goggles with side s nd protective suit for abnormal		
Skii	n and body protection	impervious clothing	1	and concentration of the dange	rous substance
Hyg	jiene measures	When using do not When using do not		kday.	
Env	/ironmental exposure c	ontrols			
	General advice		kage or spillage if safe to do so	o. ains inform respective authoritie	s.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properti

Physical state Form	liquid liquid
Color	not determined
Odor	not determined
Odour Threshold	not applicable
Flash point	>100°C
Lower explosion limit	not determined
Upper explosion limit	not determined
Flammability (solid, gas)	not applicable
Oxidizing properties	not applicable
Autoignition temperature	not determined
Decomposition temperature	no data available
pH	not determined
Melting point	not determined
Boiling point	not determined
Vapour pressure	not determined
Density	not determined
Bulk density	not applicable
Water solubility	not determined
Solubility/qualitative Partition coeff noctanol/H2O	practically insoluble
Viscosity, kinematic	not applicable no data available
Relative vapour density	no data available
Evaporation rate	no data available
Explosive properties	no data available
10. Stability and reactivity	
10.1 Reactivity	none
10.2 Chemical stability	The product is chemically stable.
10.3 Possibility of hazardous reaction	ons
Hazardous reactions	No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid	no data available
10.5 Incompatible materials	
Materials to avoid	no data available

Page 8

Product	•	PERFUME BERGAMOT BLACK TEA		
ersion 9.0	R	evisiondate 05-07-2022	Printdate	05-07-2022
0.6 Hazardo	ous decomposition products			
	zardous decomposition products			
The		ata available ata available		
1 Toxicolo	gical information			
	tion on toxicological effects			
	2			
	ute orale toxicity thod	Estimated Acute toxicity Dosis mg/kg : Calculationmethod	2111	
	ute inhalation toxicity ethod	Estimated Acute toxicity Dosis mg/ltr : Calculationmethod No data is available	e on the product itself.	
	ute dermale toxicity thod	Estimated Acute toxicity Dosis mg/kg : Calculationmethod	1575	
Ac	ute toxicity (other routesof adr	ninistration) No data is available on the product itself.		
Ski	n corrosion/irritation			
	Skin irritation	No data is available on the product itself.		
Sei	rious eye damage/eye irritatior Eye irritation	No data is available on the product itself.		
Res	piratory or skin sensitization Sensitisation	No data is available on the product itself.		
Ger	m cell mutagenicity			
Car	Germ cell mutagenicity cinogenicity	No data is available on the product itself.		
Ren	Carcinogenicity productive toxicity	No data is available on the product itself.		
-	Reproductive toxicity get Organ Systemic Toxicant -	No data is available on the product itself. Single exposure		
	Target Organ Systemic To	oxicant - Single exposure		
Tar	get Organ Systemic Toxicant -	No data is available on the product itself. Repeated exposure		
-	Target Organ Systemic To	oxicant - Repeated exposure No data is available on the product itself.		
Asp	biration hazard			
Pho	Aspiration toxicity ototoxicity	No data is available on the product itself.		
	Phototoxicity	No data is available on the product itself.		
Fur	ther information	no data available		
12 Ecologia	al information			
12.1 Toxicity To		ata available		
	xicity to daphnia and other aqua			
	no d	ata available		
To	xicity to algae no d	ata available		
	ence and degradability			
	odegradability no d odegradability BO (Biodegradabl	ata available e Organics) % 23,9		
	umulative potential baccumulation no d	ata available		
12.4 Mobility	/ in soil			
		ata available		
	stribution among environmental o	•		
		ata available		

Page 9

Product	11-40969 @ 25%	PERFUM	IE B	ERGAMOT BLACK TEA	LLKBSF		
Version 9.0	0	Revisionda		05-07-2022		Printdate	05-07-2022
A	dditional advice Environmental f	ate and pat	hway	'S			
		data availa					
PI	nysico-chemical removability no	data avalla	bie				
12.5 Result	s of PBT and vPvB assessme						
	no	data availa	bie				
	adverse effects						
Bi	ochemical Oxygen Demand (BC	DD) data availal	hle				
D	issolved organic carbon (DOC)		bic				
0		data availa	ble				
C	hemical Oxygen Demand (COD no) data availal	ble				
A	dsorbed organic bound halogen	s (AOX)					
۸.		data availa	ble				
	dditional ecological information Il considerations An	environme	ntal h	azard cannot be excluded in the	e event of unp	rofessional har	dling or di
10. 0130030							0
13.1 Waste	treatment methods	- 1 1 - 1 4 - 1		·····			
				owed to enter drains, water cour aterways or ditches with chemic			
				nagement company.		itamer.	
	ed packaging Empty remai	ning conten	ts.				
Dispose of a	as unused product. Do not re-use	empty con	Itaine	re			
				n local regulations.			
14. Transp	ort information						
ADR/RID/A	ADN UNr	number N	ot reg	gulated			
	Description of	Goods					
	Transportclass and packaging	g group					
1474 //0							
IATA/ICAC			ot reg	gulated			
	Description of Transportclass and packaging						
	Transportolass and packaging	, group					
IMDG	UNr	number No	ot rea	julated			
				, -			

UNnumber Not regulated Description of Goods Transportclass and packaging group ------

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ABM Cat WGK Water hazard class NL (ABM) Cat A3 WGK2

15.2 Chemical Safety Assessment

A chemical safety assessment is not required for this substa

www.youwish.nl

Page 10

Product	11-40969 @ 25%	PERFUME E	BERGAMOT BLACK TEA LLKBSF		
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.