Page


1

Product	12-40970 @ 25%	PERFUME	SANDALWOOD VANILLA	LLKBSF				
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022			
1. Identificat	ion of the substance/mixtur	e and of the com	pany/undertaking					
1.1 Product identifier		MULTI-COMPC	ONENT MIXTURE					
Product code		PERFUME SAM	12-40970 @ 25% PERFUME SANDALWOOD VANILLA LLKBSF 0000-0000-0000					
	identified uses of the subs Use Fragrances	tance or mixture a Perfume compo	•					
1.3 Details o	f the supplier of the safety o	data sheet						
Compan	у	YouWish Venserweg 211 The Netherland Tel. +31 6 8329 E-mail: contact	95085					
1.4 Emerger	ncy telephone number							
<u>2. Hazards i</u>	dentification							
2.1 Classifie	ation of the substance or n	nixturo						

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H317 May cause an allergic skin reaction.Sensitization, skin (SS 1A)Category 1 H412 Harmful to aquatic life with long lasting effects.Hazardous to the aquatic environment, long-term hazard (EH C)Category 3



Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signalword Hazard statements

WARNING

H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

Page	2				
Product	12-40970 @ 25%	PERFUME	SANDALWOOD VAN	ILLA LLKBSF	
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022
Precautio	onary statements				
	Prevention		se to the environment.		
		P280 Wear prote	ctive gloves/protective cloth	ing/eye protection/face protection.	
	Pooponoo			f an an and water	
	Response		N SKIN: Wash with plenty o n irritation occurs: Get medi	•	
		P361 Remove/Ta	ke off immediately all conta	minated clothing.	
		P391 Collect spill	age.		

Hazardous components which must be listed on the label:

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol benzyl phenyl formate cerdyl methyl ether iso bornyl cyclo hexanol iso eugenol 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one

2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

Product 12-4	0970 @ 25% P	RFUME SANDALWOOD VANILLA LLKBSF	
Version 9.0	0	isiondate 05-07-2022 Printdat	te 05-07-2022
Chemical Name 2-ethyl-4-(2,2,3- trimethyl-3-cyclopente -1-yl)-2-buten-1-ol	<u>CAS-Nr.</u> <u>REACH reg.</u> 106185-75-5 m 01-2119529224-45-x	(REGULATION (EC) No 1272/2008) H315Skin corrosion/irritation (SCI)Category 2 H319Serious eye damage/eye irritation (EDI)Category 2A H411Hazardous to the aquatic environment, long-term hazard (EH C)Ca 2	Concentration [' 1 - 5% ategory
benzyl phenyl formate	e 120-51-4 01-2119976371-33-x	H302Acute toxicity, oral (ATO)Category 4 H400Hazardous to the aquatic environment, acute hazard (EH A)Categ H411Hazardous to the aquatic environment, long-term hazard (EH C)Ca 2	ory 1 10 - 25% ategory
		Acute toxicity estimate Acute oral toxicity 1500 mg/kg Acute dermal toxicity 4000 mg/kg	
cerdyl methyl ether	19870-74-7 01-2120228335-61-x	H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Categ H410Hazardous to the aquatic environment, long-term hazard (EH C)Ca 1 X	ory 1 0,1 - 1% ategory
		M Factor Acute 1	
coumarine	91-64-5	H302Acute toxicity, oral (ATO)Category 4 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
	01-2119949300-45-x	x	
		Acute toxicity estimate Acute oral toxicity 500 mg/kg	
iso bornyl cyclo hexar	nol 68877-29-2	H400Hazardous to the aquatic environment, acute hazard (EH A)Categ H411Hazardous to the aquatic environment, long-term hazard (EH C)Ca 2	
	01-2119979583-21-x	X	
		M Factor Acute 1	

Page	4									
Product	12-40	970 @ 25%	PERF	UMES	SANDALW	OOD	VANILLA	LLKBSF		
Version 9.0			Revisio	ndate	05-07-2022	2			Printdate	05-07-2022
iso eugenol		97-54-1 01-2120223682-6	01-xxxx	H312Act H315Ski H317+S H319Se H332Act		mal (ATI tation (S0 in (SS 14 age/eye i alation (4	D)4 CI)Category 2 A)Category 1 rritation (EDI) ATI)Category	Category 2A 4	ory tract irritation	0,01 - 0,1%
				Acute of	xicity estimate al toxicity ermal toxicity		mg/kg mg/kg			
3-methyl-4-(2,6,6- trimethyl-2-cyclohexen		127-51-5		H317Se H411Ha 2	nsitization, skir zardous to the	i (SS 1 / aquatic e	1B)Category environment, l	1 long-term hazai	rd (EH C)Category	0,1 - 1%
-1-yl)-3-buten-2	2-0116	01-2120138569-4	5-xxxx							
vanilline foodg	rade	121-33-5		H319Se	rious eye dama	age/eye ii	rritation (EDI)	Category 2A		0,1 - 1%
		01-2119516040-6	0-xxxx							
				Acute of	xicity estimate al toxicity ermal toxicity		mg/kg mg/kg			

Page 5 Product 12-40970 @ 25% PERFUME SANDALWOOD VANILLA LLKBSF Version 9.0 Revisiondate Printdate 05-07-2022 05-07-2022 For the full text of the H-Statements mentioned in this Section, see Section 16. 4. First aid measures 4.1 Description of first aid measures General advice Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact If on skin, rinse well with water. In case of eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed no data available

Symptoms

4.3 Indication of any immediate medical attention and special treatment needed Treatment no data available

5. Fire-fighting measures

5.1 Extinguishing media	
Suitable extinguishing media	Dry chemical Alcohol-resistant foam Carbon dioxide (CO2) Water spray
Unsuitable extinguishing media	High volume water jet
 5.2 Special hazards arising from the Specific hazards during firefig 5.3 Advice for firefighters Special protective equipment 	ghting Do not allow run-off from fire fighting to enter drains or water courses. for fire-fighters
Further information	Wear self contained breathing apparatus for fire fighting if necessary. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
6. Accidental release measures	
6.1 Personal precautions, protective e Personal precautions	equipment and emergency procedures Use personal protective equipment.
6.2 Environmental precautions Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and materials for contain Methods for cleaning up	iment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	not applicable

7. Handling and storage

Product 12-40970 @ 25% PERFUME SANDALWOOD VANILLA LLKBSF Version 9.0 Printdate 05-07-2022 Revisiondate 05-07-2022 7.1 Precautions for safe handling Advice on safe handling Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Advice on protection against fire and explosion Normal measures for preventive fire protection. no data available Temperature class Fire-fighting class no data available Dust explosion class no data available 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage areas and containers Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. Further information on storage conditions no data available no data available Advice on common storage no data available German storage class Other data No decomposition if stored and applied as directed. 7.3 Specific end uses

Specific use(s) no data available

8. Exposure controls/personal protection

8.1 Control parameters

DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

LIMONENE

Page

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975

Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900

Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere: 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

8.2 Exposure controls

Personal protective equipment

Page

7

Product	12-40970 @ 25%	PERFUME	SANDALWOOD VA	NILLA LLKBSF	
Version 9	.0	Revisiondate	05-07-2022	Print	tdate 05-07-2022
I	Hand protection	Suitable material: N	litrile (maximum wearing time)	with standard EN 374-1/2/3. : >30 min.	
I	Eye protection	0 7 0 11	ved safety goggles with	side shields with standard E ormal processing problems.	N166.
S	Skin and body protection	impervious clothing		nount and concentration of th	ne dangerous substance
ł	Hygiene measures	When using do not When using do not Wash hands before		f workday.	
I	Environmental exposure c	ontrols			

General advice	Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform respective authorities.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properti

9.1 mormation on basic physical and	
Physical state	liquid
Form	liquid not determined
Color	
Odor	not determined
Odour Threshold	not applicable
Flash point	>100°C
Lower explosion limit	not determined
Upper explosion limit	not determined
Flammability (solid, gas)	not applicable
Oxidizing properties	not applicable
Autoignition temperature	not determined
Decomposition temperature	no data available
рН	not determined
Melting point	not determined
Boiling point	not determined
Vapour pressure	not determined
Density	not determined
Bulk density	not applicable
Water solubility	not determined
Solubility/qualitative	practically insoluble
Partition coeff noctanol/H2O	not applicable
Viscosity, kinematic	no data available
Relative vapour density	no data available
Evaporation rate	no data available
Explosive properties	no data available
10. Stability and reactivity	
<u> </u>	
10.1 Reactivity	none
10.2 Chemical stability	The product is chemically stable.
10.3 Possibility of hazardous reaction	ons
Hazardous reactions	No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid	no data available
10.5 Incompatible materials	
Materials to avoid	no data available
10.6 Hazardous decomposition proc	lucts
Hazardous decomposition p	
	no data available
Thermal decomposition	no data available
-	

Page 8

Developed			
Product /ersion	12-40970 @ 25%	PERFUME SANDALWOOD VANILLA LLK Revisiondate 05-07-2022	BSF Printdate 05-07-202
	cological information		
	-		
11.1 Info	ormation on toxicological effec	ts	
	Acute orale toxicity Method	Estimated Acute toxicity Dosis mg/kg : 157 Calculationmethod	7
	Acute inhalation toxicity Method	Estimated Acute toxicity Dosis mg/ltr: Calculationmethod No data is available on the	e product itself.
	Acute dermale toxicity Method	Estimated Acute toxicity Dosis mg/kg : 3940 Calculationmethod)
	Acute toxicity (other routeso	f administration) No data is available on the product itself.	
	Skin corrosion/irritation Skin irritation	No data is available on the product itself.	
	Serious eye damage/eye irrita Eye irritation	ation No data is available on the product itself.	
	Respiratory or skin sensitizat Sensitisation	ion No data is available on the product itself.	
	Germ cell mutagenicity Germ cell mutagenici	No data is available on the product itself.	
	Carcinogenicity Carcinogenicity Reproductive toxicity	No data is available on the product itself.	
	Reproductive toxicity Target Organ Systemic Toxic	ic Toxicant - Single exposure	
	Target Organ Systemic Toxica Target Organ System	ic Toxicant - Repeated exposure	
	Aspiration hazard	No data is available on the product itself.	
	Aspiration toxicity Phototoxicity Phototoxicity	No data is available on the product itself. No data is available on the product itself.	
	Further information	no data available	
<u>12. Eco</u>	logical information		
12.1 To			
	Toxicity to fish Toxicity to daphnia and other a	no data available quatic invertebrates.	
		no data available	
	, ,	no data available	
12.2 Pei	rsistence and degradability Biodegradability	no data available	
	Biodegradability BO (Biodegra		
12.3 Bio	accumulative potential Bioaccumulation	no data available	
12.4 Mo	bility in soil		
	Mobility Distribution among environme	no data available ntal compartments	
	Additional advice Environment	no data available al fate and pathways	
	Physico-chemical removability	no data available no data available	
12.5 Re:	sults of PBT and vPvB assess		
		no data available	

Page 9

Product	12-40970 @ 25%	PERFUI	ME SANDALV	VOOD VANILLA	LLKBSF	
Version 9.0		Revisiond	late 05-07-202	2	Printdate	05-07-2022
12.6 Other	adverse effects					
Bi	iochemical Oxygen Demand	(BOD)				
		no data availa	able			
D	issolved organic carbon (DO	C)				
		no data availa	able			
C	hemical Oxygen Demand (Co	,				
		no data availa	able			
A	dsorbed organic bound halog	,				
		no data availa	able			
	dditional ecological information			at here an a hard and the state of		
<u>13. Disposa</u>	al considerations	An environme	ental hazard cann	ot be excluded in the	event of unprofessional ha	ndling or di
	Do not cor Send to a ed packaging Empty ren as unused product. Do not re-	ntaminate por licensed was naining conte use empty co	nds, waterways or te management c nts.			
<u>14. Transp</u>	port information					
		Nnumber N	Not regulated			
ADR/RID/A			Not regulated			
ADR/RID/#	ADN U Description		orregulated			

IATA/ICAO	UNnumber	Not regulated
	Description of Goods	
	Transportclass and packaging group	

IMDG	UNnumber	Not regulated
	Description of Goods	
	Transportclass and packaging group	

15. Regulatory information

15.1 Safety, health and environmental regulati	ons/legislation specific for the substance or mixture			
ABM Cat	Water hazard class NL (ABM) Cat A3			
WGK	WGK2			
15.2 Chemical Safety Assessment				
	A chemical safety assessment is not required for this substa			
<u>16. Other information</u> Full text of H-Statements referred to under sections 2 and 3.				

H332 Harmful if inhaled. H302 Harmful if swallowed.

Page 10

Product	12-40970 @ 25%	PERFUME	SANDALWOOD VANILLA LLKBSF				
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022		
H312 Harmful in contact with skin.							
H315 Caus	ses skin irritation.						
H317 May	cause an allergic skin reaction.						
H319 Caus	ses serious eye irritation.						
H335 May	cause respiratory irritation						

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.