# **Safety Data Sheet**

# Natural Mineral Springs Fragrance Oil (V001444)

February 9, 2022

## Section 1: Chemical Product and Company Identification

Product name:	Natural Mineral Springs Fragrance Oil
Contact Info:	YouWish
	Venserweg 21 M
	1112 AR Diemen
	The Netherlands
	www.youwish.nl
	1-877-627-7883
Emergency Phone Number:	Within USA & Canada: 1.800.424.9300 CCN693143
	Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

# **Section 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below. Classification according to GHS and (EC) No 1272/2008 (CLP) Flammable Liquids, Category 4 H227 : Combustible liquid Aspiration Hazard, Category 1 H304 : May be fatal if swallowed and enters airways Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life Aquatic Chronic Toxicity, Category 3 H412 : Harmful to aquatic life with long lasting effects Classification OSHA (Provisions 1910.1200 of title 29) Flammable Liquids, Category 4 H227 : Combustible liquid H304 : May be fatal if swallowed and enters airways Aspiration Hazard, Category 1 Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation **Classification Other** 

Carcinogenicity

2.2 Label elements Labelling (GHS) Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []





Hazard statements H227 Combustible liquid H304 May be fatal if swallowed and enters airways H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H401 Toxic to aquatic life H412 Harmful to aquatic life with long lasting effects **Precautionary Statements** Prevention: P235 Keep cool P264 Wash hands thoroughly after handling P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment

### Response:

P301 + P310 + P331 vomiting	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention

P362 P363 P370 + P378 Take off contaminated clothing and wash before reuse Wash contaminated clothing before reuse In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

2.3 Other Hazards no data available

# Section 3: Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of

Chemicals (GHS):

CAS#	EC#	Conc.	GHS Classification
Ingredient		Range	
Limonene	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412
5989-27-5			
Limonene			
100-51-6	202-859-9	2 - 5 %	H302; H313; H319
Benzyl Alcohol			
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl acetate			
104-61-0	203-219-1	1 - 2 %	H316
gamma-Nonalactone			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Acetate			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronellol			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalyptol			
106-72-9	203-427-2	0.1 - 1.0 %	H227; H317; H401
Dimethyl Heptenal			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pinene			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 12.31

# **Section 4: First Aid Measures**

#### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available Risks: Refer to Section 2.2 "Hazard Statements"

**4.3 Indication of any immediate medical attention and special treatment needed Treatment:** Refer to Section 2.2 "Response"

## **Section 5: Fire-Fighting Measures**

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable: Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

#### 5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

# **Section 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# Section 7: Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

# **Section 8: Exposure Controls/Personal Protection**

#### 8.1 Control parameters

Component		ACGIH TWAppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STIEL ppm
140-11-4	Benzyl acetate	10			
80-56-8	pinene	20			
127-91-3	beta Pinene	20			

**Exposure Limits:** Contains no substances with occupational exposure limit values. **Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

# **Section 9: Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid Odor: Conforms to Standard Color: Conforms to Standard 

 Formatted: Font: Not Bold, Spanish (Spain)

 Formatted: Font: Not Bold, Spanish (Spain)

Viscosity: Liquid Freezing Point: Not determined Boiling Point: Not determined Melting Point: Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected Vapor Pressure (mmHg@20 C): 0.5340 %VOC: 16.60 Specific Gravity @ 25 C: Not determined Density @ 25 C: Not determined Refractive Index @ 20 C: Not determined Soluble in: Oil

# Section 10: Stability and Reactivity

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition products None Stable None known None known Strong oxidizing agents, strong acids, and alkalis None known

# Section 11: Toxicological Information

	11.1	Toxico	logical	Effects
--	------	--------	---------	---------

Acute Toxicity Estimates (ATEs) based on the indiv	idual Ingredient Toxicity Data utilizing the "Additivity	Formatted: Font: Bold
Formula"		
Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met	
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4043.2418) May be harmful in contact with skin	
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 23.1040) May be harmful if inhaled	
Skin corrosion / irritation	Causes skin irritation	
Serious eye damage / irritation	Causes serious eye irritation	
Respiratory sensitization	Not classified - the classification criteria are not met	
Skin sensitization	May cause an allergic skin reaction	
Germ cell mutagenicity	Not classified - the classification criteria are not met	
Carcinogenicity	Not classified - the classification criteria are not met	
Reproductive toxicity	Not classified - the classification criteria are not met	
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met	
Specific target organ toxicity - repeated exposure _	Not classified - the classification criteria are not met	
Aspiration hazard	May be fatal if swallowed and enters airways	

12.1 Tovicity

# Section 12: Ecological Information

12.1 TOXICITY	
Acute acquatic toxicity	Toxic to aquatic life
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability:	No data available.
12.3 Bioaccumulative potential:	No data available.
12.4 Mobility in soil:	No data available.
12.5 Other adverse effects:	No data available.

## Section 13: Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## Section 14: Transport Information

Regulator	Class	Pack	Sub Risk	UN-nr.
		Group		
U.S. DOT (Non-Bulk)	Not Regulated - Not Dan	Not Regulated - Not Dangerous Goods		
Chemicals NOI				
ADR/RID (International Road/Rail)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
IATA (Air Cargo)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
IMDG (Sea)	Not Regulated - Not Dan	gerous Good	ls	
Chemicals NOI				

# Section 15: Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt. 40 CFR (EPCRA, SARA, CERCLA and CAA): This product contains NO components of concern.

#### U.S. State Regulations:

**California Proposition 65 Warning:** This product contains the following components: 123-35-3(NFS) 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source) 89-82-7 (NFS) 201-943-2 <= 20 ppm Pulegone (Natural Source) **Canadian Regulations:** 

DSL / NDSL: 100% of the components are listed or exempt.

## Section 16: Other Information

effects

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H303 : May be harmful if swallowed H317 : May cause an allergic skin reaction H320 : Causes eye irritation H402 : Harmful to aquatic life

#### **Total Fractional Values**

(TFV) Risk

(216.41) Acute Toxicity Inhalation, Category 5 (4.83) Aquatic Acute Toxicity, Category 2 (1.81) Skin Corrosion/Irritation, Category 3 (1.51) Skin Corrosion/Irritation, Category 2 (1.23) Aspiration Hazard, Category 1 (TFV) Risk (11.07) Sensitization, Skin, Category 1B (2.90) Aquatic Chronic Toxicity, Category 3 (1.56) Eye Damage/Eye Irritation, Category 2A (1.24) Acute Toxicity Dermal, Category 5

H410 : Very toxic to aquatic life with long lasting

H302 : Harmful if swallowed

H316 : Causes mild skin irritation

H318 : Causes serious eye damage H400 : Very Toxic to aquatic life

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.