Page

1

Product	11-40973 @ 10%	PERFUME	ROSE GOLD LLKBS	F				
Version 9.0		Revisiondate	05-07-2022	I	Printdate	05-07-2022		
1. Identificati	on of the substance/mixtur	e and of the com	npany/undertaking					
1.1 Product i	dentifier	MULTI-COMPO	ONENT MIXTURE					
Product o	code	PERFUME RO	11-40973 @ 10% PERFUME ROSE GOLD LLKBSF 0000-0000-0000					
	identified uses of the subs Jse Fragrances	tance or mixture Perfume compo	-	st				
1.3 Details of	the supplier of the safety of	data sheet						
Company	/	YouWish Venserweg 21 The Netherlan Tel. +31 6 832 E-mail: contact	95085					
1.4 Emergen	icy telephone number							
2. Hazards ic	dentification							
2.1 Classific	ation of the substance or n	nixture						

Classification (REGULATION (EC) No 1272/2008)

H412 Harmful to aquatic life with long lasting effects.Hazardous to the aquatic environment, long-term hazard (EH C)Category 3

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signalword

Hazard statements

EUH208 Contains ;(2-METHYL-4-ISOPROPYLDIHYDROCINNAMALDEHYDE, 2-hexyl-3phenyl-2-propenal (trans & cis), 7-ACETYL-(1,8)-OCTAHYDRO-1,1,6,7-TETRAMETHYLNAPTHALENE, LIMONENE, LINALOOL, Linalyl acetate, 3-METHYL-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE, Acetyl cedrene) May produce an allergic reaction.

H412 Harmful to aquatic life with long lasting effects.

Page 2

Product	11-40973 @ 10%	PERFUME F	ROSE GOLD LLKBSF		
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022

Precautionary statements

Prevention P273 Avoid release to the environment.

Response P391 Collect spillage.

Hazardous components which must be listed on the label:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran 7-acetyl-(1,8)-octahydro-1,1,6,7-tetramethylnapthalene acetyl cedrene

2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

Page	3								
Product	11-409	73 @ 10%				LD LLKBSF		• -	
Version 9.0			Revisio	ondate	05-07-2022	2	Print	date	05-07-2022
Chemical Nam	e	<u>CAS-Nr.</u> REACH reg.	Ĺ	REGUL	ATION (EC) I	No 1272/2008)		<u>c</u>	Concentration
2-methyl-4- isopropyldihydi aldehyde	rocinnam	103-95-7		H317Se	nsitization, skir	tation (SCI)Category n (SS 1 / 1B)Categor aquatic environmen		C)Category	0,1 - 1%
		01-2119970582-3	32-xxxx						
					oxicity estimate ral toxicity	3810 mg/kg			
1,3,4,6,7,8-hex -4,6,6,7,8,8- hexamethylcyc	-	1222-05-5					t, acute hazard (EH A)Ca t, long-term hazard (EH C		0,1 - 1%
[g]-2-benzopyra		01-2119488227-2	29-xxxx						
2-hexyl-3-phen propenal (trans		101-86-0		H400Ha	zardous to the		y 1 i, acute hazard (EH A)Ca t, long-term hazard (EH C		0,1 - 1%
		01-2119533092-5	50-xxxx	-					
					or oxicity estimate ral toxicity	Acute 1 3100 mg/kg			
7-acetyl-(1,8)-c -1,1,6,7-		54464-57-2		H317Se	nsitization, skir	tation (SCI)Category n (SS 1 / 1B)Categor aquatic environmen		C)Category	0,1 - 1%
tetramethylnap	othalene	01-2119489989-0	04-xxxx	1					
limonene		5989-27-5		H304As H315Sk	piration hazard in corrosion/irri	s (FL)Category 3 (AH)Category 1 tation (SCI)Category (SS 1 (12)Category	2		0,1 - 1%
		01-2119529223-4	47-xxxx	H317Se H400Ha H412Ha 3	zardous to the zardous to the	aquatic environmen	y 1 i, acute hazard (EH A)Ca t, long-term hazard (EH C	tegory 1 C)Category	
					or oxicity estimate ral toxicity	Acute 1 >2000 mg/kg			

Page 4			
Product 11-40)973 @ 10% PERI	FUME ROSE GOLD LLKBSF	
Version 9.0	-	ondate 05-07-2022 Printdate	05-07-2022
linalool	78-70-6	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDI)Category 2A	0,1 - 1%
	01-2119474016-42-xxxx		
		Acute toxicity estimate Acute oral toxicity 2790 mg/kg	
linalyl acetate	115-95-7	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
	01-2119454789-19-xxxx		
3-methyl-4-(2,6,6- trimethyl-2-cyclohexen -1-yl)-3-buten-2-one	127-51-5	H317Sensitization, skin (SS 1 / 1B)Category 1 H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	0,1 - 1%
-1-yr)-5-buten-2-one	01-2120138569-45-xxxx		
acetyl cedrene	32388-55-9	H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,1 - 1%
	01-2119969651-28-xxxx		
		M FactorAcute 1; Chronic 1Acute toxicity estimate4500 mg/kg	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Page Product 11-40973 @ 10% PERFUME ROSE GOLD LLKBSF Version 9.0 Printdate 05-07-2022 Revisiondate 05-07-2022 For the full text of the H-Statements mentioned in this Section, see Section 16. 4. First aid measures 4.1 Description of first aid measures General advice Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact If on skin, rinse well with water. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of eye contact Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital. 4.2 Most important symptoms and effects, both acute and delayed Symptoms no data available 4.3 Indication of any immediate medical attention and special treatment needed Treatment no data available 5. Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media Dry chemical Alcohol-resistant foam Carbon dioxide (CO2) Water spray Unsuitable extinguishing High volume water jet media 5.2 Special hazards arising from the substance or mixture Specific hazards during firefighting Do not allow run-off from fire fighting to enter drains or water courses. 5.3 Advice for firefighters Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary. Further information Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. 6. Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. 6.2 Environmental precautions Environmental precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 6.4 Reference to other sections

7. Handling and storage

Product	11-40973 @ 10%	PERFUME I	ROSE GOLD LLKBSF		
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022
7.1 Precaut	ions for safe handling				
Ad	lvice on safe handling	•	otain special instructions before use	9.	
		Avoid contact with s	,		
		For personal protect			
			d drinking should be prohibited in th		
			ng handling keep bottle on a metal ti	5	
			ter in accordance with local and nat	tional regulations.	
Ad	lvice on protection against	•			
			or preventive fire protection.		
	emperature class	no data available			
	re-fighting class	no data available			
D	ust explosion class	no data available			
7.2 Conditio	ons for safe storage, inclu	uding any incompati	bilities		
R	equirements for storage are	eas and containers			
		Keep container tight	tly closed in a dry and well-ventilate	ed place.	
		Containers which ar	re opened must be carefully reseale	ed and kept upright to prev	ent leakage.
		Electrical installation	ns / working materials must comply	with the technological saf	ety standards.
Fu	irther information on storag	je conditions			
		no data available			
Ad	lvice on common storage	no data available			
G	erman storage class	no data available			
O	her data	No decomposition if	f stored and applied as directed.		
7.3 Specific	end uses				

8. Exposure controls/personal protection

8.1 Control parameters

BENZYL ACETATE

Page

6

Workingprogram : Limits Denemarken 2007 Limits : 10 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 2007 (publicatie C.0.1) Workingprogram : Limits België 2009 Limits : 10 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065

Workingprogram : Limits Spanje 2010 Limits : 10 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio

de Trabajo e Inmigración, INSHT

DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975

Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900

Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

PINENE BETA

Page

7

Product	11-40973 @ 10%	PERFUME F	ROSE GOLD LLKB	SF			
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022		
Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 20092065 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17							
8.2 Exposure	e controls						

Personal protective equipment

Hand protection	Use protective gloves. Gloves must comply with standard EN 374-1/2/3.
	Suitable material: Nitrile
	Breakthrough time (maximum wearing time): >30 min.
	Thickness of the material: 0.13 mm
Eye protection	Eye wash bottle with pure water
	Tightly fitting, approved safety goggles with side shields with standard EN166.
	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	impervious clothing
	Choose body protection according to the amount and concentration of the dangerous substance
	at the work place.
Hygiene measures	When using do not eat or drink.
	When using do not smoke.
	Wash hands before breaks and at the end of workday.
Environmental exposure of	controls

in oninionital exposure e	
General advice	Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform respective authorities.

9. Physical and chemical properties

9.1 Infor

9.1 Information on basic physical and	l chemical properti
Physical state	liquid
Form	liquid
Color	not determined
Odor	not determined
Odour Threshold	not applicable
Flash point	>100°C
Lower explosion limit	not determined
Upper explosion limit	not determined
Flammability (solid, gas)	not applicable
Oxidizing properties	not applicable
Autoignition temperature	not determined
Decomposition temperature	no data available
рН	not determined
Melting point	not determined
Boiling point	not determined
Vapour pressure	not determined
Density	not determined
Bulk density	not applicable
Water solubility	not determined
Solubility/qualitative	practically insoluble
Partition coeff noctanol/H2O	not applicable
Viscosity, kinematic	no data available
Relative vapour density	no data available
Evaporation rate	no data available
Explosive properties	no data available
10. Stability and reactivity	

10.1 Reactivity

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and applied as directed.

10.4 Conditions to avoid Conditions to avoid

no data available

none

Page

Product 11-40973 @ 10% PERFUME ROSE GOLD LLKBSF Version 9.0 Printdate 05-07-2022 Revisiondate 05-07-2022 10.5 Incompatible materials no data available Materials to avoid 10.6 Hazardous decomposition products Hazardous decomposition products no data available Thermal decomposition no data available 11. Toxicological information 11.1 Information on toxicological effects 2478 Acute orale toxicity Estimated Acute toxicity Dosis mg/kg : Method Calculationmethod Acute inhalation toxicity Estimated Acute toxicity Dosis mg/ltr : Calculationmethod No data is available on the product itself. Method Acute dermale toxicity Estimated Acute toxicity Dosis mg/kg : 4391 Method Calculationmethod Acute toxicity (other routesof administration) No data is available on the product itself. Skin corrosion/irritation Skin irritation No data is available on the product itself. Serious eye damage/eye irritation No data is available on the product itself. Eye irritation Respiratory or skin sensitization Sensitisation No data is available on the product itself. Germ cell mutagenicity Germ cell mutagenicity No data is available on the product itself. Carcinogenicity Carcinogenicity No data is available on the product itself. **Reproductive toxicity** Reproductive toxicity No data is available on the product itself. Target Organ Systemic Toxicant - Single exposure Target Organ Systemic Toxicant - Single exposure No data is available on the product itself. **Target Organ Systemic Toxicant - Repeated exposure** Target Organ Systemic Toxicant - Repeated exposure No data is available on the product itself. Aspiration hazard Aspiration toxicity No data is available on the product itself. Phototoxicity Phototoxicity No data is available on the product itself. Further information no data available **12. Ecological information** 12.1 Toxicity Toxicity to fish no data available Toxicity to daphnia and other aquatic invertebrates. no data available Toxicity to algae no data available 12.2 Persistence and degradability Biodegradability no data available Biodegradability BO (Biodegradable Organics) % 8,2

 12.3 Bioaccumulative potential
 no data available

12.4 Mobility in soil

Page

9

Product	11-40973 @	10% DEDE		ROSE GOLD LI	KBGE		
Version 9.0	-	Revisio		05-07-2022	-ND3F	Printdate	05-07-2022
				05-07-2022		Tintdate	00-01-2022
	Aobility	no data avi					
L	distribution among	environmental compai no data ava					
A	Additional advice Fr	nvironmental fate and		ivs			
		no data av	•	,je			
F	Physico-chemical re	emovability no data av	ailable				
12.5 Resul	ts of PBT and vPv	B assessment					
		no data ava	ailable				
12.6 Other	adverse effects						
E	Biochemical Oxyger	n Demand (BOD)					
		no data av	ailable				
Γ	Dissolved organic c	arbon (DOC)					
		no data av	ailable				
(Chemical Oxygen D	()					
		no data ava					
A	Adsorbed organic b	ound halogens (AOX)					
		no data ava	ailable				
	Additional ecologica	• ·		h			
<u>13. Dispos</u>	al considerations	An environ	mental	hazard cannot be e	cluded in the event of	i unprofessional hai	ndling or di
13.1 Waste	e treatment metho	ds					
	Product	•			ns, water courses or th		
					s with chemical or used	d container.	
		Send to a licensed w		anagement company	/.		
	ted packaging	Empty remaining cor	itents.				
Dispose of	as unused product						
		Do not re-use empty					
		Dispose of in accorda	ance wi	in local regulations.			
<u>14. Trans</u>	port information						
ADR/RID/	ADN	UNnumber	Not re	egulated			
	Γ	Description of Goods		0			
		and packaging group					

 IATA/ICAO
 UNnumber
 Not regulated

 Description of Goods

 Transportclass and packaging group

IMDG UNnumber Not regulated Description of Goods Transportclass and packaging group ------

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class NL (ABM) Cat A3

Page 10

Product	11-40973 @ 10%	PERFUME R	OSE GOLD LLKBSF	:	
Version 9.0		Revisiondate	05-07-2022	Printdate	05-07-2022
	WGK	WGK1			
15.2 Chemi	cal Safety Assessment				
		A chemio	cal safety assessment is n	ot required for this substa	

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.