according to Regulation (EC) No. 1907/2006

Page 1

Product 12-40982 @ 25% PARFUM BLACK AMBER & LAVENDER

Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier MULTI-COMPONENT MIXTURE

Product code 12-40982 @ 25%

PARFUM BLACK AMBER & LAVENDER

0000-0000-0000-0000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances Perfume compound

1.3 Details of the supplier of the safety data sheet

Company YouWish

Venserweg 21M, 1112 AR Diemen,

The Netherlands
Tel. +31 6 83295085
E-mail: contact@youwish.nl

1.4 Emergency telephone number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H317 May cause an allergic skin reaction. Sensitization, skin (SS 1 / 1B)Category 1
H412 Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term hazard (EH C)Category 3

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signalword WARNING

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006

Page 2

Product 12-40982 @ 25% PARFUM BLACK AMBER & LAVENDER

Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

Precautionary statements

Prevention P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention. P361 Remove/Take off immediately all contaminated clothing.

P391 Collect spillage.

Hazardous components which must be listed on the label:

benzyl phenyl formate coumarine
1,8-cineole
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran linalool linalyl acetate

2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

according to Regulation (EC) No. 1907/2006

12-40982 @ 25%

Page 3

Product

Version 9.0	Revisi	ondate 12-10-2022 Printdate	12-10-2022
Chemical Name	CAS-Nr. REACH reg.	(REGULATION (EC) No 1272/2008)	Concentration [%]
benzyl phenyl formate	120-51-4	H302Acute toxicity, oral (ATO)Category 4 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	5 - 10%
	01-2119976371-33-xxxx	2	
		Acute toxicity estimate Acute oral toxicity 1500 mg/kg Acute dermal toxicity 4000 mg/kg	-
coumarine	91-64-5	H302Acute toxicity, oral (ATO)Category 4 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
	01-2119949300-45-xxxx		
		Acute toxicity estimate Acute oral toxicity 500 mg/kg	_
1,8-cineole	470-82-6	H226Flammable liquids (FL)Category 3 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
	01-2119967772-24-xxxx		
		Acute toxicity estimate Acute oral toxicity 2480 mg/kg	_
1,3,4,6,7,8-hexahydro -4,6,6,7,8,8- hexamethylcyclopenta [g]-2-benzopyran	1222-05-5	H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,1 - 1%
	01-2119488227-29-xxxx		
			_
linalool	78-70-6	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDI)Category 2A	1 - 5%
	01-2119474016-42-xxxx		
		Acute toxicity estimate Acute oral toxicity 2790 mg/kg	_

PARFUM BLACK AMBER & LAVENDER

according to Regulation (EC) No. 1907/2006

Page 4

Product	12-40982 @ 25% PAR	FUM BLACK AN	MBER & LAVENDER		
Version 9.0	Revis	iondate 12-10-20	22	Printdate	12-10-2022
linalyl acetate	115-95-7	H315Skin corrosion/i H317Sensitization, sl	rritation (SCI)Category 2 kin (SS 1 / 1B)Category 1		1 - 5%
	01-2119454789-19-xxxx				
		H302Acuta toxicity o	ural (ATO)Category A		2.4.40
terpinen-4-ol	H302Acute toxicity, oral (ATO)Category 4 H315Skin corrosion/irritation (SCI)Category 2 H332Acute toxicity, inhalation (ATI)Category 4 H336Specific target organ toxicity, single exposure; Narcotic effects (STO-SE 01-2120748638-40-xxxx				0,1 - 1%
		Acute toxicity estima Acute oral toxicity	te 1300 mg/kg		

according to Regulation (EC) No. 1907/2006

Page 5

Product 12-40982 @ 25% PARFUM BLACK AMBER & LAVENDER

Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice Move out of dangerous area. Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled If unconscious place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact If on skin, rinse well with water.

In case of eye contact
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms no data available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment no data available

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry chemical

Alcohol-resistant foam Carbon dioxide (CO2)

Water spray

Unsuitable extinguishing

media High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting

Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information Collect contaminated fire extinguishing water separately. This must not be discharged into

drains. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections not applicable

7. Handling and storage

Page 6

 Product
 12-40982 @ 25%
 PARFUM BLACK AMBER & LAVENDER

 Version 9.0
 Revisiondate 12-10-2022
 Printdate 12-10-2022

7.1 Precautions for safe handling

Advice on safe handling Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

To avoid spills during handling keep bottle on a metal tray.

Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion

Normal measures for preventive fire protection.

Temperature class no data available Fire-fighting class no data available Dust explosion class no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions

Advice on common storage

German storage class

no data available no data available no data available

Other data No decomposition if stored and applied as directed.

7.3 Specific end uses

Specific use(s) no data available

8. Exposure controls/personal protection

8.1 Control parameters

CAMPHOR

Workingprogram: Limits Finland 2007 Limits: 0,3 parts per million Publication: Julkaisuja 2007:4

Workingprogram : Limits Denemarken 2007 Limits : 2 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og

materialer, augustus 007 (publicatie C.0.1)

Workingprogram : Limits Frankrijk 2008 Limits : 2 parts per million Publication : Valeurs limites d'exposition professionnelle aux agents

chimiques en France; INRS ED 984; juni 2008

Workingprogram : Limits Noorwegen 2010 Limits : 2 parts per million Publication : Administrative normer for forurensning i

arbeidsatmosfaere; 13. utgave november

2009; Arbeidstilsynet

Workingprogram: Limits België 2009 Limits: 2 parts per million Publication: Belgisch Staatsblad: 19 mei 2009; N. 2009 - 2065 Workingprogram: Limits Oostenrijk 2007 Limits: 2 parts per million Publication: Grenzwerteverordnung: 2007 - GKV 2007 Workingprogram: Limits Zwitserland Limits: 2 parts per million Publication: SuvaPro Grenzwerte am Arbeitsplatz: 2009

Workingprogram: Limits Verenigd Koninkrijk 2007 Limits: 2 parts per million Publication: EH40/2005

Workingprogram : Limits Spanje 2010 Limits : 2 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en

España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT

Workingprogram : Werkprogramma Herevaluatie bestaande Limits Limits : Publication : 2000/15 OSH/018

DIPROPYLENE GLYCOL

Workingprogram: Limits Zwitserland Limits: 200 milligram per kubieke meter inhaleerbare fractie Publication: SuvaPro Grenzwerte am

Arbeitsplatz 2009

Workingprogram: Limits Duitsland-AGS Limits: 67 milligram per kubieke meter inhaleerbare fractie Publication: TRGS 900

LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38075

Workingprogram: Limits Duitsland-AGS Limits: 20 parts per million Publication: TRGS 900

Workingprogram: Limits Zwitserland Limits: 20 parts per million Publication: SuvaPro Grenzwerte am Arbeitsplatz 2009 Workingprogram: Limits Noorwegen 2010 Limits: 25 parts per million Publication: Administrative normer for forurensning i

arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram: Limits Noorwegen 2010 Limits: 25 parts per million Publication: Administrative normer for forurensning i

arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

according to Regulation (EC) No. 1907/2006

Page 7

Product 12-40982 @ 25% PARFUM BLACK AMBER & LAVENDER

Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

Workingprogram: Limits Finland 2007 Limits: 25 parts per million Publication: Julkaisuja 2004:4

PINENE ALPHA

Workingprogram: Limits België 2009 Limits: 20 parts per million Publication: Belgisch Staatsblad 19 mei 2009; N. 2009- -2065

Workingprogram: Limits Zweden 2005 Limits: 25 parts per million Publication: AFS 2005:17

Workingprogram: Limits Noorwegen 2010 Limits: 25 parts per million Publication: Administrative normer for forurensning i

arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet

PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065 Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i

arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet

Eye protection

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

8.2 Exposure controls

Personal protective equipment

Hand protection Use protective gloves. Gloves must comply with standard EN 374-1/2/3.

Suitable material: Nitrile

Breakthrough time (maximum wearing time): >30 min.

Thickness of the material: 0.13 mm Eye wash bottle with pure water

Tightly fitting, approved safety goggles with side shields with standard EN166.

Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance

at the work place.

Hygiene measures When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Environmental exposure controls

General advice Prevent product from entering drains.

no data available

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properti

Physical state liquid Form liquid

Color not determined
Odor not determined
Odour Threshold not applicable
Flash point >100°C
Lower explosion limit not determined

Upper explosion limit not determined Flammability (solid, gas) not applicable Oxidizing properties not applicable Autoignition temperature not determined Decomposition temperature no data available рΗ not determined not determined Melting point Boiling point not determined Vapour pressure not determined Density not determined Bulk density not applicable Water solubility not determined Solubility/qualitative practically insoluble Partition coeff noctanol/H2O not applicable Viscosity, kinematic no data available Relative vapour density no data available Evaporation rate no data available

10. Stability and reactivity

Explosive properties

according to Regulation (EC) No. 1907/2006

Page 8

Product 12-40982 @ 25% PARFUM BLACK AMBER & LAVENDER

Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

10.1 Reactivity none

10.2 Chemical stability The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid no data available

10.5 Incompatible materials

Materials to avoid no data available

10.6 Hazardous decomposition products

Hazardous decomposition products

no data available

Thermal decomposition no data available

11. Toxicological information

11.1 Information on toxicological effects

Acute orale toxicity Estimated Acute toxicity Dosis mg/kg: 1718

Method Calculationmethod

Acute inhalation toxicity Estimated Acute toxicity Dosis mg/ltr :

Method Calculationmethod No data is available on the product itself.

Acute dermale toxicity Estimated Acute toxicity Dosis mg/kg: 4043

Method Calculationmethod

Acute toxicity (other routesof administration)

No data is available on the product itself.

Skin corrosion/irritation

Skin irritation No data is available on the product itself.

Serious eye damage/eye irritation

Eye irritation No data is available on the product itself.

Respiratory or skin sensitization

Sensitisation No data is available on the product itself.

Germ cell mutagenicity

Germ cell mutagenicity No data is available on the product itself.

Carcinogenicity

Carcinogenicity No data is available on the product itself.

Reproductive toxicity

Reproductive toxicity No data is available on the product itself.

Target Organ Systemic Toxicant - Single exposure

Target Organ Systemic Toxicant - Single exposure

No data is available on the product itself.

Target Organ Systemic Toxicant - Repeated exposure

Target Organ Systemic Toxicant - Repeated exposure

No data is available on the product itself.

Aspiration hazard

Aspiration toxicity

No data is available on the product itself.

Phototoxicity

Phototoxicity No data is available on the product itself.

Further information no data available

12. Ecological information

12.1 Toxicity

Toxicity to fish no data available Toxicity to daphnia and other aquatic invertebrates.

no data available

Toxicity to algae no data available

according to Regulation (EC) No. 1907/2006

Page 9

Product 12-40982 @ 25% PARFUM BLACK AMBER & LAVENDER

Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

12.2 Persistence and degradability

Biodegradability no data available Biodegradability BO (Biodegradable Organics) % 23,7

12.3 Bioaccumulative potential

Bioaccumulation no data available

12.4 Mobility in soil

Mobility no data available
Distribution among environmental compartments
no data available
Additional advice Environmental fate and pathways
no data available

Physico-chemical removability no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Biochemical Oxygen Demand (BOD)

no data available

Dissolved organic carbon (DOC)

no data available

Chemical Oxygen Demand (COD)

no data available

Adsorbed organic bound halogens (AOX)

no data available

Additional ecological information

13. Disposal considerations

An environmental hazard cannot be excluded in the event of unprofessional handling or dis

13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Dispose of as unused product.

Do not re-use empty containers.

Dispose of in accordance with local regulations.

14. Transport information

ADR/RID/ADN UNnumber Not regulated

Description of Goods

Transportclass and packaging group ------

IATA/ICAO UNnumber Not regulated

Description of Goods

Transportclass and packaging group ------

IMDG UNnumber Not regulated

Description of Goods

Transportclass and packaging group ------

according to Regulation (EC) No. 1907/2006

Page 10

Product 12-40982 @ 25% PARFUM BLACK AMBER & LAVENDER

Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ABM Cat Water hazard class NL (ABM) Cat A3

WGK WGK2

15.2 Chemical Safety Assessment

A chemical safety assessment is not required for this substant

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.