

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Page 1

Product	12-42123 @ 25%	PARFUM FRAMBOOS VANILLE LLF	
Version	9.0	Revisiondate 12-10-2022	Printdate 12-10-2022

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier MULTI-COMPONENT MIXTURE
Product code 12-42123 @ 25%
PARFUM FRAMBOOS VANILLE LLF
0000-0000-0000-0000

1.2 Relevant identified uses of the substance or mixture and uses advised against
Intended Use Fragrances Perfume compound

1.3 Details of the supplier of the safety data sheet

Company YouWish
Venserweg 21M, 1112 AR Diemen,
The Netherlands
Tel. +31 6 83295085
E-mail: contact@youwish.nl

1.4 Emergency telephone number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H317 May cause an allergic skin reaction.Sensitization, skin (SS 1 / 1B)Category 1
H412 Harmful to aquatic life with long lasting effects.Hazardous to the aquatic environment, long-term hazard (EH C)Category 3

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



GHS07

Signalword WARNING

Hazard statements
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 2

Product	12-42123 @ 25%	PARFUM FRAMBOOS VANILLE LLF
Version 9.0	Revisiondate 12-10-2022	Printdate 12-10-2022

Precautionary statements

Prevention P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P361 Remove/Take off immediately all contaminated clothing.
P391 Collect spillage.

Hazardous components which must be listed on the label:

benzyl phenyl formate
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1one
glyc.acid, 3-methyl-3-phenyl:ethyl ester
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran
2-hexyl-3-phenyl-2-propenal (trans & cis)
limonene
linalool
linalyl acetate
musk keton
6-acetyl-1,1,2,4,4,7-hexamethyltetraline (tonalid)

2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Page 3

Product **12-42123 @ 25% PARFUM FRAMBOOS VANILLE LLF**
Version 9.0 Revisiondate 12-10-2022 Printdate 12-10-2022

<u>Chemical Name</u>	<u>CAS-Nr.</u> <u>REACH reg.</u>	<u>(REGULATION (EC) No 1272/2008)</u>	<u>Concentration [%]</u>
benzyl phenyl formate	120-51-4 01-2119976371-33-xxxx	H302Acute toxicity, oral (ATO)Category 4 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	10 - 25%
<hr/> <p>Acute toxicity estimate Acute oral toxicity 1500 mg/kg Acute dermal toxicity 4000 mg/kg</p>			
butyl iso acetaat	110-19-0 01-2119488971-22-xxxx	H225Flammable liquids (FL)2 H336Specific target organ toxicity, single exposure; Narcotic effects (STO-SE (NE))3	0,1 - 1%
<hr/>			
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1one	57378-68-4 01-2119535122-53-xxxx	H302Acute toxicity, oral (ATO)Category 4 H315Skin corrosion/irritation (SCI)Category 2 H317+Sensitization, skin (SS 1A)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,01 - 0,1%
<hr/> <p>Acute toxicity estimate Acute oral toxicity 1400 mg/kg</p>			
glyc.acid, 3-methyl-3-phenyl:ethyl ester	77-83-8 01-2119967770-28-xxxx	H317Sensitization, skin (SS 1 / 1B)Category 1 H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	0,1 - 1%
<hr/>			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta [g]-2-benzopyran	1222-05-5 01-2119488227-29-xxxx	H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	1 - 5%
<hr/>			

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Page 4

Product	12-42123 @ 25%	PARFUM FRAMBOOS VANILLE LLF	Revisiondate	12-10-2022	Printdate	12-10-2022
Version	9.0					
2-hexyl-3-phenyl-2-propenal (trans & cis)	101-86-0		H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2			1 - 5%
	01-2119533092-50-xxxx					
			M Factor	Acute 1		
			Acute toxicity estimate			
			Acute oral toxicity	3100 mg/kg		
limonene	5989-27-5		H226Flammable liquids (FL)Category 3 H304Aspiration hazard (AH)Category 1 H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H412Hazardous to the aquatic environment, long-term hazard (EH C)Category 3			0,1 - 1%
	01-2119529223-47-xxxx					
			M Factor	Acute 1		
			Acute toxicity estimate			
			Acute oral toxicity	>2000 mg/kg		
linalool	78-70-6		H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (ED)Category 2A			0,1 - 1%
	01-2119474016-42-xxxx					
			Acute toxicity estimate			
			Acute oral toxicity	2790 mg/kg		
linalyl acetate	115-95-7		H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1			0,1 - 1%
	01-2119454789-19-xxxx					
musk keton	81-14-1		H351Carcinogenicity (CAR)2 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1			0,1 - 1%
	01-2120766629-37-xxxx					
			M Factor	Acute 1; Chronic 1		
6-acetyl-1,1,2,4,4,7-hexamethyltetraline (tonalid)	21145-77-7		H302Acute toxicity, oral (ATO)Category 4 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1			0,1 - 1%
	01-2119921100-61-xxxx					
			M Factor	Acute 1; Chronic 1		
			Acute toxicity estimate			
			Acute oral toxicity	1000 mg/kg		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 5

Product	12-42123 @ 25%	PARFUM FRAMBOOS VANILLE LLF		
Version 9.0	Revisiondate	12-10-2022	Printdate	12-10-2022

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	If on skin, rinse well with water.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms no data available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment no data available

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Dry chemical Alcohol-resistant foam Carbon dioxide (CO ₂) Water spray
Unsuitable extinguishing media	High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting
Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
Further information	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections not applicable

7. Handling and storage

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 6

Product	12-42123 @ 25%	PARFUM FRAMBOOS VANILLE LLF		
Version 9.0	Revisiondate	12-10-2022	Printdate	12-10-2022

7.1 Precautions for safe handling

Advice on safe handling	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	Normal measures for preventive fire protection.
Temperature class	no data available
Fire-fighting class	no data available
Dust explosion class	no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	no data available
Advice on common storage	no data available
German storage class	no data available
Other data	No decomposition if stored and applied as directed.

7.3 Specific end uses

Specific use(s)	no data available
-----------------	-------------------

8. Exposure controls/personal protection

8.1 Control parameters

BENZALDEHYDE

Workingprogram : Limits Finland 2007 Limits : 1 parts per million Publication : Julkaisuja 2007:4

BUTYL ACETATE

Workingprogram : Limits Oostenrijk 2007 Limits : 100 parts per million Publication : Grenzwerteverordnung 2007 - GKV 2007
Workingprogram : Limits Zwitserland Limits : 100 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009
Workingprogram : Limits Zweden 2005 Limits : 100 parts per million Publication : AFS 2005:17
Workingprogram : Limits Denemarken 2007 Limits : 150 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 2007 (publicatie C.0.1)
Workingprogram : Limits Frankrijk 2008 Limits : 150 parts per million Publication : Valeurs limites d'exposition professionnelle aux agents chimiques en France; INRS ED 984; juni 2008
Workingprogram : Limits Finland 2007 Limits : 150 parts per million Publication : Julkaisuja 2007:4
Workingprogram : Limits België 2009 Limits : 150 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065
Workingprogram : Limits Spanje 2010 Limits : 150 parts per million Publication : Limites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT
Workingprogram : Limits Verenigd Koninkrijk 2007 Limits : 150 parts per million Publication : EH40/2005
Workingprogram : Werkprogramma SZW 1990 Limits : 480 milligram per kubieke meter Publication : 2001/03 OSH
Workingprogram : Limits Noorwegen 2010 Limits : 75 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet

DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009
Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975
Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900
Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 7

Product	12-42123 @ 25%	PARFUM FRAMBOOS VANILLE LLF
Version	9.0	Revisiondate 12-10-2022 Printdate 12-10-2022

arbeidsatmosfaere; 13.
uitgave november 2009; Arbeidstilsynet
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.
uitgave november 2009; Arbeidstilsynet
Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065
Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet

PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet
Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

8.2 Exposure controls

Personal protective equipment

Hand protection	Use protective gloves. Gloves must comply with standard EN 374-1/2/3. Suitable material: Nitrile Breakthrough time (maximum wearing time): >30 min. Thickness of the material: 0.13 mm
Eye protection	Eye wash bottle with pure water Tightly fitting, approved safety goggles with side shields with standard EN166. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Environmental exposure controls

General advice	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
----------------	---

9. Physical and chemical properties

9.1 Information on basic physical and chemical properti

Physical state	liquid
Form	liquid
Color	not determined
Odor	not determined
Odour Threshold	not applicable
Flash point	>100°C
Lower explosion limit	not determined
Upper explosion limit	not determined
Flammability (solid, gas)	not applicable
Oxidizing properties	not applicable
Autoignition temperature	not determined
Decomposition temperature	no data available
pH	not determined
Melting point	not determined
Boiling point	not determined
Vapour pressure	not determined
Density	not determined
Bulk density	not applicable
Water solubility	not determined
Solubility/qualitative	practically insoluble
Partition coeff noctanol/H2O	not applicable
Viscosity, kinematic	no data available
Relative vapour density	no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 8

Product **12-42123 @ 25% PARFUM FRAMBOOS VANILLE LLF**
Version **9.0** Revisiondate **12-10-2022** Printdate **12-10-2022**

Evaporation rate no data available
Explosive properties no data available

10. Stability and reactivity

10.1 Reactivity none

10.2 Chemical stability The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid no data available

10.5 Incompatible materials

Materials to avoid no data available

10.6 Hazardous decomposition products

Hazardous decomposition products no data available
Thermal decomposition no data available

11. Toxicological information

11.1 Information on toxicological effects

Acute orale toxicity Estimated Acute toxicity Dosis mg/kg : 1736
Method Calculationmethod

Acute inhalation toxicity Estimated Acute toxicity Dosis mg/ltr :
Method Calculationmethod No data is available on the product itself.

Acute dermale toxicity Estimated Acute toxicity Dosis mg/kg : 3992
Method Calculationmethod

Acute toxicity (other routes of administration)
No data is available on the product itself.

Skin corrosion/irritation
Skin irritation No data is available on the product itself.

Serious eye damage/eye irritation
Eye irritation No data is available on the product itself.

Respiratory or skin sensitization
Sensitisation No data is available on the product itself.

Germ cell mutagenicity
Germ cell mutagenicity No data is available on the product itself.

Carcinogenicity
Carcinogenicity No data is available on the product itself.

Reproductive toxicity
Reproductive toxicity No data is available on the product itself.

Target Organ Systemic Toxicant - Single exposure
Target Organ Systemic Toxicant - Single exposure
No data is available on the product itself.

Target Organ Systemic Toxicant - Repeated exposure
Target Organ Systemic Toxicant - Repeated exposure
No data is available on the product itself.

Aspiration hazard
Aspiration toxicity No data is available on the product itself.

Phototoxicity
Phototoxicity No data is available on the product itself.

Further information no data available

12. Ecological information

12.1 Toxicity

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Page 9

Product **12-42123 @ 25% PARFUM FRAMBOOS VANILLE LLF**
Version **9.0** Revisiondate **12-10-2022** Printdate **12-10-2022**

Toxicity to fish no data available
Toxicity to daphnia and other aquatic invertebrates.
no data available
Toxicity to algae no data available

12.2 Persistence and degradability

Biodegradability no data available
Biodegradability BO (Biodegradable Organics) % 23,0

12.3 Bioaccumulative potential

Bioaccumulation no data available

12.4 Mobility in soil

Mobility no data available
Distribution among environmental compartments
no data available
Additional advice Environmental fate and pathways
no data available
Physico-chemical removability no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Biochemical Oxygen Demand (BOD)
no data available
Dissolved organic carbon (DOC)
no data available
Chemical Oxygen Demand (COD)
no data available
Adsorbed organic bound halogens (AOX)
no data available
Additional ecological information

13. Disposal considerations An environmental hazard cannot be excluded in the event of unprofessional handling or di:

13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Contaminated packaging Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Dispose of in accordance with local regulations.

14. Transport information

ADR/RID/ADN UNnumber Not regulated
Description of Goods
Transportclass and packaging group -----

IATA/ICAO UNnumber Not regulated
Description of Goods
Transportclass and packaging group -----

IMDG UNnumber Not regulated

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Page 10

Product **12-42123 @ 25% PARFUM FRAMBOOS VANILLE LLF**
Version **9.0** Revisiondate **12-10-2022** Printdate **12-10-2022**

Description of Goods
Transportclass and packaging group -----

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ABM Cat Water hazard class NL (ABM) Cat A3
WGK WGK2

15.2 Chemical Safety Assessment

A chemical safety assessment is not required for this substance.

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.