

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 1

Product	<b>12-42125 @ 25%</b>	<b>PARFUM LAVENDEL KAMILLE LLF</b>		
Version	9.0	Revisiondate	12-10-2022	Printdate 12-10-2022

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product code	MULTI-COMPONENT MIXTURE
	12-42125 @ 25%
	PARFUM LAVENDEL KAMILLE LLF
	0000-0000-0000-0000

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use	Fragrances	Perfume compound
--------------	------------	------------------

### 1.3 Details of the supplier of the safety data sheet

Company	YouWish
	Venserweg 21M, 1112 AR Diemen,
	The Netherlands
	Tel. +31 6 83295085
	E-mail: contact@youwish.nl

### 1.4 Emergency telephone number

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

H411 Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term hazard (EH C) Category 2

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



GHS09

#### Signalword

WARNING

#### Hazard statements

EUH208 Contains ;(3,7-DIMETHYL-6-OCTEN-1-OL (dl-Citronellol), COUMARINE, TRANS-3,7-DIMETHYL-2,6-OCTADIEN-1-OL (Geraniol), LIMONENE, LINALOOL, Linalyl acetate, 3-METHYL-4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE) May produce an allergic reaction.

H411 Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 2

Product **12-42125 @ 25% PARFUM LAVENDEL KAMILLE LLF**  
Version 9.0

Revisiondate 12-10-2022

Printdate 12-10-2022

## Precautionary statements

Prevention P273 Avoid release to the environment.

Response P391 Collect spillage.

## Hazardous components which must be listed on the label:

benzyl phenyl formate  
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran  
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one  
6-acetyl-1,1,2,4,4,7-hexamethyltetraline (tonalid)

## 2.3 Other hazards

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 3. Composition/information on ingredients

### 3.2 Mixtures

Hazardous components

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 3

Product **12-42125 @ 25% PARFUM LAVENDEL KAMILLE LLF**  
Version 9.0

Revisiondate 12-10-2022

Printdate 12-10-2022

<u>Chemical Name</u>	<u>CAS-Nr.</u> <u>REACH reg.</u>	<u>(REGULATION (EC) No 1272/2008)</u>	<u>Concentration [%]</u>
benzyl phenyl formate	120-51-4  01-2119976371-33-xxxx	H302Acute toxicity, oral (ATO)Category 4 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	1 - 5%
<hr/> <p>Acute toxicity estimate Acute oral toxicity 1500 mg/kg Acute dermal toxicity 4000 mg/kg</p>			
3,7-dimethyl-6-octen-1-ol (dl-citronellol)	106-22-9  01-2119453995-23-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (ED)Category 2A	0,1 - 1%
<hr/> <p>Acute toxicity estimate Acute oral toxicity 3450 mg/kg Acute dermal toxicity 2650 mg/kg</p>			
coumarine	91-64-5  01-2119949300-45-xxxx	H302Acute toxicity, oral (ATO)Category 4 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
<hr/> <p>Acute toxicity estimate Acute oral toxicity 500 mg/kg</p>			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran	1222-05-5  01-2119488227-29-xxxx	H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	5 - 10%
trans-3,7-dimethyl-2,6-octadien-1-ol (geraniol)	106-24-1  01-2119552430-49-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H318Serious eye damage/eye irritation (ED)1	0,1 - 1%
<hr/> <p>Acute toxicity estimate Acute oral toxicity 3600 mg/kg</p>			

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 4

Product		12-42125 @ 25% PARFUM LAVENDEL KAMILLE LLF	
Version	9.0	Revisiondate	12-10-2022
Printdate	12-10-2022		
limonene	5989-27-5	H226Flammable liquids (FL)Category 3 H304Aspiration hazard (AH)Category 1 H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H412Hazardous to the aquatic environment, long-term hazard (EH C)Category 3	0,1 - 1%
	01-2119529223-47-xxxx		
		M Factor	Acute 1
		Acute toxicity estimate	
		Acute oral toxicity	>2000 mg/kg
linalool	78-70-6	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDI)Category 2A	0,1 - 1%
	01-2119474016-42-xxxx		
		Acute toxicity estimate	
		Acute oral toxicity	2790 mg/kg
linalyl acetate	115-95-7	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
	01-2119454789-19-xxxx		
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5	H317Sensitization, skin (SS 1 / 1B)Category 1 H411Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	0,1 - 1%
	01-2120138569-45-xxxx		
6-acetyl-1,1,2,4,4,7-hexamethyltetraline (tonalid)	21145-77-7	H302Acute toxicity, oral (ATO)Category 4 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	1 - 5%
	01-2119921100-61-xxxx		
		M Factor	Acute 1; Chronic 1
		Acute toxicity estimate	
		Acute oral toxicity	1000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 5

Product **12-42125 @ 25% PARFUM LAVENDEL KAMILLE LLF**

Version 9.0

Revisiondate 12-10-2022

Printdate

12-10-2022

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

### 4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	If on skin, rinse well with water.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	no data available
----------	-------------------

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	no data available
-----------	-------------------

## 5. Fire-fighting measures

### 5.1 Extinguishing media

Suitable extinguishing media	Dry chemical Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Water spray
Unsuitable extinguishing media	High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or water courses.
--------------------------------------	---

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
Further information	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment.
----------------------	------------------------------------

### 6.2 Environmental precautions

Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
-------------------------	---

### 6.4 Reference to other sections

not applicable

## 7. Handling and storage

# SAFETY DATA SHEET

## according to Regulation (EC) No. 1907/2006

Page 6

Product	<b>12-42125 @ 25%</b>	<b>PARFUM LAVENDEL KAMILLE LLF</b>
Version	<b>9.0</b>	<b>Revisiondate 12-10-2022</b>
		<b>Printdate 12-10-2022</b>

### 7.1 Precautions for safe handling

Advice on safe handling	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	Normal measures for preventive fire protection.
Temperature class	no data available
Fire-fighting class	no data available
Dust explosion class	no data available

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	no data available
Advice on common storage	no data available
German storage class	no data available
Other data	No decomposition if stored and applied as directed.

### 7.3 Specific end uses

Specific use(s)	no data available
-----------------	-------------------

## 8. Exposure controls/personal protection

### 8.1 Control parameters

#### BENZYL ACETATE

Workingprogram : Limits Denemarken 2007 Limits : 10 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 2007 (publicatie C.0.1)  
Workingprogram : Limits België 2009 Limits : 10 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065  
Workingprogram : Limits Spanje 2010 Limits : 10 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT

#### CAMPHOR

Workingprogram : Limits Finland 2007 Limits : 0,3 parts per million Publication : Julkaisuja 2007:4  
Workingprogram : Limits Denemarken 2007 Limits : 2 parts per million Publication : Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 007 (publicatie C.0.1)  
Workingprogram : Limits Frankrijk 2008 Limits : 2 parts per million Publication : Valeurs limites d'exposition professionnelle aux agents chimiques en France; INRS ED 984; juni 2008  
Workingprogram : Limits Noorwegen 2010 Limits : 2 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet  
Workingprogram : Limits België 2009 Limits : 2 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065  
Workingprogram : Limits Oostenrijk 2007 Limits : 2 parts per million Publication : Grenzwerteverordnung 2007 - GKV 2007  
Workingprogram : Limits Zwitserland Limits : 2 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009  
Workingprogram : Limits Verenigd Koninkrijk 2007 Limits : 2 parts per million Publication : EH40/2005  
Workingprogram : Limits Spanje 2010 Limits : 2 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT  
Workingprogram : Werkprogramma Herevaluatie bestaande Limits Limits : Publication : 2000/15 OSH/018

#### LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975  
Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900  
Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009  
Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet

# SAFETY DATA SHEET

## according to Regulation (EC) No. 1907/2006

Page 7

Product	<b>12-42125 @ 25%</b>	<b>PARFUM LAVENDEL KAMILLE LLF</b>
Version	<b>9.0</b>	<b>Revisiondate 12-10-2022</b>
		<b>Printdate 12-10-2022</b>

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

### PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet

### PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

## 8.2 Exposure controls

### Personal protective equipment

Hand protection	Use protective gloves. Gloves must comply with standard EN 374-1/2/3. Suitable material: Nitrile Breakthrough time (maximum wearing time): >30 min. Thickness of the material: 0.13 mm
Eye protection	Eye wash bottle with pure water Tightly fitting, approved safety goggles with side shields with standard EN166. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### Environmental exposure controls

General advice	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
----------------	---

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properti

Physical state	liquid
Form	liquid
Color	not determined
Odor	not determined
Odour Threshold	not applicable
Flash point	>100°C
Lower explosion limit	not determined
Upper explosion limit	not determined
Flammability (solid, gas)	not applicable
Oxidizing properties	not applicable
Autoignition temperature	not determined
Decomposition temperature	no data available
pH	not determined
Melting point	not determined
Boiling point	not determined
Vapour pressure	not determined
Density	not determined
Bulk density	not applicable
Water solubility	not determined
Solubility/qualitative	practically insoluble
Partition coeff octanol/H2O	not applicable
Viscosity, kinematic	no data available
Relative vapour density	no data available
Evaporation rate	no data available
Explosive properties	no data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 8

Product	12-42125 @ 25%	PARFUM LAVENDEL KAMILLE LLF
Version	9.0	Revisiondate 12-10-2022
		Printdate 12-10-2022

## 10. Stability and reactivity

- 10.1 Reactivity** none
- 10.2 Chemical stability** The product is chemically stable.
- 10.3 Possibility of hazardous reactions**  
Hazardous reactions No decomposition if stored and applied as directed.
- 10.4 Conditions to avoid**  
Conditions to avoid no data available
- 10.5 Incompatible materials**  
Materials to avoid no data available
- 10.6 Hazardous decomposition products**  
Hazardous decomposition products no data available  
Thermal decomposition no data available

## 11. Toxicological information

### 11.1 Information on toxicological effects

- Acute orale toxicity** Estimated Acute toxicity Dosis mg/kg : 1710  
Method Calculationmethod
- Acute inhalation toxicity** Estimated Acute toxicity Dosis mg/ltr :  
Method Calculationmethod No data is available on the product itself.
- Acute dermale toxicity** Estimated Acute toxicity Dosis mg/kg : 3856  
Method Calculationmethod
- Acute toxicity (other routes of administration)**  
No data is available on the product itself.
- Skin corrosion/irritation**  
Skin irritation No data is available on the product itself.
- Serious eye damage/eye irritation**  
Eye irritation No data is available on the product itself.
- Respiratory or skin sensitization**  
Sensitisation No data is available on the product itself.
- Germ cell mutagenicity**  
Germ cell mutagenicity No data is available on the product itself.
- Carcinogenicity**  
Carcinogenicity No data is available on the product itself.
- Reproductive toxicity**  
Reproductive toxicity No data is available on the product itself.
- Target Organ Systemic Toxicant - Single exposure**  
Target Organ Systemic Toxicant - Single exposure  
No data is available on the product itself.
- Target Organ Systemic Toxicant - Repeated exposure**  
Target Organ Systemic Toxicant - Repeated exposure  
No data is available on the product itself.
- Aspiration hazard**  
Aspiration toxicity No data is available on the product itself.
- Phototoxicity**  
Phototoxicity No data is available on the product itself.
- Further information** no data available

## 12. Ecological information

- 12.1 Toxicity**  
Toxicity to fish no data available  
Toxicity to daphnia and other aquatic invertebrates.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 9

Product	<b>12-42125 @ 25%</b>	<b>PARFUM LAVENDEL KAMILLE LLF</b>
Version	<b>9.0</b>	
Revisiondate	<b>12-10-2022</b>	
Printdate	<b>12-10-2022</b>	

Toxicity to algae	no data available
	no data available

## 12.2 Persistence and degradability

Biodegradability	no data available
Biodegradability BO (Biodegradable Organics) %	18,0

## 12.3 Bioaccumulative potential

Bioaccumulation	no data available
-----------------	-------------------

## 12.4 Mobility in soil

Mobility	no data available
Distribution among environmental compartments	no data available
Additional advice Environmental fate and pathways	no data available
Physico-chemical removability	no data available

## 12.5 Results of PBT and vPvB assessment

no data available

## 12.6 Other adverse effects

Biochemical Oxygen Demand (BOD)	no data available
Dissolved organic carbon (DOC)	no data available
Chemical Oxygen Demand (COD)	no data available
Adsorbed organic bound halogens (AOX)	no data available
Additional ecological information	

## 13. Disposal considerations

An environmental hazard cannot be excluded in the event of unprofessional handling or di:

### 13.1 Waste treatment methods

Product	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	Empty remaining contents.
Dispose of as unused product.	Do not re-use empty containers. Dispose of in accordance with local regulations.

## 14. Transport information

### ADR/RID/ADN

UNnumber	UN-number 3082 (Environmentally hazardous substance, liquid, N.O.S.)
Description of Goods	( 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran & benzyl phenyl formate )
Transportclass and packaging group	9 PG III
Dangerous for the environment	yes
Additional information	Special Provision 375: this product is not subject to the other provisions of the ADR when transported in sizes of ≤5L or ≤5kg, provided that the packaging complies with the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

### IATA/ICAO

UNnumber	UN-number 3082 (Environmentally hazardous substance, liquid, N.O.S.)
Description of Goods	( 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran & benzyl phenyl formate )
Transportclass and packaging group	9 PG III
Dangerous for the environment	yes
Additional information	Special Provision A197: this product is not subject to the other provisions of IATA when transported in sizes of ≤5L or ≤5kg, provided that the packaging complies with the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8 .

### IMDG

UNnumber	UN-number 3082 (Environmentally hazardous substance, liquid, N.O.S.)
----------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Page 10

Product	12-42125 @ 25%	PARFUM LAVENDEL KAMILLE LLF
Version	9.0	
Revisiondate	12-10-2022	Printdate 12-10-2022
Description of Goods	( 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran & benzyl phenyl formate )	
Transportclass and packaging group	9 PG III	
marine pollution	yes	
Additional information	IMDG 2.10.2.7: this product is not subject to the other provisions of the IMDG when transported in sizes of ≤5L or ≤5kg, provided that the packages comply with the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.	

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ABM Cat Water hazard class NL (ABM) Cat A2

WGK WGK2

### 15.2 Chemical Safety Assessment

A chemical safety assessment is not required for this substance

## 16. Other information

### Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.