# Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING					
1.1 PRODUCT IDENTIFICATION					
Product Name	LITSEA CUBEBA, ESSEN	Litsea Cubeba, Essential Oil (a.k.a May Chang)			
BIOLOGICAL DEFINITION	Litsea Cubeba Fruit Oil is the volatile oil obtained from the berries of the Litsea cubeba, Lauraceae				
INCI NAME	Litsea Cubeba Fruit				
Synonyms & Trade Names	Litsea Cubeba ext. May Chang Oil				
INTERNAL PRODUCT CODE	K0267				
CAS-No	68855-99-2 / 90063-59-5	EC No.	290-018-7	EINECS NO.	290-018-7
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
Company Address	YouWish, Venserweg 21M, Diemen Zuid Info@youwish.nl .				
EMAIL					
1.3 Details of the supplier of the safety data sheet					
EMERGENCY CONTACTS					

SECTION 2: HAZARDS IDENTIFICATION			
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD S	TATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.		
CLASSIFICATION (EU1272/2008)	Physical and Chemical Haza Human health: Tox. 1 - H304 Environment:	rds: Not classified. Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; Asp. Aquatic Chronic 2 - H411	
2.2 LABEL ELEMENTS		GULATION (EC) No 1272/2008.	
GHS LABEL	GHS07 GHS	08 GHS09	
Signal Word	DANGER.		
Contains	Geranial, Neral, (S)-p-menth Nerol, β-(+)-Citronellol	ia-1,8-diene, (+)-Citronellal, Sabinene, 1, 8 cineole, 1,alpha-(-)-Pinene, Geraniol,	
HAZARDS STATEMENT	H315 CAUSES SKIN IR H317 MAY CAUSE AN H319 CAUSES SERIOL	F SWALLOWED AND ENTERS AIRWAYS. RITATION. ALLERGIC SKIN REACTION. S EYE IRRITATION. ATIC LIFE WITH LONG LASTING EFFECTS.	
Precautionary Statements	P273 Avoid release to the en P280 Wear protective glov P301+P310 IF SWALLOWE P302+P352 IF ON SKIN: W P305+P351+P338 IF IN EY	ivironment. es/protective clothing/eye protection/face protection. D: Immediately call a POISON CENTER/doctor. ash with plenty of water. ES: Rinse cautiously with water for several minutes. Remove d easy to do. Continue rinsing.	
Supplementary Precautionary Statements	P272 CONTAMINATED WORK C P321 SPECIFIC TREATMENT (SEE P332+P313 IF SKIN IRRITATION P333+P313 IF SKIN IRRITATION P362+P364 TAKE OFF CONTA P391 COLLECT SPILLAGE. P405 STORE LOCKED UP.	UR/SPRAY. KIN THOROUGHLY AFTER HANDLING. LOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. MEDICAL ADVICE ON THIS LABEL). N OCCURS: GET MEDICAL ADVICE/ATTENTION. N OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. PERSISTS: GET MEDICAL ADVICE/ATTENTION. MINATED CLOTHING AND WASH IT BEFORE REUSE.	
		N): RISK & SAFETY PHRASES IN FULL.	
2.3 Other Hazards			
Adverse physio-chemical properties	NO DATA		
Adverse effects on human health	NO DATA.		
PBT OR VPVB ACCORDING TO ANNEX XIII	ΝΟ ΔΑΤΑ		
SECTION 3: COMPOSITION OF INGREDIEN	TS		
3.2 Mixtures	20.24 - 35.0% NERAL CAS-	CAS-NO: 141-27-5 EC NO: 205-476-5 08); Skin Irrit. 2 - H315, Skin Sens. 1 - H317 NO: 106-26-3 EC NO: 203-379-2 08); Skin Irrit. 2 - H315, Skin Sens. 1 - H317	

2.3 - 18.0% (S)-p-mentha-1,8-diene     CAS-No: 5989-54-8     EC No: 227-815-6       CLASSIFICATION (EC 1272/2008);     M factor (Acute) = 1, M factor (Chronic) = 1       FLAM. LIQ. 3 - H226, Skin Irrit. 2 - H315, Skin Sens. 1 - H317       AQUATIC Acute 1 - H400, AQUATIC CHRONIC 1 - H410
<b>0.01 - 7.0% (+)-CITRONELLAL</b> CAS-NO: 2385-77-5 EC NO: 219-194-5 CLASSIFICATION (EC 1272/2008); SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, SKIN SENS. 1B - H317
0.2 - 2.0% SABINENE CAS-NO: 3387-41-5 EC NO: 222-212-4 Classification (EC 1272/2008); M factor (Acute) = 1 Flam. Liq. 3 - H226, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 Skin Sens. 1 - H317, STOT SE 3 - H335, Aquatic Acute 1 - H400
<b>0.74 - 1.8% 7-methyl-3-methyleneocta-1,6-diene</b> CAS-NO: 123-35-3 EC NO: 204-622-5 Classification (EC 1272/2008); Flam. Liq. 3 - H226, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 Asp. Tox. 1 - H304
0.01 - 2.2% VERBENOL CAS-NO: 473-67-6 EC NO: 207-470-8 Classification (EC 1272/2008); Skin Irrit. 2 - H315
<b>0.31 - 1.7% 1, 8 CINEOLE</b> CLASSIFICATION (EC 1272/2008); FLAM. LIQ. 3 - H226, SKIN SENS. 1B - H317
1.0 - 5.0% 1, ALPHA-(-)-PINENE CAS-NO:7785-26-4 EC NO: 232-077-3
CLASSIFICATION (EC 1272/2008); M FACTOR (CHRONIC) = 1 Flam. Liq. 3 - H226, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 Skin Sens. 1 - H317, STOT SE 3 - H335, Aquatic Chronic 1 - H410
0.01 - 2.9% Geraniol     CAS-No:106-24-1     EC No: 203-377-1       Classification (EC 1272/2008);     Skin Irrit. 2 - H315, Eye Dam. 1 - H318, Skin Sens. 1 - H317
0.01- 5.0% 6-Methyl-5-hepten-2-one CAS-No:110-93-0 EC No: 203-816-7 Classification (EC 1272/2008); Flam. Liq. 3 - H226
0.01 - 3.3% LINALOOL CAS-No:126-91-0 EC No: 204-811-2 Classification (EC 1272/2008); Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, STOT SE 3 - H335
0.01 - 3.0% BETA CARYOPHYLLENE CAS-NO: 87-44-5 EC NO: 201-746-1 Classification (EC 1272/2008); ASP. Tox. 1 - H304
<b>0.18 - 1.2% Nerol</b> CAS-No: 106-25-2 EC No: 203-378-7 Classification (EC 1272/2008); Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1 - H317
<b>0.01 - 1.5% B-(+)-CITRONELLOL</b> CAS-NO: 1117-61-9 EC NO: 214-250-5 Classification (EC 1272/2008) Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317

SECTION 4: FIRST AID MEASURES			
4.1 DESCRIPTION OF FIRST AID MEASURES			
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.		
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.		
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.		
Skin Contact	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.		
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.		
4.2 Most important symptoms & effects (Acute & Delayed)	Inhalation     May cause coughing and difficulties in breathing.       Ingestion     Irritating to the respiratory tract and may cause damage to the central nervous system.       Skin contact     Toxic in contact with skin.       Eye contact     May cause eye irritation.		

	<u>.</u>
SPECIAL TREATMENT REQUIRED	
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR	None expected, see Section 4.1 for further information.
4.3	

#### **SECTION 5: FIRE FIGHTING MEASURES**

5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3 Advice for fire-fighters	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 Environmental precautions	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
ENVIRONMENTAL I RECADITIONS	GOIDELINES.
6.3 Methods & material for containment and cleaning	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN
UP	SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4	REFER & CONSIDER SECTION 8.
REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 13.

# SECTION 7: HANDLING & STORAGE

7.1 Precautions for safe-handling	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3 Specific end use(s)	NO DATA.
SECTION 8. EXPOSURE CONTROLS &	

# SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

	7-METHYL-3-M	ETHYLENEOCTA-1,6-DIENE (CAS: 123-35-3)
8.1 Control Parameters	DNEL	WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.83 MG/KG WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 5.83 MG/M <sup>3</sup> GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.42 MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1.25 MG/M <sup>3</sup> - STP; 0.2 MG/L - SOIL; 1.015 MG/KG - FRESH WATER; 0.00028 MG/L - MARINE WATER; 0.0008 MG/L - SEDIMENT (FRESHWATER); 5.022 MG/KG - SEDIMENT (MARINE WATER); 0.502 MG/KG
	<b>1, 8 CINEOLE ((</b> DNEL PNEC	CAS: 470-82-6) WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 2 MG/KG GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 600 MG/KG GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 1 MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1.74 MG/M <sup>3</sup> - STP; 10 MG/L

	- SOIL; 0.2 MG/KG - INTERMITTENT RELEASE; 0.57 MG/L - FRESH WATER; 0.057 MG/L - MARINE WATER; 0.0057 MG/L - SEDIMENT (FRESHWATER); 0.06732 MG/KG - SEDIMENT (MARINE WATER); 0.00673 MG/KG
8.2 EXPOSURE CONTROLS	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
Hygiene Measures	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
ENGINEERING MEASURES	None.
Skin Protection	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
Other Protection	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
Process Conditions	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.

### SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 Physical & Chemical Properties		
Appearance	Liquid	
COLOUR	Pale Yellow - Yellow	
Odour	CHARACTERISTIC	
RELATIVE DENSITY	0.882 - 0.905 @ 25°C	
FLASH POINT (°C)	REACH DOSSIER INFORMATION. 68.3±1°C°C CC (CLOSED CUP).	
<b>REFRACTIVE INDEX @ 20</b> °C	1.475 - 1.490 @ 20°C	
Solubility in water @ 20 °C	REACH dossier information. The range of water solubilities of the known constituents of Litsea Cubeba oil was found to be $0.5 - 4364 \text{ mg/L}$ at $25^{\circ}$ c	
9.2 Other Information	NO DATA.	
SECTION 10: STABILITY & REACTIVITY		
10.1 Reactivity	NO HAZARDOUS REACTIONS IF STORED AND HANDLED AS PRESCRIBED / INDICATED.	

10.2 Chemical stability	Stable under suggested storage conditions (<1.5°C).
10.3 Possibility of hazardous reactions	No.
10.4 Conditions to avoid	Storage at high temperatures. Do not store above $15^{\circ}$ C.
10.5 INCOMPATIBLE MATERIALS	Strong oxidisning substances.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	This product does not decompose under normal conditions. Under fire conditions the product will produce a mixture of irritating fumes & smoke & carbon monoxide.

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 Toxicological effects		
Αсυτε Τοχιςιτγ	NO DATA.	
Skin irritation	ΝΟ ΔΑΤΑ	
EYE DAMAGE OR IRRITATION	ΝΟ ΔΑΤΑ	
RESPIRATORY OR SKIN SENSITIVITY	ΝΟ ΦΑΤΑ	
GERM CELL MUTAGENICITY	ΝΟ ΔΑΤΑ	
CARCINOGENICITY	NOT APPLICABLE.	
<b>R</b> EPRODUCTIVE TOXICITY	NOT APPLICABLE.	
STOT – SINGLE EXPOSURE	NOT APPLICABLE.	
STOT - REPEATED EXPOSURE	NOT APPLICABLE.	
Aspiration Hazard	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS (H304).	
Other Information	NO DATA.	

## **SECTION 12: ECOLOGICAL INFORMATION**

	ACUTE TOXICITY	- FISH LL50, 96 HOUR: 4.2 MG/L, ONCHORHYNCHUS MYKISS
12.1	(RAINBOW TROUT)	
Τοχιςιτγ	ACUTE TOXICITY	
	- AQUATIC INVERTEBRATES	EL50, 48 HOURS: 4.2 MG/L, DAPHNIA MAGNA
12.2		
PERSISTENCE & DEGRADABILITY	EXPECTED TO BE READILY BIODED	GRADABLE.
12.3 BIO- ACCUMULATIVE POTENTIAL	PARTITION COEFFICIENT	
	<b>REACH</b> DOSSIER INFORMATION.	The log Kow range of Litsea Cubeba oil constituents was
	FOUND TO BE 2.06 - 6.3. 16.9	0% of the constituents has a log Kow
12.4 Mobility in soil	NO DATA.	
12.5		
RESULTS OF PBT & VPVB ASSESSMENT	NO DATA.	
12.6 Other adverse effects	DO NOT ALLOW PRODUCT TO E	NTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION		
13.1 Waste treatment methods		DUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

SECTION 14: TRANSPORT INFORMATION		
14.1 Transport Information		
UN NUMBER	ROAD: 3082 RAIL: 3082 AIR: 3082	
14.2 UN Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S.	
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS 9 ADR/RID CLASSIFICATION CODE M6 ADR LABEL 9 IMDG CLASS 9 ICAO CLASS/DIVISION 9 AND CLASS 9	
IKANSPUKI HAZAKU (LASS(ES)		
14.4 Packing Group	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III	
14.5 Enviromental Hazards	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT	
14.6 Special precautions for user	EMS F-A-S-F   ADR TRANSPORT CATEGORY 3   EMERGENCY ACTION CODE •3Z   ADR/RID HAZARD ID NUMBER 90   TUNNEL RESTRICTION CODE (E)	
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	No additional data.	
SECTION 15: REGULATORY INFORMATION		
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION		
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 <sup>TH</sup> DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE	

	1999/45/EC and repealing council regulation (EEC) No793/93 & commission regulation (EC) No1488/94 as well as council directive 76/769/EEC & commission directive 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (including amendments).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	-

SECTION 16: OTHER INFORMATION	
Hazard and/ or Precautionary Statements in full	H226 Flammable Liquid and Vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	Material Safety Data Sheet.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 <sup>™</sup> April 2018	DATA LAUNCH