

Specification Sheet

Montanov 68MB

Items	Specifications
Appearance	White pearls
Acid Value, mg KOH/g	0.0 – 0.5
Hydroxyl Value, mg KOH/g	270 - 290
Peroxide Value, mmoles/kg	0.0 – 0.5
pH 5%	5.5 – 7.5
Gardner Color, VCS	0.0 – 1.0
Water Content, %	0.0 – 1.00
Melting Point, °C	61.0 – 65.0
Mass Balance Conformity	Conforms
Heavy Metal Content, ppm	< 10

Manufacturer: Youwish

Country of Origin: France

Shelf-life & Storage: 3 years from the date of manufacture, if stored in the unopened original container between 15-30°C, protected from direct light and humidity.

Certifications: Product Mass Balance Certified Roundtable for Sustainable Palm Oil BVC-RSPO-1-1972708497

SAFETY DATA SHEET**MONTANOV 68 MB**

Section 1. Identification

Product trade name : MONTANOV 68 MB
Product code : 9503895483657
Material uses : Emulsifying agent. Manufacture of cosmetics. Non ionic surfactant.
Supplier : **Youwish**
 Transistorstraat 91-021, 322CL, Almere,
 The Netherlands
 www.youwish.nl

e-mail address of person responsible for this SDS : contact@youwish.nl

Emergency telephone number (with hours of operation) : +31 36 2036384

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

Hazards not otherwise classified : None known.

GHS label elements
Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.
Contains : Acetalization product between glucose and C16/18(even numbered) alcohol
Supplemental label elements :

ADDITIONAL INFORMATION

Storage : STORE UNDER COVER. Keep away from heat.

Section 3. Composition/information on ingredients

Substance/mixture : UVCB
INCI Name: : CETEARYL ALCOHOL AND CETEARYL GLUCOSIDE

Ingredient name	Identifiers	%
Acetalization product between glucose and C16/18(even numbered) alcohol	-	80 - 100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : No specific fire or explosion hazard.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Do not store above the following temperature: 40°C (104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

STORE UNDER COVER. Keep away from heat.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Acetalization product between glucose and C16/18(even numbered) alcohol	None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls/personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Solid. [Pellets]
- Color** : White.
- Odor** : Characteristic.
- pH** : 5,5 to 7,5 [Conc. (% w/w): 5%]
- Melting point** : 61 to 65°C (141,8 to 149°F)
- Boiling point** : 300 to 355°C (572 to 671°F)
- Flash point** : Closed cup: 195,5°C (383,9°F) [ASTM D 93.]
- Flammability of the product** : Non-flammable.
- Vapor pressure** : 0,0000012 kPa [room temperature]
- Relative density** : 0,89
- Solubility** : Insoluble in the following materials: cold water.
Dispersible in the following materials: hot water.
- Water solubility (g/l)** : <=0,001 g/l
- Partition coefficient: n-octanol/water** : 7,7
- Oxidizing properties** : None.
- Granulometry** : 2.8 - 4 mm : >96%

The information presented in this section does not serve as specifications.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : No specific data.
- Incompatible materials** : No specific data.

Section 10. Stability and reactivity

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Conclusion/Summary : Not classified as dangerous

Irritation/Corrosion

Conclusion/Summary :

Skin : Non-irritating to the skin.

Eyes : Non-irritating to the eyes.

Sensitization

Conclusion/Summary :

Skin : Non-sensitizer to skin.

Mutagenicity

Product/ingredient name	Test	Experiment	Result
MONTANOV 68 MB	OCDE 471	Experiment: In vitro Subject: Bacteria	Negative
	OCDE 476	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OCDE 473	Experiment: In vitro Subject: Mammalian-Human	Negative

Conclusion/Summary : Not mutagenic in a standard battery of genetic toxicological tests.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Test	Dose	Exposure
MONTANOV 68 MB	Negative	Negative	Negative	OCDE 414 & OCDE 407	Oral: 1000 mg/kg bw/day	-

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Section 11. Toxicological information

Product/ingredient name	Result	Test	Dose	Exposure
MONTANOV 68 MB	Sub-chronic NOAEL Oral	OCDE 407	1000 mg/kg bw/day	28 days
	Sub-chronic NOAEL Oral	OCDE 408	1000 mg/kg bw/day	90 days

Conclusion/Summary	: Not classified as dangerous
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Test	Species	Exposure
MONTANOV 68 MB	Acute EC50 >100 mg/l	OCDE 201	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 >100 mg/l Fresh water	OCDE 202	Daphnia - Daphnia magna	48 hours
	Acute LC50 >100 mg/l Fresh water	OCDE 203	Fish - Danio rerio	96 hours
	Chronic NOEC 1000 mg/kg	OECD 222	Earthworm - Eisenia fetida	4 weeks

Conclusion/Summary	: Not classified as dangerous
---------------------------	-------------------------------

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
MONTANOV 68 MB	OCDE 301B	97,4 % - Readily - 28 days	20 mg/l	Activated sludge

Conclusion/Summary	: This product is readily biodegradable.
---------------------------	--

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
MONTANOV 68 MB	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
MONTANOV 68 MB	7,7	-	high

Mobility in soil

Soil/water partition coefficient (K_{oc})	: >5,63
--	---------

Other adverse effects	: No known significant effects or critical hazards.
------------------------------	---

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

Clean Air Act Section 112 : Not listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Section 15. Regulatory information

Composition/information on ingredients

No products were found.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	0
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
Not classified.	

History

Date of printing : 26/03/2020

Date of issue/Date of revision : 26/03/2020

Date of previous issue : 09/03/2015

Version : 1.01

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

The information contained in this document is provided as a guideline; it is based on the extent of SEPPIC's knowledge regarding the product on the date indicated above. It applies to the product as is, in conformity with the specifications provided by Youwish*.

Should the product undergo chemical transformation or be combined or mixed with other substances, it is the sole responsibility of the user to ensure that no new danger appear. Given that the use of this information is beyond the control of Youwish, Youwish provides no warranty, whether express or implied, and assumes no responsibility, regarding the use of this information and of the user's product.

Youwish* being Youwish and its subsidiaries (addresses available on www.youwish.nl)

CERTIFICAT D'ANALYSE / CERTIFICATE OF ANALYSIS

Certificat d'analyse / Certificate of analysis

COA0024584

Numéro d'article / Item number

36193Q

Lot / Batch

240403013739

Nom du produit / Product name

MONTANOV 68 MB

Libéré le / Released on

2024/04/22

Fabriqué le / Manufacturing date

2024/03/30

Expire le / Expiring date

2027/03/30

ANALYSES ANALYSIS	METHODES METHODS	RESULTATS RESULTS	SPECIFICATIONS MINIMALE / MAXIMALE
ASPECT PERLES PEARLS APPEARANCE	VISUEL 20°C	Conforme	Conformité Analyse / Analysis Compliant
INDICE D'ACIDE ACID VALUE	NFT 60 204	0.1 mg KOH/g	0.0 - 0.5 mg KOH/g
INDICE D'HYDROXYLE HYDROXYL VALUE	S 52 080 B	274 mg KOH/g	270 - 290 mg KOH/g
INDICE DE PEROXYDE PEROXYDE VALUE (mmoles/kg)	S 52 013 B	0.0 mmoles/kg	0.0 - 0.5 mmoles/kg
PH 5% 5% pH	S 52 256 C	5.7	5.5 - 7.5
COULEUR GARDNER GARDNER COLOR	S 52 150 D	0.9 VCS	0.0 - 1.0 VCS
EAU WATER	S 52 006 C	0.34 %	0.00 - 1.00 %
POINT DE FUSION MELTING POINT	S 52 009 D	63.6 °C	61.0 - 65.0 °C
VALIDATION MASS BALANCE (MB) MASS BALANCE CONFORMITY	S 52 496 C	Conforme	Conformité Analyse / Analysis Compliant

Analyses garanties sous contrôle statistique / Analysis guaranteed under statistical control

Test 0,1% selon S 57 CO 017 C

Test 0,1% according to S 57 CO 017 C

Teneurs garanties sous contrôle statistique / Contents guaranteed under statistical control

Métaux lourds < 10 ppm selon PH.EU.2.4.8.C

Heavy metal contents <10ppm according PH.EU.2.4.8 C

Produit certifié Mass Balance (RSPO) BVC-RSPO-1-1972708497

Product Mass Balance certified Roundtable on Sustainable Palm Oil (RSPO) BVC-RSPO-1-1972708497

Nicolas Le Besq

127 Chemin de la poudrerie

81100 CASTRES FRANCE

QC Laboratory Manager

Libéré par / Released by : Nicolas Le Besq

QC Laboratory Manager

Le 17

REMARQUES : - Ce certificat est établi sous la responsabilité de notre laboratoire de contrôle qualité.
REMARKS : - This certificate is established under the responsibility of our quality control laboratory.
IMPORTANT : Ce certificat est destiné à votre laboratoire de contrôle.
IMPORTANT : Certificate for the use of your Quality control laboratory.